

Environmental Assessment Study

Notice of Study Commencement Front Street Station Wastewater Diversion Project

Study Background

The Region of Peel has identified the need to address the current Front Street Station catchment area wastewater flows to align with the Region's long-term sustainable plan to provide wastewater services. As a result a Schedule 'B' Class Environmental Assessment (EA) has been initiated to identify a solution for this infrastructure need.


Some or all of the solutions being evaluated will involve construction along Lakeshore Road.

The Study Process

The map shows the study and infrastructure planning areas.

The EA process includes:

- Public and stakeholder meetings
- An evaluation of alternative solution
- An impact assessment of proposed alternatives
- Identification of methods to lessen the adverse impacts to the community



Your Input Is Important

Early and active discussions with the community will be critical to identify ways to reduce the impacts of this project to local businesses, traffic and pedestrians, while evaluating and selecting the preferred solution.

Two Public Information Centres (PICs) will be held to present the findings of the study to the public and other stakeholders, and to provide an opportunity to provide comments and feedback to the project team. For more information on the project visit Region's project web page: at peelregion.ca, water and wastewater, environmental assessments, current water and wastewater EAs, and then click on Mississauga.

Comments

As part of the consultation process, a mailing list is now being compiled. If you wish to receive further information about this project, or to submit a comment, or be added to the mailing list, please contact:

Soyuz Mitra, P.Eng.

Project Manager
10 Peel Centre Drive, 4th Floor, Suite A
Brampton, ON L6T 4B9
Soyuz.mitra@peelregion.ca
905-791-7800, ext. 4550

The Region of Peel is committed to ensure that all Regional services, programs and facilities are inclusive and accessible for persons with disabilities. Please contact the Project Manager if you need any disability accommodations to provide comments or feedback for this study.

This notice was first issued on January 20, 2017.

With the exception of personal information, all comments will become part of the public record of the study. The study is being conducted according to the requirements of the Municipal Class Environmental Assessment, which is a planning process approved under Ontario's Environmental Assessment Act.