

# Terraprobe

*Consulting Geotechnical & Environmental Engineering  
Construction Materials Inspection & Testing*

**CONTAMINANT OVERVIEW STUDY  
CAWTHRA ROAD, QEW TO EASTGATE PARKWAY  
MISSISSAUGA, ONTARIO**

**PREPARED FOR:** IBI Group  
100 – 175 Galaxy Boulevard  
Toronto, Ontario  
M9W 0C9

File No 1-18-0615-2  
May 27, 2020

**Terraprobe Inc.**

---

## **Terraprobe Inc.**

### **Greater Toronto**

11 Indell Lane  
**Brampton**, Ontario L6T 3Y3  
(905) 796-2650 Fax: 796-2250

### **Hamilton – Niagara**

903 Barton Street, Unit 22  
**Stoney Creek**, Ontario L8E 5P5  
(905) 643-7560 Fax: 643-7559

### **Central Ontario**

220 Bayview Drive, Unit 25  
**Barrie**, Ontario L4N 4Y8  
(705) 739-8355 Fax: 739-8369

### **Northern Ontario**

1012 Kelly Lake Road., Unit 1  
**Sudbury**, Ontario P3E 5P4  
(705) 670-0460 Fax: 670-0558

[www.terraprobe.ca](http://www.terraprobe.ca)

## TABLE OF CONTENTS

SECTION	PAGE
<b>1.0 INTRODUCTION</b>	<b>1</b>
<b>2.0 SCOPE OF INVESTIGATION</b>	<b>1</b>
2.1 Records Review	1
2.2 Site Reconnaissance	2
2.3 Documentation and Evaluation of Information	2
<b>3.0 RECORDS REVIEW</b>	<b>3</b>
3.1 General	3
3.1.1 Study Area Determination	3
3.1.2 First Developed Use Determination	3
3.1.3 Environmental Reports	3
3.2 Environmental Source Information	3
3.2.1 ERIS	3
3.2.2 Other Source Information	8
3.3 Physical Setting Sources	9
3.3.1 Aerial Photographs and Historic Mapping	9
3.3.2 Topography, Hydrology and Geology	10
3.3.3 Fill Materials	10
3.3.4 Water Bodies, Wetlands and Areas of Natural Significance	10
3.3.5 Archaeological Resources or Areas of Archaeological Potential	11
3.3.6 Species at Risk	11
3.4 Site Operating Records	11
<b>4.0 SITE RECONNAISSANCE</b>	<b>12</b>
4.1 General Requirements	12
4.2 Specific Observations at Contamination Overview Study Site	12
4.2.1 Building and Structure Descriptions	12
4.2.2 Designated Substances and Other Special Attention Items	12
4.2.3 Below Ground Structures	12
4.2.4 Above Ground Storage Tanks	12
4.2.5 Under Ground Storage Tanks	12
4.2.6 Exterior Site Conditions	12
4.3 Investigation of Study Area	13
4.4 Potentially Contaminating Activities	14
<b>5.0 CONCLUSIONS AND RECOMMENDATIONS</b>	<b>14</b>
5.1 Potentially Contaminating Activities	14
5.2 Areas of Potential Environmental Concern	22
5.3 Recommended Environmental Site Assessment Work Plan	26
<b>6.0 LIMITED SUBSURFACE INVESTIGATION</b>	<b>26</b>
6.1 Applicable Standards	27
6.2 Sample Results	28
<b>7.0 CLOSURE</b>	<b>29</b>



## FIGURES

Figure 1	Site Location
Figure 2	PCA Location
Figure 3	APEC Location
Figure 4	Borehole Location Plan
Figure 5	EC and SAR Exceedances in Soil - Plan View

## APPENDICES

Appendix A	ERIS Report
Appendix B	Regulatory Responses
Appendix C	Aerial Photographs, Satellite Images
Appendix D	Topographic Map and Geological Mapping
Appendix E	Site Photographs



## EXECUTIVE SUMMARY

IBI Group retained Terraprobe Inc. (Terraprobe), to complete a Contamination Overview Study (COS) of the Cawthra Road municipal roadway corridor extending from Queen Elizabeth Way (QEW) to Eastgate Parkway in the City of Mississauga, Ontario (the "Site").

The Site is generally of a rectangular shape with a length of approximately 5.5 km and a width of 20 m. The Site is developed as a municipal roadway and is considered to be in Community Land Use by the Ontario Ministry of the Environment, Conservation and Parks (MECP). The adjacent land use includes commercial and industrial operations and there are two wetland areas present on the southeast and northeast portions of the Site. The proposed development of the Site includes intersection improvements along Cawthra Road.

The study identified the following potentially contaminating activities (PCAs) within the Study Area:

- #2 – Adhesives and Resins Manufacturing, Processing and Bulk Storage;
- #10 – Commercial Autobody Shops;
- #11 – Commercial Trucking and Container Terminals;
- #12 – Concrete, Cement and Lime Manufacturing;
- #18 – Electricity Generation, Transformation and Bulk Storage;
- #19 – Electronic and Computer Equipment Manufacturing;
- #28 – Gasoline and Associated Products Storage in Fixed Tanks;
- #29 – Glass Manufacturing;
- #30 – Importation of Fill Material of Unknown Quality;
- #31 – Ink Manufacturing, Processing and Bulk Storage;
- #33 – Metal Treatment, Coating, Plating and Finishing;
- #34 – Metal Fabrication;
- #43 – Plastics (including Fibreglass) Manufacturing and Processing;
- #45 – Pulp, Paper and Paperboard Manufacturing and Processing;
- #48 – Salt Manufacturing and Processing;
- #49 – Salvage Yard, including automobile wrecking;
- #50 – Soap and Detergent Manufacturing, Processing and Bulk Storage;
- #54 – Textile Manufacturing and Processing;
- #55 – Transformer Manufacturing, Processing and Use;
- #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products;
- #O1 – Ontario Spills; and
- #O2 – Region of Peel Spills.

As the southeast and northeast portions of the Site are within 30 m of regulated wetlands, these portions of the Site are considered sensitive under Ontario Regulation 153/04, as amended. Therefore, any future subsurface investigation in these areas will be subject to Ontario Regulation 153/04, as amended, Table 1 Standards.

Environmental Site Assessments including soil and ground water investigations will be required to investigate the potential impacts within the Site caused by surrounding land uses identified as high risk, especially within lands requiring expropriations for the road improvement project.



## 1.0 INTRODUCTION

IBI Group retained Terraprobe Inc. (Terraprobe), to complete a Contamination Overview Study (COS) of the Cawthra Road municipal roadway corridor extending from Queen Elizabeth Way (QEW) to Eastgate Parkway in the City of Mississauga, Ontario (the “Site”).

The Site is generally of a rectangular shape with a length of approximately 5.5 km and a width of 20 m. The Site is developed as a municipal roadway and is considered to be in Community Land Use by the Ontario Ministry of the Environment, Conservation and Parks (MECP). The adjacent land use includes commercial and industrial operations and there are two wetland areas present on the southeast and northeast portions of the Site. The proposed development of the Site includes intersection improvements along Cawthra Road.

The general location of the Site is presented on Figure 1 and the Site layout and notable features are presented in Figures 2 and 3. For reporting purposes, Cawthra Road is assumed to be oriented in a north – south direction.

## 2.0 SCOPE OF INVESTIGATION

The Contamination Overview Study involved the following principal tasks:

- A review of records and reports regarding historical and current land use and activities for the Site and Study Area;
- An inspection of the Site and the Study Area;
- An evaluation of the information obtained and documentation of the results of the review; and
- Sampling and analysis of soil to investigate the effects of the high-risk Areas of Potential Environmental Concern (APECs) on the Site.

### 2.1 Records Review

The records review provides information on historical and current activities. The objectives of the records review are:

- To obtain and review records that relate to the current and past land use, site features and activities at the Site;
- To obtain and review records that relate to PCAs, water bodies, and areas of natural significance in the Study Area and the Site; and
- Based on the above record reviews, provide an assessment of PCAs and concerns (if any) with respect to potential environmental impacts of the Site.

The following sources of information were reviewed:

- Select ownership and/or occupancy records, from ERIS;
- Archival information for the Site including aerial photographs, topographic maps, historical maps and drawings;
- Site specific environmental reports and/or operating records (e.g., Certificates of Approval (CA), waste generator registration, approvals, permits) provided to Terraprobe Inc.;
- Geological and hydrogeological information in published government maps reports and/or databases;



- Databases maintained by Environmental Risk Information Services (ERIS) containing environmentally related information from private, provincial, and federal sources;
- Published Ontario MECP directories related to registered Polychlorinated Bi-Phenyls (PCB) storage sites as well as active and closed landfill sites;
- The Ontario Ministry of Natural Resources and Forestry (MNRF) Natural Heritage Information Centre database for information specific to natural areas, such as locations of environmentally sensitive areas;
- Published information regarding an Official Plan and zoning information for the area;
- Environmental sensitivity mapping by the local Conservation Authority; and
- Well head protection mapping by the local Conservation Authority, from ERIS.

## 2.2 Site Reconnaissance

The objectives of the site reconnaissance were:

- To identify PCAs on the Site, based on observations of current and past land use;
- To identify PCAs in the Study Area based on observations of current and past land use; and
- To identify potential pathways for contamination migration at the Site and Study Area.

The site reconnaissance included a review and evaluation of PCAs, taking into consideration the following:

- Activities and practices including site operations, processes and waste management currently carried out on the Site;
- Evidence of past waste disposal, landfill or fill placement on the Site;
- The presence of hazardous or toxic chemicals, materials or processes on the Site;
- The presence of existing or former aboveground and underground fuel storage tanks on the Site;
- Identification of heating and cooling systems on any buildings located on the Site;
- The presence of sumps and drains, wells, pits and lagoons on the Site;
- Identification of water supply source to the Site;
- The presence of various designated substances and building materials, including friable and non-friable asbestos, PCB-containing materials and electrical equipment, lead-based paint, mould, and chlorofluorocarbons (CFCs) in air-conditioning and refrigeration equipment on the Site; and
- Evidence of stained or odorous soils and stressed vegetation resulting from potential subsurface impacts on the Site.

In addition, an inspection of the Site, adjacent properties and the properties located within the Study Area was completed by inspecting from publicly accessible locations (roads, sidewalks, etc.).

## 2.3 Documentation and Evaluation of Information

The information obtained from the records review, interviews and site reconnaissance is described, documented, and evaluated as outlined below:

- Documentation of information, as noted in subsequent sections of the report;
- Description of past occupants and site uses; and
- Description and probable locations of PCAs.



### 3.0 RECORDS REVIEW

#### 3.1 General

##### 3.1.1 Study Area Determination

The Study Area consists of the area that extends up to 100 m beyond the Cawthra Road Site boundaries as shown on Figures 2 and 3. Based on our professional experience and our understanding of the project, this scope is sufficient for a Contamination Overview Study.

##### 3.1.2 First Developed Use Determination

The determination of first developed land use is based on a review of aerial photographs and historical mapping. The details and evaluation of the above noted information sources are provided in subsequent sections of this report.

Based on the evaluated information:

- The Site was first developed for Agricultural use from approximately the early 1800s to early 1900s; and
- Community development of the Site, as a road, occurred prior to 1954. The northernmost portion of the Site at the intersection with Eastgate Parkway, underwent community development (as a road) between 1985 and 1992.

##### 3.1.3 Environmental Reports

No previous environmental reports were available to Terraprobe for review.

### 3.2 Environmental Source Information

#### 3.2.1 ERIS

Environmental Risk Information Services Ltd. (ERIS) is an organization that maintains and searches various government and private databases for property-related environmental information. A search of the ERIS databases was requested for the Site and Study Area. The ERIS Report is provided in Appendix A.

The PCAs identified in the ERIS report are summarized below.

Location of PCA	PCA	Details
Cawthra & Rathburn Road COS Site	#O1 - Ontario Spills	250 L diesel to roadway/curb, northeast corner of Cawthra Road and Rathburn Road (2011).
Cawthra Road & Dundas Street COS Site	#O1 - Ontario Spills	765 L of transformer oil to sewer from transformers just south of Dundas Street (1994).
2355 Cawthra Road Adjacent East	#10 – Commercial Autobody Shops #34 – Metal Fabrication #33 – Metal Treatment, Coating, Plating and Finishing #49 – Salvage Yard, including automobile wrecking	Supreme Disposal Services (1999) is listed in the Automobile Wrecking and Supplies Database. Treblex Limited is listed in the Scotts Manufacturing Database (1966) for metal manufacturing, including heavy gauge tanks, material handling equipment manufacturing and other plate work.



Location of PCA	PCA	Details
2526 Cawthra Road Adjacent West	#10 – Commercial Autobody Shops	Hawley Collision Centre Inc. is listed in the Environmental Activity and Sector Registry (2012). Hawley Pontiac Buick Cadillac (1983) Ltd has Environmental Registry Listings between 1995 and 2005.
2446 Cawthra Road Adjacent West	#31 – Ink Manufacturing, Processing and Bulk Storage #33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication #45 – Pulp, Paper and Paperboard Manufacturing and Processing #54 – Textile Manufacturing and Processing #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Various businesses listed in Scotts Manufacturing Directory between 1968 and 1991 for different types of manufacturing including cabinets, industrial control apparatus, plate work, analytical instruments, clockwork, textile products, athletic goods, commercial printing, typesetting, machine shops, etc. Shooting Chrony Inc., a fabricated metal product manufacturer, listed in the Ontario Regulation 347 Waste Generators Summary as a generator of halogenated and aromatic solvents (2005 – 2006).
4106 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks #O1 - Ontario Spills	1467738 Ontario Inc O/A Gas Station is listed as a Technical Standards and Safety Authority (TSSA) Expired Facility for 9 expired tanks (1989) and for a historical fuel storage tank that is pending renewal (2007). Kanev Management Petro Gas Bar is listed as a TSSA Expired Facility for 1 expired tank and is listed for having a retail fuel storage tank (1995). Suncor Energy Products Partnership is registered for 3 Fuel Storage Tanks (2000). Katz Faina, Petro Canada and Petro Canada 481 are listed for having a retail fuel storage tank. Underground tank leak – unknown quantity (1988).
3670 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	1680378 Ontario Inc O/A Shell Gas Station is listed as a TSSA Expired Facility with 19 expired tanks. Eric Lewis Shell is listed as a TSSA Expired Facility with 1 expired tank (1991) and for having a retail fuel storage tank (1991). Shell Circle K L Thompson has a retail fuel storage tank (1996). FRC Enterprises Inc is registered as Fuel Storage Tank (1989) and is listed in the Historical Fuel Storage Tanks Database for 3 active tanks (2007). A retail fuel storage tank is listed at this property. Shehata Magdy has a retail fuel storage tank (1996). CYC Shell Select, Shell Cawthra and Shell Canada Products are listed for a retail fuel storage tank.
2531 Cawthra Road Adjacent East	#12 – Concrete, Cement and Lime Manufacturing #28 – Gasoline and Associated Products Storage in Fixed Tanks #O1 - Ontario Spills	Franceschini Bros Aggregates Limited is listed as: <ul style="list-style-type: none"> <li>▪ A TSSA Expired Facility with an expired tank and piping (2003) and has 2 active tanks according to the Historical Fuel Storage Tanks Database (2008);</li> <li>▪ Sand and gravel pits in the Ontario Regulation 347 Waste Generators Summary for generating aliphatic solvents, petroleum distillates, light fuels and waste oils and lubricants (1986-2001);</li> <li>▪ A manufacturer and distributor of concrete products, minerals and earths, brick stone and related construction materials in Scott's Manufacturing Directory (1946);</li> <li>▪ Mining and oil and gas extraction, non-metallic mineral mining and quarrying, sand and gravel mining in the National Pollutants Release Inventory (2004 – 2012); and</li> <li>▪ Having both a private and retail fuel storage tank.</li> </ul> Lafarge Canada Inc. is listed in the Ontario Regulation 347 Waste Generators Summary for generating aliphatic solvents, petroleum distillates, light fuels and waste oils and lubricants (2002-2018). 150 L diesel spilled to gravel/catch basin - contained (2011). Two spills of 200 L hydraulic oil to land – contained and cleaned (2016). 120 L hydraulic oil to ground – contained and cleaned (2018).





Location of PCA	PCA	Details
2421 Cawthra Road Adjacent East	#10 – Commercial Autobody Shops #11 – Commercial Trucking and Container Terminals #28 – Gasoline and Associated Products Storage in Fixed Tanks #O1 - Ontario Spills	Laidlaw Carriers Inc is listed as: <ul style="list-style-type: none"> <li>▪ a TSSA Expired Facility for 3 expired tanks;</li> <li>▪ Garages (gen. repairs) in the Ontario Regulation 347 Waste Generators Summary (1986 – 2001); and</li> <li>▪ Having a private fuel storage tank.</li> </ul> Musket Transport Ltd. is registered as other truck/transportation and general freight trucking long distance truck-loading in the Ontario Regulation 347 Waste Generators Summary (1999 – 2018). LCI Environmental Inc is listed in the Waste Disposal Sites Directory – Ministry of Environment Certificate of Approval (CA) Inventory (1993). 45.5 L of engine oil spill to ditch – confirmed soil and surface water contamination (2005).
691 Burnhamthorpe Road East Adjacent West	#10 – Commercial Autobody Shops #28 – Gasoline and Associated Products Storage in Fixed Tanks #O1 - Ontario Spills	2068179 Ontario Inc O/A Airport Hwy 427 Esso Gas Station is listed as a TSSA Expired Facility for 13 expired tanks. Imperial Oil Limited is listed, as a gas station, in the Ontario Regulation 347 Waste Generators Summary as a generator of light fuels (2005 – 2010). MT Services ATTN Gus Thomas is listed as having a retail fuel storage tank (1994). PACZAY & SONS LTD is listed as having a retail fuel storage tank (1996). Royal Esso is listed for a retail fuel storage tank. Kartex Auto is listed for a retail fuel storage tank. Gasoline seepage from UST to surface at service station – soil contamination possible (1990).
3100 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks #O1 - Ontario Spills	John Victor is listed as a TSSA Expired Facility for 9 expired tanks (1989) and as having a retail fuel storage facility. Imperial Oil Limited is listed in the Ontario Regulation 347 Waste Generators Summary as a generator of light fuels (2002 – 2004). 3100 Cawthra Road is listed for having a retail fuel storage tank. 4000 L heating oil to storm sewer (1990).
655 The Queensway East Adjacent West	#10 – Commercial Autobody Shops #28 – Gasoline and Associated Products Storage in Fixed Tanks #O1 - Ontario Spills	1467738 Ontario Inc as a TSSA Expired Facility for 1 expired tank. 1659183 Ontario Inc o/A Gas Station is listed in the Historical Fuel Storage Tanks Database for 2 active tanks and 2 decommissioned tanks (2007). SRAA Automotive Service Inc is listed as a TSSA Expired Facility for 2 expired tanks (2010). Suncor Energy Products Partnership is registered for 4 Fuel Storage Tanks (1984). Mississauga Kar Kare Centre Inc O/A Queensway/Cawthra is listed for having two retail fuel storage tanks (1995, 1996). Sunoco Ontario, Can Lube, Petro Canada, TA Lube and Valvoline Express Care/Quick Lube are listed as having retail fuel storage tanks. 50 L gasoline spill to paved ground, catch basin impacted (2013).
3266 Cawthra Road Adjacent West	#18 – Electricity Generation, Transformation and Bulk Storage #55 – Transformer Manufacturing, Processing and Use #O1 - Ontario Spills	Mississauga Hydro is listed for Electricity Power Systems in the Ontario Regulation 457 Waste Generators Summary as a generator of Polychlorinated Bi-Phenyls (PCBs) (1986 – 1998). Enersource Hydro Mississauga is listed for Electric Power Distribution in the Ontario Regulation 347 Waste Generators Summary as a generator of PCBs (2013 – 2014). 90 L of non-PCB Oil Spilled to ground from transformer (1994). 800 L of diesel/hydraulic oil spilled to ground – crane collapse, cleaned (2012).



Location of PCA	PCA	Details
2395 Cawthra Road Adjacent East	#29 – Glass Manufacturing #34 – Metal Fabrication #33 – Metal Treatment, Coating, Plating and Finishing #31 – Ink Manufacturing, Processing and Bulk Storage #43 – Plastics (including Fibreglass) Manufacturing and Processing #54 – Textile Manufacturing and Processing #O1 - Ontario Spills	Electrolytic Honing & Polishing is listed as other metal fabrication industry in the Ontario Regulation 347 Waste Generators Summary for generating acid waste, heavy metals and spent pickle liquor (1986 – 1997). J. Heron Repair SVC. is listed as electric motor repair in the Ontario Regulation 347 Waste Generators Summary for generating petroleum distillates (1986 – 1998). Various businesses listed in Scotts Manufacturing Directory between 1967 and 2000 for different types of manufacturing including glass, clothing, plastics, metals, printing, electrical wiring, etc. 100 L motor oil spill to highway, possible ground water contamination (2005).
2399 Cawthra Road Adjacent East	#31 – Ink Manufacturing, Processing and Bulk Storage #33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication #43 – Plastics (including Fibreglass) Manufacturing and Processing #45 – Pulp, Paper and Paperboard Manufacturing and Processing #54 – Textile Manufacturing and Processing #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Zylstra Molded Products is listed in the <ul style="list-style-type: none"> <li>▪ Ontario Regulation 347 Waste Generators Summary (1986 – 1994); and</li> <li>▪ Ontario Regulation 347 Waste Receivers Summary (1986 – 1992, 2006 – 2008).</li> </ul> R.P. Printing Co. is listed for other commercial printing in the Ontario Regulation 347 Waste Generators Summary (1986 – 1998). DAB Desktop Publishing Centre Inc. is listed for platemaking in the Ontario Regulation 347 Waste Generators Summary (1992 – 1998). 2395-2399 Cawthra Road Limited is listed for other metal fabrication industry in the Ontario Regulation 347 Waste Generators Summary as a generator of halogenated solvents (2000 – 2006). Various businesses listed in Scotts Manufacturing Directory between 1964 and 2001 for different types of manufacturing including metals, textiles, carpentry, bookbinding, printing, industrial machinery, toys, food, etc.
2370 Cawthra Road Adjacent West	#34 – Metal Fabrication #O1 - Ontario Spills	Columbia Machine (Canada) Ltd. is listed as a machine shop in the Ontario Regulation 347 Waste Generators Summary (1986 – 1998). Westway Machinery Ltd. is listed: <ul style="list-style-type: none"> <li>▪ as industrial machinery warehouse in the Ontario Regulation 347 Waste Generators Summary for generator of petroleum distillates, emulsified oils, waste oils and lubricants (1994 – 2018);</li> <li>▪ as a distributor of industrial machinery in Scotts Manufacturing Directory (1972); and</li> <li>▪ for reporting an unknown amount of transformer oil spill to ground – soil contamination possible (2000).</li> </ul>
2455 Cawthra Road Adjacent East	#2 – Adhesives and Resins Manufacturing, Processing and Bulk Storage #31 – Ink Manufacturing, Processing and Bulk Storage #33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication #54 – Textile Manufacturing and Processing #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Hybrid Screens Inc. is listed for other metal fabrication industry in the Ontario Regulation 347 Waste Generators Summary for generating acid waste and heavy metals (1986 – 1998). BCM Screen and Label is listed for other commercial printing in the Ontario Regulation 347 Waste Generators Summary for generating petroleum distillates (1986 – 1998). Various businesses listed in Scotts Manufacturing Directory between 1975 and 1998 for different types of manufacturing including furniture, food, clockwork, transportation equipment, textiles, printing, etc.



Location of PCA	PCA	Details
2465 Cawthra Road Adjacent East	#19 – Electronic and Computer Equipment Manufacturing #31 – Ink Manufacturing, Processing and Bulk Storage #33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication #50 – Soap and Detergent Manufacturing, Processing and Bulk Storage #54 – Textile Manufacturing and Processing #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	N.C. Machining Ltd is listed as a machine shop in the Ontario Regulation 347 Waste Generators Summary (2012 – 2018). Novak Hydraul is listed in the Ontario Regulation 347 Waste Generators Summary for waste oil, lubricants, oil skimmings and sludges (1992 – 1998). Various businesses listed in Scotts Manufacturing Directory between 1972 and 1994 for commercial printing, textiles, industrial machinery, aircraft parts, electronic components, machine shops, metalworking machinery, transportation equipment, soap and cleaning compound manufacturing, etc.
2070 Cawthra Road Adjacent West	#18 – Electricity Generation, Transformation and Power Stations #55 – Transformer Manufacturing, Processing and Use #O1 - Ontario Spills	Hydro One Networks Inc, Cooksville Transformer Station is listed as Hydro-Electric Power Generation in the Ontario Regulation 347 Waste Generation Summary (2005 – 2013). 20 L of transformer oil (PCB-containing) spill to ground (2004).
2350 Cawthra Road Adjacent West	#29 – Glass Manufacturing #31 – Ink Manufacturing, Processing and Bulk Storage #43 – Plastics (including Fibreglass) Manufacturing and Processing #54 – Textile Manufacturing and Processing #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Standard Products (Canada) Ltd is listed as other plastic production in the Ontario Regulation 347 Waste Generators Summary (1986 – 1998). Nova Coating Technologies Inc. is listed for all other plastic product manufacturing in the Ontario Regulation 347 Waste Generators Summary as a generator of paints and pigment residues (2010). Various businesses listed in Scotts Manufacturing Directory between 1963 and 1996 for commercial screen printing, furniture manufacturing, glass manufacturing, plastic product manufacturing, clothing manufacturing, etc.
2480 Cawthra Road Adjacent West	#33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication	Machine Tool Tech is listed as a machine shop in the Ontario Regulation 347 Waste Generators Summary for generating petroleum distillates (1988 – 1998). Mac Tool Technologies is listed as a machine shop in the Ontario Regulation 347 Waste Generators Summary for generating petroleum distillates (1998 – 2000). Nordtech Inc. is listed as a machine shop in the Ontario Regulation 347 Waste Generators Summary for paint/pigment/coating residues, petroleum distillates, waste oils and lubricants (1986 – 1998). Value Printing Service is listed for platemaking in the Ontario Regulation 347 Waste Generators Summary (1994 – 2001). Mississauga Hydraulics Ltd. is listed in Scotts Manufacturing Directory (1988) for general purpose machinery manufacturing, metal valve manufacturing, machinery repair and maintenance and measuring, medical and controlling devices manufacturing.
2524 Cawthra Road 95 m West	#11 – Commercial Trucking and Container Terminals	E. Dicarolo Disposal & Pallet Co. is listed as bulk dry trucking in the Ontario Regulation 347 Waste Generators Summary as a generator of waste oils and lubricants (1993 – 1998).
2390 Cawthra Road Adjacent West	#29 – Glass Manufacturing #33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Multiple businesses listed in Scotts Manufacturing Directory for the manufacturing of cabinets, furniture, signs, glass, metal components, millwork, electrical components (1985-1994).



Location of PCA	PCA	Details
2440 Cawthra Road Adjacent West	#31 – Ink Manufacturing, Processing and Bulk Storage #29 – Glass Manufacturing #33 – Metal Treatment, Coating, Plating and Finishing #34 – Metal Fabrication #59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Multiple businesses listed in Scotts Manufacturing Directory for the manufacturing of furniture, signs, glass products, wood products, pottery, ceramics, shelving, paint and coating (1953-1997).
Highway 403 & Eastgate Parkway Adjacent North	#O1 - Ontario Spills	300 L of diesel spilled from fuel tanks into ditch (2000).

### 3.2.2 Other Source Information

Other environmental source information was searched as part of the Study. The information that was searched includes:

- Region of Peel Spills Action Centre to verify any onsite spills;
- The local Conservation Authority was contacted to determine if the Site was considered regulated under the Conservation Authorities Act and Ontario Regulations 42/06, 146/06 to 182/06 and 97/04; and
- Municipal Zoning and Official Plan information was reviewed.

The information requests and responses are provided in Appendix B and are summarized below.

Information Request	Response
Conservation Authority	A response from the Credit Valley Conservation Authority indicated that a southeast portion of the Site, located on the southeast of QEW and Cawthra Road is regulated by the City of Mississauga.
Zoning	The local zoning by-law and Official Plan was reviewed. The Site is defined as a roadway and the immediate adjacent properties to the east and west of the Site are zoned as a combination of Residential zones (R3, R4, RA1, RM1, RM4, RM9), Commercial zones (C2, C3, C5), Employment zone (E2), Open Spaces (OS3, OS1) and utilities (U).
Region of Peel Spills Action Centre	A response from the Region of Peel Spills Action Centre was received on October 17, 2019. Several PCAs were identified below.

PCAs identified through the above-mentioned information requests are summarized below.

Location of PCA	PCA	Details
3266 Cawthra Road Adjacent West	#O2 – Region of Peel Spills	Diesel/hydraulic fluid 300 L. Soaked into the ground (2012).
Rathburn Road at Cawthra Road COS Site	#O2 – Region of Peel Spills	Diesel fuel – 250 L. Cleaned by Centennial Sweeping and Environmental Solutions (2011).
Queensway at Cawthra Road COS Site	#O2 – Region of Peel Spills	200 L of diesel on road and catchbasin. Team-1 swept and vactored material (2007). 20 L of gasoline (1992).
Cawthra Road at Orwell Street COS Site	#O2 – Region of Peel Spills	50 L of oil/gas. No catchbasins affected (2005).
2399 Cawthra Road Adjacent East	#O2 – Region of Peel Spills	1000 L potassium permanganate. Some to storm, outfall ok (2004).
2070 Cawthra Road	#O2 – Region of Peel Spills	20 L of oil, no sewers. 1,200 ppm PCB; hydro cleaned up (2004).
2370 Cawthra Road	#O2 – Region of Peel Spills	Transformer oil. Sorbent. Shipped to Mississauga Hydro facility (2000).



Location of PCA	PCA	Details
Cawthra Road, South of QEW COS Property	#O2 – Region of Peel Spills	150-200 L of diesel fuel. Granular absorbant and absorbant pads, pumped catchbasins with vactor truck (1999).
2446-2480 Cawthra Road Adjacent West	#O2 – Region of Peel Spills	840 L of transformer mineral oil (1994). 15 gallons hydraulic oil (1979).
Cawthra Road and Silver Creek COS Site	#O2 – Region of Peel Spills	30 gallons diesel fuel (1993).
2524 Cawthra Road Adjacent West	#O2 – Region of Peel Spills	5000 gallons oily water run off (1993).
3100 Cawthra Road Adjacent West	#O2 – Region of Peel Spills	1000 gallons home heating oil (1990).
4106 Cawthra Road Adjacent West	#O2 – Region of Peel Spills	Contaminated Soil (1988). 50 gallons gasoline (1987).
Cawthra Road, North of Burnhamthorpe	#O2 – Region of Peel Spills	Hydraulic oil unknown quantity (1979).
Cawthra Road, between QEW and Rathburn Road	#O2 – Region of Peel Spills	40 gallons diesel fuel (1994).
Cawthra Road and Dundas Street	#O2 – Region of Peel Spills	Diesel fuel unknown amount (1978).

### 3.3 Physical Setting Sources

#### 3.3.1 Aerial Photographs and Historic Mapping

Aerial photographs and satellite imagery were reviewed and the selections were based on available dates and scale in order to provide as much information as reasonably practical, regarding the development of the Site and Study Area from first developed land use to the present development. The state of development of the Site and Study Area is summarized in below:

Date	Source	Site	Study Area
1954	Aerial	Cawthra Road and nearby roadways appear to be developed. Cawthra Road is discontinuous at the QEW. Eastgate Parkway not yet developed.	North, South, East, West: Appears to be in agriculture use or lain fallow.
1966	Aerial	Cawthra Road is graded above the QEW and is no longer discontinuous.	North: Appears to be vacant. South: Appears to be park land with an access road from Cawthra Road to a single structure. East: A mixture of agricultural fields and residential houses. West: A mixture of agricultural fields and residential houses.
1975	Aerial	No significant changes.	North: No significant changes. South: No significant changes. East: Further residential development, some commercial/industrial development. West: Further residential development, some commercial/industrial development.
1985	Aerial	No significant changes.	North: Hwy 403 developed. South: No significant changes. East: Further residential and commercial/industrial development. West: Further residential and commercial/industrial development.
1992	Aerial	Eastgate Parkway developed.	North, South, East and West: No significant changes.
2002	Satellite	No significant changes.	North, South, East and West: No significant changes.
2012	Satellite	No significant changes.	North, South, East and West: No significant changes.
2018	Satellite	No significant changes.	North, South, East and West: No significant changes.

A selection of aerial photographs are presented in Appendix C.



### 3.3.2 Topography, Hydrology and Geology

A topographic map from the Ontario Ministry of Natural Resources and Forestry (MNRF), the geological mapping produced by the Ontario Ministry of Northern Development and Mines - Ontario Geological Survey and cross section data from Oak Ridges Moraine (ORM) Groundwater Program were reviewed. The information obtained from the mapping is summarized below. The maps and cross sections are provided in Appendix D.

Topography	The approximate elevation of the Site ranges from Elev. 150 metres above sea level (masl) to Elev. 100 masl and generally slopes from the northwest to southeast.
Hydrogeology	The nearest water bodies are Little Etobicoke Creek, located approximately 1.1 km east of the Site and Cooksville Creek, located approximately 1.2 m west of the Site. The approximate depth to ground water, based on public Well Records in the local area, is expected to be approximately 0.2 m to 0.6 m below ground surface. Ground water and surface water is expected to generally flow to the south/southeast towards the lake.
Geology (overburden)	The overburden at the south portion of the Site, south of Hillcrest Avenue is located in the Iroquois Plains region (Physiographic Region 11) and is composed of coarse-textured glaciolacustrine deposits (9c) (i.e. sand, gravel, minor silt and clay). The overburden at the central portion, around Hillcrest Avenue is located in the South Slope region (Physiographic Region 32) and is composed of peel ponds deposits (sand). The overburden at the north portion of the Site, north of Hillcrest Avenue, is located in the South Slope region (Physiographic Region 32) and is also composed of till (5c) (clay to silt-textured till).
Geology (bedrock)	The bedrock at the Site is of the Georgian Bay Formation, which is comprised predominantly of shale with limestone interbeds.
Geology (depth to bedrock)	Based upon historic borehole information from the MNRF, Water Well Records in the vicinity from the MECP, the ERIS report, and the data collected by the ORM Groundwater Program the depth to bedrock has the following ranges: <ul style="list-style-type: none"> <li>▪ 2.7 to 18.2 m below ground surface between Breckenridge Road and Eastgate Parkway,</li> <li>▪ 0 to 6.5 m below ground surface between 2455 Cawthra Road and Breckenridge Road</li> <li>▪ 0 to 10.9 between 2455 Cawthra Road and South Service Road,</li> </ul> Depth to bedrock generally decreases to the south.

### 3.3.3 Fill Materials

Based upon the historic land use of the Site, it is probable that historical filling occurred across the Site at the water body crossings. Further information is provided in the following table.

Location of PCA	PCA	Details
Various Locations along Cawthra Road On-Site	#30 – Importation of Fill Material of Unknown Quality	Probable historical fill placement during residential/commercial development and construction/maintenance of roadway.

### 3.3.4 Water Bodies, Wetlands and Areas of Natural Significance

Mapping from the MNRF was reviewed to determine if water bodies were present on the Site and within the Study Area. The MNRF National Heritage Information Centre database for listings of Areas of Natural or Scientific Interest (ANSIs) was also reviewed. The information is summarized below.

Water Bodies (Site)	<ul style="list-style-type: none"> <li>▪ No water bodies were present on Site.</li> </ul>
Water Bodies (Study Area)	<ul style="list-style-type: none"> <li>▪ Little Etobicoke Creek located approximately 1.1 km east of the Site</li> <li>▪ Cooksville Creek located approximately 1.2 km west of the Site.</li> </ul>
Wetland (Site)	<p><u>Provincially Significant</u></p> <ul style="list-style-type: none"> <li>▪ No Provincially Significant wetlands are present on the Site.</li> </ul> <p><u>Non- Provincially Significant</u></p> <ul style="list-style-type: none"> <li>▪ No Non- Provincially Significant wetlands are present on the Site.</li> </ul> <p><u>Unevaluated</u></p> <ul style="list-style-type: none"> <li>▪ No unevaluated wetlands are present on the Site.</li> </ul>



Wetland (Study Area)	<p><u>Provincially Significant</u></p> <ul style="list-style-type: none"> <li>A Provincially Significant wetland is located on the southeast portion of the Study Area, located southeast of the QEW and Cawthra Road. This wetland is also regulated by the City of Mississauga and the Credit Valley Conservation Authority.</li> </ul> <p><u>Non- Provincially Significant</u></p> <ul style="list-style-type: none"> <li>Non- Provincially Significant wetlands are present in the Study Area.</li> </ul> <p><u>Unevaluated</u></p> <ul style="list-style-type: none"> <li>An unevaluated wetland is located on the northeast portion of the Study Area, northeast of Eastgate Parkway and Cawthra Road.</li> </ul>
ANSIs (Site)	<p><u>Provincially Significant Life Science ANSI</u></p> <ul style="list-style-type: none"> <li>No Life Science ANSIs are identified on the Site.</li> </ul> <p><u>Provincially Significant Earth Science ANSI</u></p> <ul style="list-style-type: none"> <li>No Earth Science ANSIs are identified on the Site.</li> </ul>
ANSIs (Study Area)	<p><u>Provincially Significant Life Science ANSI</u></p> <ul style="list-style-type: none"> <li>Regional Life Science ANSI (Cawthra Woods) is present within the Study Area, located southeast of the QEW and Cawthra Road.</li> </ul> <p><u>Provincially Significant Earth Science ANSI</u></p> <ul style="list-style-type: none"> <li>No Earth Science ANSIs are identified on the Study Area.</li> </ul>
Oak Ridges Moraine	<ul style="list-style-type: none"> <li>No Oak Ridges Moraine areas are present within the Study Area.</li> </ul>
Conservation Reserve	<ul style="list-style-type: none"> <li>No conservation reserve areas are present within the Study Area.</li> </ul>

As the southeast and northeast portions of the Site are within 30 m of regulated wetlands, these portions of the Site are considered sensitive under Ontario Regulation 153/04, as amended. Therefore, any future subsurface investigation in these areas will be subject to Ontario Regulation 153/04, as amended Table 1 Standards.

### 3.3.5 Archaeological Resources or Areas of Archaeological Potential

The Site is not designated as of provincial heritage significance under the Ontario Heritage Act. No additional archaeological evaluation of the Site was conducted as part of the Contamination Overview Study.

Review of Stage 1 Archaeological Assessment report (Archeoworks, 2018) indicated that the east side of Cawthra Road, north of Dundas Street E and the western boundary of Dixie Union Cemetery may be of archaeological concern. The report concluded that additional archaeological investigation would be required (Stage 3 Assessment). No other areas along the Site were identified as areas of archaeological concern.

### 3.3.6 Species at Risk

No science-based assessment of potential species at risk or species habitat was conducted as part of the Contamination Overview Study. It is our understanding that a study of the natural environment at the Site is being conducted by RiverStone Environmental Solutions Inc. and the findings/recommendations are provided in a separate report.

## 3.4 Site Operating Records

As the Site is operating as a municipal roadway no site operating records were provided for review. However, based on our review of the available background information, the absence of site operating records of a municipal roadway will not affect the conclusions of this report.



## 4.0 SITE RECONNAISSANCE

### 4.1 General Requirements

Date of Investigation	January 3, 2019
Time of Investigation	1:30 PM to 3:45 PM
Weather Conditions	Cloudy, 1 °C
Duration of Investigation	Approximately 2 hours
Was the Facility Operating? (only for enhanced investigation)	Not Applicable
Person Conducting Investigation and Qualifications	Mariam Al Gailani, EIT

### 4.2 Specific Observations at Contamination Overview Study Site

The site reconnaissance included a walking tour of the Site, as well as compiling written and photographic records. Site features are presented on Figure 2, and site photographs are presented in Appendix E.

#### 4.2.1 Building and Structure Descriptions

No building and/or structures were present on the Site.

#### 4.2.2 Designated Substances and Other Special Attention Items

Since there are no building and/or structures present on the Site, no building and/or structure related designated substances were identified.

#### 4.2.3 Below Ground Structures

No obvious below ground structures were observed on the Site during the site inspection.

#### 4.2.4 Above Ground Storage Tanks

No obvious aboveground storage tanks, or evidence of historical aboveground storage tanks, were observed at the Site.

#### 4.2.5 Under Ground Storage Tanks

No obvious underground storage tanks (or evidence of underground storage tanks) were observed on the Site at the time of the site inspection.

#### 4.2.6 Exterior Site Conditions

It is noted that due to the presence of snow cover, visual observations of the Site conditions were limited. The Site is surfaced with asphaltic concrete pavement. Additional details of the Site and the Study Area are provided in the following table.





Potable Water Sources	Municipal water source –Region of Peel.
Underground Utilities and Services	The inspection of the Site indicated the following information related to utility services: <ul style="list-style-type: none"> <li>▪ Underground utilities including water and sewers were observed along Cawthra Road; and</li> <li>▪ Overhead power cables were also observed along Cawthra Road.</li> </ul>
Current and Former Wells	No monitoring wells were observed on Site. No private drinking water wells were observed on Site.
Sewage Works	Municipal sanitary sewers – Region of Peel
Railways	Railway tracks were observed running east to west, through the Study Area and above Cawthra Road approximately 130 m south of Dundas Street and 790 m north of the Queensway East.
Stained and Odorous Soils	No stained or odorous soils were observed on the day of the site reconnaissance.
Stressed Vegetation	No stressed vegetation was observed on the day of the site reconnaissance.
Fill Materials	No fill materials were observed on the day of the site reconnaissance.
Watercourses, Ditches or Standing Water	No watercourses, ditches or standing water observed on the day of the site reconnaissance.
Air Emissions	No visible air emissions were observed on the day of the site reconnaissance.
Roads, Parking Facilities, and Right-of-Ways	The inspection of the Site indicated the following Right-of-Ways. <ul style="list-style-type: none"> <li>▪ QEW On and Off ramps</li> <li>▪ South Service Road</li> <li>▪ North Service Road</li> <li>▪ Tedwyn Drive</li> <li>▪ Melton Drive</li> <li>▪ Queensway East</li> <li>▪ Orwell Street</li> <li>▪ Needleham Lane</li> <li>▪ Dundas Street East</li> <li>▪ Silver Creek Boulevard</li> <li>▪ Bloor Street</li> <li>▪ Schomberg Avenue</li> <li>▪ Hyacinthe Boulevard</li> <li>▪ Breckenbridge Road</li> <li>▪ Runningbrooke Drive</li> <li>▪ Hassel Road</li> <li>▪ Burnhamthorpe Road East</li> <li>▪ Rathburn Road East</li> <li>▪ Meadows Boulevard</li> <li>▪ Eastgate Parkway</li> <li>▪ Santee Gate</li> </ul> No public parking facilities were observed on the Site on the day of the site reconnaissance.
Waste Handling	Regular domestic waste was noted to be collected by the Region of Peel on a regular basis.

### 4.3 Investigation of Study Area

At the time of the site inspection, the land uses were noted on the properties immediately adjacent to the Site as summarized below.

Direction	Land Uses
North	Vacant/Agricultural and Community (Hwy 403).
South	Community (Cawthra Road), Parkland (Cawthra Park), Institutional (Blyth Academy) and Residential.
East	Largely Residential, except for the stretch between Queensway East and Dundas Street East which is Commercial.
West	Largely Residential, except for the stretch between Queensway East and Dundas Street East which is Commercial.



#### 4.4 Potentially Contaminating Activities

The following PCAs were noted during the site reconnaissance:

Location of PCA	PCA	Activity
2070 Cawthra Road Adjacent West	#18 – Electricity Generation, Transformation and Power Stations #55 – Transformer Manufacturing, Processing and Use	HydroOne Cooksville Transformer Station
Cawthra Road at the Queensway East Adjacent West	#18 – Electricity Generation, Transformation and Power Stations	Enbridge Cawthra & Queensway District Station
655 Queensway East Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks #10 – Commercial Autobody Shops	Petro Canada Alpha Auto Tech (auto services)
2421 Cawthra Road Adjacent East	#11 – Commercial Trucking and Container Terminals	The Musket Transport Ltd.
2495 Cawthra Road Adjacent East	#12 – Concrete, Cement and Lime Manufacturing #48 – Salt Manufacturing and Processing	Franceschini Bros Aggregates with storage/sale of bulk salt
2370 Cawthra Road Adjacent West	#34 – Metal Fabrication	Westaway Machinery Ltd
4106 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Petro-Canada

### 5.0 CONCLUSIONS AND RECOMMENDATIONS

#### 5.1 Potentially Contaminating Activities

The PCAs on the Site and in the Study Area were determined based upon the assessment of the information contained within Section 4.0 Records Review and Section 5.0 Site Reconnaissance of this report. The summary of the activities identified are as follows:

Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
Cawthra & Rathburn Road COS Site	#O1 - Ontario Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical diesel spill.	Soil and Ground Water
	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical diesel spill.	Soil and Ground Water
Cawthra Road & Dundas Street COS Site	#O1 - Ontario Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical transformer oil spill.	Soil and Ground Water
	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical transformer oil spill.	Soil and Ground Water
Cawthra Road at the Queensway East Adjacent West	#18 – Electricity Generation, Transformation and Power Stations	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current operations.	Soil
Cawthra Road & the Queensway East COS Site	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical transformer oil spill.	Soil and Ground Water



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
655 Queensway East Adjacent West	#10 – Commercial Autobody Shops	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and historical operations.	Soil and Ground Water
	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and ongoing presence of fuel tanks.	Soil and Ground Water
	#O1 - Ontario Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and historical spills.	Soil and Ground Water
2355 Cawthra Road Adjacent East	#10 – Commercial Autobody Shops	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations as commercial autobody shops.	Ground Water
	#34 – Metal Fabrication	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations as commercial autobody shops.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations as commercial autobody shops.	Ground Water
	#49 – Salvage Yard, including automobile wrecking	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations as commercial autobody shops.	Ground Water
2395 Cawthra Road Adjacent East	#29 – Glass Manufacturing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#43 – Plastics (including Fibreglass) Manufacturing and Processing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#54 – Textile Manufacturing and Processing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#O1 - Ontario Spills	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
2399 Cawthra Road Adjacent East	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#45 – Pulp, Paper and Paperboard Manufacturing and Processing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#54 – Textile Manufacturing and Processing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#O2 – Region of Peel Spills	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations. Potassium permanganate can immobilize heavy metals in soil over time.	Ground Water
Cawthra & Orwell Street COS Site	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical transformer oil spill.	Soil and Ground Water
2370 Cawthra Road Adjacent West	#34 – Metal Fabrication	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil & Ground Water
	#O1 - Ontario Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil & Ground Water
	#O2 – Region of Peel Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil & Ground Water



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
2350 Cawthra Road Adjacent West	#29 – Glass Manufacturing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#43 – Plastics (including Fibreglass) Manufacturing and Processing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#54 – Textile Manufacturing and Processing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
2421 Cawthra Road Adjacent East	#10 – Commercial Autobody Shops	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#11 – Commercial Trucking and Container Terminals	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O1 - Ontario Spills	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations as commercial autobody shops.	Soil and Ground Water
2390 Cawthra Road Adjacent West	#29 – Glass Manufacturing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
2455 Cawthra Road Adjacent East	#2 – Adhesives and Resins Manufacturing, Processing and Bulk Storage	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#54 – Textile Manufacturing and Processing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
2465 Cawthra Road Adjacent East	#19 – Electronic and Computer Equipment Manufacturing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#50 – Soap and Detergent Manufacturing, Processing and Bulk Storage.	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#54 – Textile Manufacturing and Processing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
2526 Cawthra Road Adjacent West	#10 – Commercial Autobody Shops	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
2446 Cawthra Road Adjacent West	#34 – Metal Fabrication	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#45 – Pulp, Paper and Paperboard Manufacturing and Processing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#54 – Textile Manufacturing and Processing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#O2 – Region of Peel Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
2531 Cawthra Road Adjacent East	#12 – Concrete, Cement and Lime Manufacturing	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#48 – Salt Manufacturing and Processing	Yes	Up-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#O1 - Ontario Spills	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
2480 Cawthra Road Adjacent West	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
2440 Cawthra Road Adjacent West	#31 – Ink Manufacturing, Processing and Bulk Storage	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#29 – Glass Manufacturing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#33 – Metal Treatment, Coating, Plating and Finishing	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#34 – Metal Fabrication	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Ground Water
3100 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O1 - Ontario Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O2 – Region of Peel Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
3266 Cawthra Road Adjacent West	#18 – Electricity Generation, Transformation and Bulk Storage	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil
	#55 – Transformer Manufacturing, Processing and Use	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil
	#O1 - Ontario Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O2 – Region of Peel Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
Cawthra Road, North of Burnhamthorpe	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to historical transformer oil spill.	Soil and Ground Water





Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
691 Burnhamthorpe Road East Adjacent West	#10 – Commercial Autobody Shops	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O1 - Ontario Spills	Yes	Up/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
3670 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
4106 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O1 - Ontario Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
	#O2 – Region of Peel Spills	Yes	Down/cross-gradient PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
Highway 403 & Eastgate Parkway Adjacent North	#O1 - Ontario Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site due to its proximity to site and current and historical operations.	Soil and Ground Water
Various Locations along Cawthra Road COS Site	#30 – Importation of Fill Material of Unknown Quality	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site.	Soil
2070 Cawthra Road Adjacent West	#18 – Electricity Generation, Transformation and Power Stations	No	Down/Cross-gradient PCA, located 55 m west of Site. Therefore, it is the opinion of the Qualified Person (QP) that it is unlikely that this PCA has a potential to cause an APEC on the Site.	N/A
	#55 – Transformer Manufacturing, Processing and Use	No	Down/Cross-gradient PCA, located 55 m west of Site. Therefore, it is the opinion of the QP that it is unlikely that this PCA has a potential to cause an APEC on the Site.	N/A
	#O1 - Ontario Spills	No	Down/Cross-gradient PCA, located 55 m west of Site. Therefore, it is the opinion of the QP that it is unlikely that this PCA has a potential to cause an APEC on the Site.	N/A
	#O2 – Region of Peel Spills	No	Down/Cross-gradient PCA, located 55 m west of Site. Therefore, it is the opinion of the QP that it is unlikely that this PCA has a potential to cause an APEC on the Site.	N/A



Location of PCA	PCA	Potential Areas of Potential Environmental Concerns (APEC) (Yes/No)	Justification	Media Impacted
2524 Cawthra Road 95 m West	#11 – Commercial Trucking and Container Terminals	No	Down/cross-gradient PCA. PCA located 95 m west of Site. Therefore, it is the opinion of the QP that it is unlikely that this PCA has a potential to cause an APEC on the Site.	N/A
	#O2 – Region of Peel Spills	No	Down/cross-gradient PCA. PCA located 95 m west of Site. Therefore, it is the opinion of the QP that it is unlikely that this PCA has a potential to cause an APEC on the Site.	N/A
Cawthra Road south of the QEW COS Site	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site.	Soil and Ground Water
Cawthra Road & Silver Creed Boulevard COS Site	#O2 – Region of Peel Spills	Yes	On-site PCA. This PCA has a potential to cause an APEC on the Site.	Soil and Ground Water
Cawthra Road, between QEW and Rathburn Road	#O2 – Region of Peel Spills	No	Not enough information is available to ascertain the location of the spill. There are multiple other spills that can be located between the QEW and Rathburn Road on Cawthra Road which will be evaluated, effectively evaluating this spill as well.	N/A

## 5.2 Areas of Potential Environmental Concern

Areas of Potential Environmental Concern (APECs) were identified for the Site. The approximate areas are depicted in Figure 3. The summary of the areas including the rankings of potential are as follows:

Location of PCA	PCA	Media Impacted	APEC Number	APEC Ranking by Risk Level (High/Medium/Low)	Potential Contaminant of Concern
Cawthra & Rathburn Road COS Site	#O1 - Ontario Spills	Soil and Ground Water	APEC 1	Low	PHC
	#O2 – Region of Peel Spills				
Cawthra Road & Dundas Street COS Site	#O1 - Ontario Spills	Soil and Ground Water	APEC 2	Medium	PHC
	#O2 – Region of Peel Spills				
Cawthra Road at the Queensway East Adjacent West	#18 – Electricity Generation, Transformation and Power Stations	Soil	APEC 3	Low	PCB
655 Queensway East Adjacent West	#10 – Commercial Autobody Shops	Soil and Ground Water	APEC 4	High	PHC, VOC, M
	#28 – Gasoline and Associated Products Storage in Fixed Tanks				
	#O1 - Ontario Spills				
2355 Cawthra Road Adjacent East	#10 – Commercial Autobody Shops	Ground Water	APEC 5	Medium	PHC, M, VOC
	#34 – Metal Fabrication				
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#49 – Salvage Yard, including automobile wrecking				



Location of PCA	PCA	Media Impacted	APEC Number	APEC Ranking by Risk Level (High/Medium/Low)	Potential Contaminant of Concern
2395 Cawthra Road Adjacent East	#29 – Glass Manufacturing	Ground Water	APEC 5	Medium	M, VOC, PHC
	#34 – Metal Fabrication				
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#31 – Ink Manufacturing, Processing and Bulk Storage				
	#43 – Plastics (including Fibreglass) Manufacturing and Processing				
	#54 – Textile Manufacturing and Processing				
	#O1 - Ontario Spills				
2399 Cawthra Road Adjacent East	#31 – Ink Manufacturing, Processing and Bulk Storage	Ground Water	APEC 5	Medium	M, VOC, PHC
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#34 – Metal Fabrication				
	#45 – Pulp, Paper and Paperboard Manufacturing and Processing				
	#54 – Textile Manufacturing and Processing				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				
	#O2 – Region of Peel Spills				
2370 Cawthra Road Adjacent West	#34 – Metal Fabrication	Soil & Ground Water	APEC 5	Medium	M, PHC, PCBs
	#O1 - Ontario Spills				
	#O2 – Region of Peel Spills				
Cawthra & Orwell Street COS Site	#O2 – Region of Peel Spills	Soil and Ground Water	APEC 5	Medium	PHC
2350 Cawthra Road Adjacent West	#29 – Glass Manufacturing	Ground Water	APEC 5	Medium	M, VOC
	#31 – Ink Manufacturing, Processing and Bulk Storage				
	#43 – Plastics (including Fibreglass) Manufacturing and Processing				
	#54 – Textile Manufacturing and Processing				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				
2421 Cawthra Road Adjacent East	#10 – Commercial Autobody Shops	Soil and Ground Water	APEC 6	High	PHC, VOC, M
	#11 – Commercial Trucking and Container Terminals				
	#28 – Gasoline and Associated Products Storage in Fixed Tanks				
	#O1 - Ontario Spills				



Location of PCA	PCA	Media Impacted	APEC Number	APEC Ranking by Risk Level (High/Medium/Low)	Potential Contaminant of Concern
2390 Cawthra Road Adjacent West	#29 – Glass Manufacturing	Ground Water	APEC 7	Low	M, VOC
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#34 – Metal Fabrication				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				
2455 Cawthra Road Adjacent East	#2 – Adhesives and Resins Manufacturing, Processing and Bulk Storage	Ground Water	APEC 8	Low	M, VOC
	#31 – Ink Manufacturing, Processing and Bulk Storage				
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#34 – Metal Fabrication				
	#54 – Textile Manufacturing and Processing				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				
2465 Cawthra Road Adjacent East	#19 – Electronic and Computer Equipment Manufacturing	Ground Water	APEC 8	Low	M, VOC
	#31 – Ink Manufacturing, Processing and Bulk Storage				
2526 Cawthra Road Adjacent West	#33 – Metal Treatment, Coating, Plating and Finishing	Ground Water	APEC 9	Medium	PHC, VOC
	#34 – Metal Fabrication				
	#50 – Soap and Detergent Manufacturing, Processing and Bulk Storage.				
	#54 – Textile Manufacturing and Processing				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				



Location of PCA	PCA	Media Impacted	APEC Number	APEC Ranking by Risk Level (High/Medium/Low)	Potential Contaminant of Concern
2446 Cawthra Road Adjacent West	#34 – Metal Fabrication	Ground Water	APEC 9	Medium	M, VOC
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#31 – Ink Manufacturing, Processing and Bulk Storage				
	#45 – Pulp, Paper and Paperboard Manufacturing and Processing				
	#54 – Textile Manufacturing and Processing				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				
	#O2 – Region of Peel Spills				
2531 Cawthra Road Adjacent East	#12 – Concrete, Cement and Lime Manufacturing	Ground Water	APEC 9	Medium	pH, Calcium, Magnesium, Sodium, Chloride, PHC
	#28 – Gasoline and Associated Products Storage in Fixed Tanks				
	#48 – Salt Manufacturing and Processing				
	#O1 - Ontario Spills				
2480 Cawthra Road Adjacent West	#33 – Metal Treatment, Coating, Plating and Finishing	Ground Water	APEC 9	Medium	M, VOC
	#34 – Metal Fabrication				
2440 Cawthra Road Adjacent West	#29 – Glass Manufacturing	Ground Water	APEC 9	Medium	M, VOC
	#31 – Ink Manufacturing, Processing and Bulk Storage				
	#33 – Metal Treatment, Coating, Plating and Finishing				
	#34 – Metal Fabrication				
	#59 – Wood Treating, Preservative Facility and Bulk Storage of Treated and Preserved Wood Products				
3100 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Soil and Ground Water	APEC 10	High	PHC
	#O1 - Ontario Spills				
	#O2 – Region of Peel Spills				
3266 Cawthra Road Adjacent West	#18 – Electricity Generation, Transformation and Bulk Storage	Soil and Ground Water	APEC 11	Medium	PCB, M, PHC
	#55 – Transformer Manufacturing, Processing and Use				
	#O1 - Ontario Spills				
Cawthra Road, North of Burnhamthorpe	#O2 – Region of Peel Spills	Soil and Ground Water	APEC 12	Medium	PHC



Location of PCA	PCA	Media Impacted	APEC Number	APEC Ranking by Risk Level (High/Medium/Low)	Potential Contaminant of Concern
691 Burnhamthorpe Road East Adjacent West	#10 – Commercial Autobody Shops	Soil and Ground Water	APEC 12	High	PHC, VOC
	#28 – Gasoline and Associated Products Storage in Fixed Tanks				
	#O1 - Ontario Spills				
3670 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Soil and Ground Water	APEC 12	High	PHC
4106 Cawthra Road Adjacent West	#28 – Gasoline and Associated Products Storage in Fixed Tanks	Soil and Ground Water	APEC 13	High	PHC
	#O1 - Ontario Spills				
	#O2 – Region of Peel Spills				
Highway 403 & Eastgate Parkway Adjacent North	#O1 - Ontario Spills	Soil and Ground Water	APEC 14	Medium	PHC
Various Locations along Cawthra Road COS Site	#30 – Importation of Fill Material of Unknown Quality	Soil	APEC 15	Low	M&I PHC VOC
Cawthra Road & the Queensway East COS Site	#O2 – Region of Peel Spills	Soil and Ground Water	APEC 16	Low	PHC
Cawthra Road south of the QEW COS Site	#O2 – Region of Peel Spills	Soil and Ground Water	APEC 17	Low	PHC
Cawthra Road & Silver Creed Boulevard COS Site	#O2 – Region of Peel Spills	Soil and Ground Water	APEC 18	Low	PHC

Notes- Contaminant of Concern Abbreviations

M – Metals

I – Inorganics

PHC – Petroleum Hydrocarbons (F1-F4 Fractions)

VOC – Volatile Organic Carbons

PCB – Polychlorinated Biphenyls

### 5.3 Recommended Environmental Site Assessment Work Plan

Environmental Site Assessments including soil and ground water investigations will be required to investigate the potential impacts within the Site caused by surrounding land uses identified as high risk, especially within lands requiring expropriations for the road improvement project.

### 6.0 LIMITED SUBSURFACE INVESTIGATION

The contamination overview study was conducted concurrently with the geotechnical investigation, which included the advancement of fifty-nine boreholes through the existing lanes and shoulder to a depth of approximately 1.5 m below ground surface. Select soil samples from the geotechnical investigation were submitted for analysis to investigate the high-risk APECs identified.

A summary of the samples submitted for analysis is summarized below:



Borehole ID	Station/Location	Sample ID / Depth (m)	Soil Description	PCAs	APEC	Chemical Analysis		
						M&I	PHC	VOC
Borehole 1	10+030	AS 1 0.3 – 0.6	Granular Trace to some Silt	O1, 2, 3, 7, 8, 15 & 30	15	✓		
Borehole 7	10+700	AS 1 0.3 – 0.7	Granular Trace to some Silt	O1, 2, 3, 7, 8, 15 & 30	15	✓		
Borehole 15	11+340	AS 1 0.3 – 0.6	Granular Trace to some Silt	O1, 10, 28 & 30	4, 15	✓	✓	✓
Borehole 18	11+600	AS 1 0.3 – 0.6	Granular Trace to some Silt	O1, 10, 11, 28 & 30	6, 15	✓	✓	✓
Borehole 24	12+480	AS 1 0.3 – 0.6	Granular Trace to some Silt	O1, 28 & 30	10, 15	✓	✓	✓
Borehole 33	13+140	AS 1 0.2 – 0.5	Granular Trace Silt	O1 & 30	11, 15	✓		
Borehole 38	13+900	AS 1 0.2 – 0.5	Granular Trace to some Silt	1, 2, 3, 7, 8, 15 & 30	15	✓		
Borehole 40	14+220	AS 1 0.2 – 0.7	Granular Trace Silt	28 & 30	12, 15		✓	✓
Borehole 46	15+400	AS 1 0.0 – 0.8	Granular some Silt	1, 2, 3, 7, 8, 15 & 30	15	✓		
Borehole 53	Bloor Street, East Leg	AS 1 0.2 – 0.7	Granular Trace to some Silt	30	15	✓		
Borehole 62	Burnhamthorpe Rd. E. West Leg	AS 2 0.7 – 1.2	Gravelly Sand Trace to Some Silt	O1, 10, 28 & 30	12, 15		✓	✓

## 6.1 Applicable Standards

The results of the chemical analysis were compared to the Ministry of Environment, Conservation and Parks (MECP) Standards as found in the “*Soil, Ground Water and Sediment Standards for Use Under Part XV.1 of the Environmental Protection Act*”, April 15, 2011. The Standards which the results were compared to, for coarse textured soils are:

- Table 1 Full Depth Background Site Condition Standards (Table 1);
- Table 2 Full Depth Generic Site Condition Standards in a Potable Ground Water Condition for Residential, Parkland and Intuition Land Use (Table 2 RPI);
- Table 3 Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition for Residential, Parkland and Intuition Land Use (Table 3 RPI); and
- Table 3 Full Depth Generic Site Condition Standards in a Non-Potable Ground Water Condition for Industrial, Commercial and Community Land Use (Table 3 ICC).

The Standards were chosen for the following reasons:

- Table 1 – The results were compared to the Table 1 Standards in order to determine if the soil material was suitable for acceptance as clean fill meeting Table 1 at a potential receiving site;



- Table 2 RPI – The results were compared to the Table 2 RPI Standards in order to determine if the soil was suitable for acceptance as material meeting Table 2 at a potential receiving site;
- Table 3 RPI– The results were compared to the Table 3 RPI Standards in order to determine if the soil should be considered a waste; and
- Table 3 ICC – The results were compared to the Table 3 ICC as those are the applicable Site Condition Standards (SCS) for the site and to determine if the soil material should be considered a waste.

Table 3 ICC are the applicable SCS for the following reasons:

- The study area is in Commercial Land Use;
- Bedrock is presumed to be located at a depth greater than 2 m below ground surface;
- The site is located in an area that obtains its potable water from surface sources;
- The site is not located within 30 m of a surface water body; and
- The site is not located adjacent to an area of natural significance.

## 6.2 Sample Results

The results of the chemical analysis indicated the following:

Sample ID	Station/ Location	Table 1 RPI/ICC	Table 2 RPI	Table 3 RPI	Table 3 ICC
BH1 AS 1	10+030	Meets	Meets	Meets	Meets
BH 7 AS 1	10+700	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Meets
BH 15 AS 1	11+340	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>
BH 18 AS 1	11+600	Exceeds <ul style="list-style-type: none"> <li>■ Hexane(n) (VOC)</li> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ SAR (ORP)</li> </ul>
BH 24 AS 1	12+480	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ - SAR (ORP)</li> </ul>
BH 33 AS 1	13+140	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ - EC (ORP)</li> <li>■ - SAR (ORP)</li> </ul>
BH 38 AS 1	13+900	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ EC (ORP)</li> <li>■ SAR (ORP)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ - SAR (ORP)</li> </ul>
BH 40 AS 1	14+220	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> <li>■ F4 (PHC)</li> <li>■ Gravimetric Heavy Hydrocarbons (PHC)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> </ul>	Exceeds <ul style="list-style-type: none"> <li>■ Trichloroethylene (VOC)</li> </ul>	Meets





Sample ID	Station/ Location	Table 1 RPI/ICC	Table 2 RPI	Table 3 RPI	Table 3 ICC
BH 46 AS 1	15+400	Exceeds ▪ EC (ORP) ▪ SAR (ORP)	Exceeds ▪ EC (ORP) SAR (ORP)	Exceeds ▪ EC (ORP) SAR (ORP)	Meets
BH 53 AS 1	Bloor Street, East Leg	Exceeds ▪ EC (ORP) ▪ SAR (ORP)	Exceeds ▪ EC (ORP)	Exceeds ▪ EC (ORP)	Meets
BH 62 AS 2	Burnhamthorpe Rd. E. West Leg	Exceeds ▪ Trichloroethylene (VOC)	Exceeds ▪ Trichloroethylene (VOC)	Exceeds ▪ Trichloroethylene (VOC)	Meets

## 7.0 CLOSURE

The Contamination Overview Study has been completed by Mariam Al Gailani, EIT, and Suvish Melanta, P.Eng., QP<sub>ESA</sub>, under the direction and supervision of Matthew J. Bielaski, P.Eng., QP<sub>RA</sub> and Rehman Abdul, M.S., P.Eng. The findings and conclusions presented in this report have been determined on the basis of the information that was obtained and reviewed, and on an assessment of the existing conditions on the Site and properties within the Study Area.

### Terraprobe Inc.



Rehman Abdul, P.Eng.  
 Principal



## REFERENCES

1. Armstrong, D.K. and Dodge, J.E.P. *Paleozoic Geology Map of Southern Ontario*. Ontario Geological Survey, Miscellaneous Release--Data 219.
2. Chapman, L.J. and Putnam, D.F. 2007. *The Physiography of Southern Ontario*. Ontario Geological Survey, Miscellaneous Release--Data 228.
3. Ontario Ministry of the Environment and Climate Change, January 1993. *Ontario Inventory of PCB Storage Sites*. ISBN 0-7778-0836-6.
4. Ontario Ministry of the Environment and Climate Change, June 1991. *Waste Disposal Site Inventory*. ISBN 0-7729-8409-3.
5. The Ontario Geological Survey. 2003. *Surficial Geology of Southern Ontario*.
6. Archeoworks Inc. December 18, 2018. *Stage 1 Archeological Assessment for the Cawthra Road Improvements from Queen Elizabeth Wat to Eastgate Parkway Municipal Class Environmental Assessment Within the Geographic Township of Toronto, Former County of Peel, Now the City of Mississauga, Regional Municipality of Peel, Ontario*.



## LIMITATIONS AND USE OF REPORT

This report was prepared for the exclusive use of IBI Group and the Region of Peel and is intended to provide an assessment of the environmental condition on the Site extending from the Queen Elizabeth Way (QEW) to Eastgate Parkway in the City of Mississauga, Ontario.

Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. Terraprobe Inc. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report, including consequential financial effects on transactions or property values, or requirements for follow-up actions and costs.

The assessment should not be considered a comprehensive audit that eliminates all risks of encountering environmental problems. The information presented in this report is based on information collected during the completion of the study by Terraprobe Inc. It was based on the conditions on the Site at the time of the site inspection supplemented by a review of historical information to assess the environmental conditions regarding the Site, as reported herein.

Sampling and analysis of soil, ground water or any other material was not carried out as part of this assessment. Consequently, the presence and/or extent of any adverse environmental impact cannot be verified. The potential for environmental liability and/or environmental impact is an opinion that has been arrived at within the scope of this assessment.

In assessing the environmental conditions/history of the Site, Terraprobe Inc. has relied in good faith on information provided by others, as noted in this report, and has assumed that the information provided by those individuals is factual and accurate. Terraprobe Inc. accepts no responsibility for any deficiency, misstatement or inaccuracy in this report resulting from the information provided by those individuals.


There is no warranty expressed or implied by this report regarding the environmental status of the Site. Professional judgement was exercised in gathering and analysing information collected by our staff, as well as that submitted by others. The conclusions presented are the product of professional care and competence and cannot be construed as an absolute guarantee.




In the event that during future work new information regarding the environmental condition of the Site is encountered, or in the event that the outstanding responses from the regulatory agencies indicate outstanding issues on file with respect to the Site, Terraprobe Inc. should be notified to allow the re-evaluation of the findings of this assessment and provide amendments, as required.




# FIGURES

**TERRAPROBE INC.**





Z:\1-Project Files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A - Dwg\Logs\AutoCAD\CD\1-18-0615-2\_Oct 2019.dwg, MV



**Notes:**

- PCA - Potentially Contaminating Activity
- #00 PCA Causing APEC (High Risk)
- #00 PCA Causing APEC (Medium Risk)
- #00 PCA Causing APEC (Low/No Risk)
- Approximate Ground Water Flow Direction

SCALE 0 50 100m




- Legend:**
- Property Boundary
  - Study Area, 100m
  - #2 Adhesives and Resins Manufacturing, Processing and Bulk Storage
  - #10 Commercial Body Shops
  - #11 Commercial Trucking and Container Terminals
  - #12 Concrete, Cement and Lime Manufacturing
  - #18 Electric Generation, Transformation and Power Stations
  - #19 Electronic and Computer Equipment Manufacturing
  - #28 Gasoline and Associated Products Storage in Fixed Tanks
  - #29 Glass Manufacturing
  - #30 Importation of Fill Material of Unknown Quality
  - #31 Ink Manufacturing, Processing and Bulk Storage
  - #33 Metal Treatment, Coating, Plating and Finishing
  - #34 Metal Fabrication
  - #43 Plastics (including Fiberglass) Manufacturing and Processing
  - #45 Pulp, Paper and Paperboard Manufacturing and Processing
  - #48 Salt Manufacturing, Processing and Bulk Storage
  - #49 Salvage Yard, including automobile wrecking
  - #50 Soap and Detergent Manufacturing, Processing and Bulk Storage
  - #54 Textile Manufacturing and Processing
  - #55 Transformer Manufacturing, Processing and Use
  - #59 Wood Treating and Preservative Facility and Bulk Storage of Treated and Preserved Wood Products
  - #01 Ontario Spills
  - #02 Peel Region Spills

**Project Title:**  
Contamination Overview Study


**Site Location:**  
Cawthra Rd, QEW to Eastgate Pky,  
Mississauga, Ontario

**Figure Title:**  
PCA LOCATIONS


<b>Designed By:</b> MA	<b>File No.:</b> 1-18-0615-2
<b>Drawn By:</b> AA	<b>Scale:</b> As Shown
<b>Reviewed By:</b> RA	<b>Figure No.:</b> 2
<b>Date:</b> March 2020	






Z:\1-Project Files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg. Log\AutoCAD\CD\1-18-0615-2\_Orig 2019.dwg, MV



- Notes:**
- PCA - Potentially Contaminating Activity
  - APEC - Area of Potential Environmental Concern
  - #00 PCA Causing APEC (High Risk)
  - #00 PCA Causing APEC (Medium Risk)
  - #00 PCA Causing APEC (Low/No Risk)



- Legend:**
- Property Boundary
  - Study Area, 100m
  - High Risk (APEC 4, 6, 10, 11, 12, 13)
  - Medium Risk (APEC 5, 9, 14)
  - Low to No Risk (APEC 1, 2, 3, 7, 8, 15)






**Project Title:**  
Contamination Overview Study

**Site Location:**  
Cawthra Rd, QEW to Eastgate Pky,  
Mississauga, Ontario

**Figure Title:**  
APEC LOCATIONS


<b>Designed By:</b> MA	<b>File No.:</b> 1-18-0615-2
<b>Drawn By:</b> AA	<b>Scale:</b> As Shown
<b>Reviewed By:</b> RA	<b>Figure No.:</b> 3
<b>Date:</b> March 2020	

Z:\1-Project Files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A - Dwg. Log\AucCAD\C03\1-18-0615-2\_03r2019.dwg, MV




Z:\1-Project Files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A - Drawings\AutoCAD\CD\1-18-0615-2\_Oct 2019.dwg, MV








Notes:



- Legend:**
- Property Boundary
  - - - Study Area, 100m
  - Approximate Borehole Location (Terraprobe 2019)
  - Sample in Borehole Meets Standard
  - Sample in Borehole Exceeds Standard
  - Not Analyzed for EC / SAR



Sample Name	MECP Table 3 2011 Criteria	BH1/AS1	BH7/AS1	BH15/AS1	BH18/AS1	BH24/AS1	BH33/AS1	BH38/AS1	BH46/AS1	BH53/AS1
		6-Jun-12	6-Jun-12	5-Jun-12	5-Jun-12	5-Jun-12	5-Jun-12	6-Jun-12	6-Jun-12	13-Jun-12
Depth of Sample (m)	Units	0.3 - 0.56	0.3 - 0.74	0.6 - 1.10	0.6 - 1.50	0.64 - 1.50	0.54 - 1.50	0.20 - 0.53	0.0 - 0.78	0.54 - 1.50
Electrical Conductivity	mS/cm	0.56	1.2	3.3	0.83	0.93	4.2	1.2	0.96	0.89
Sodium Adsorption Ratio	---	2.4	10.4	25.3	13.7	15	21.1	12.3	10.5	9

**Project Title:** Contamination Overview Study

**Site Location:** Cawthra Rd, QEW to Eastgate Pky, Mississauga, Ontario

**Figure Title:** EC AND SAR EXCEEDANCES IN SOIL - PLAN VIEW

**Designed By:** MA **File No.:** 1-18-0615-2


**Drawn By:** MV **Scale:** As Shown

**Reviewed By:** MB **Figure No.:** 5

**Date:** October 2019

# APPENDIX A

**TERRAPROBE INC.**





# DATABASE REPORT

**Project Property:** *Cawthra Road between the Queen  
Elizabeth Way and Eastgate Parkway  
Cawthra Road  
Mississauga ON*

**Project No:** *1-18-0615-41*

**Report Type:** *Quote - Custom-Build Your Own Report*

**Order No:** *20181212067*

**Requested by:** *Terraprobe Ltd.*

**Date Completed:** *December 18, 2018*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	58
Map.....	119
Aerial.....	120
Topographic Map.....	121
Detail Report.....	122
Unplottable Summary.....	428
Unplottable Report.....	434
Appendix: Database Descriptions.....	839
Definitions.....	848

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** *Cawthra Road between the Queen Elizabeth Way and Eastgate Parkway  
Cawthra Road Mississauga ON*

**Project No:** *1-18-0615-41*

## **Order Information:**

**Order No:** *20181212067*  
**Date Requested:** *December 12, 2018*  
**Requested by:** *Terraprobe Ltd.*  
**Report Type:** *Quote - Custom-Build Your Own Report*

## **Historical/Products:**

**Topographic Map** *Ontario Base Map (OBM)*

## Executive Summary: Report Summary

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.10km</b>	<b>Total</b>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	1	1
BORE	<i>Borehole</i>	Y	0	47	47
CA	<i>Certificates of Approval</i>	Y	0	11	11
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DRYCLEANERS	<i>Dry Cleaning Facilities</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	2	2
EBR	<i>Environmental Registry</i>	Y	0	4	4
ECA	<i>Environmental Compliance Approval</i>	Y	0	11	11
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	39	40
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EXP	<i>List of TSSA Expired Facilities</i>	Y	0	63	63
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	8	8
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	5	5
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	165	165
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	2	2
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>TSSA Incidents</i>	Y	0	4	4
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MISA PENALTY	<i>Environmental Penalty Annual Report</i>	Y	0	0	0

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.10km</b>	<b>Total</b>
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBW	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	18	18
OGW	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	1	1
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	9	9
PINC	<i>TSSA Pipeline Incidents</i>	Y	0	4	4
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	14	14
PTTW	<i>Permit to Take Water</i>	Y	0	1	1
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	2	2
RSC	<i>Record of Site Condition</i>	Y	0	3	3
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	16	16
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	128	128
SPL	<i>Ontario Spills</i>	Y	0	54	54
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>TSSA Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	2	2
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	30	30
<b>Total:</b>			<b>1</b>	<b>644</b>	<b>645</b>

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">106</a>	EHS		Land at Cawthra Road Mississauga ON	NW/36.9	17.00	<a href="#">122</a>



## Executive Summary: Site Report Summary - Surrounding Properties

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	BORE		ON	SE/0.0	-22.02	<a href="#">122</a>
<a href="#">2</a>	BORE		ON	NW/0.1	18.00	<a href="#">122</a>
<a href="#">3</a>	BORE		ON	NW/0.4	14.00	<a href="#">123</a>
<a href="#">4</a>	EHS		3153 Cawthra Road Mississauga ON L5A 2X4	SE/0.5	-1.00	<a href="#">123</a>
<a href="#">5</a>	BORE		ON	SE/0.6	-22.00	<a href="#">123</a>
<a href="#">6</a>	BORE		ON	NW/0.6	13.00	<a href="#">124</a>
<a href="#">7</a>	WWIS		Mississauga ON <b>Well ID:</b> 7181195	NW/0.7	13.00	<a href="#">124</a>
<a href="#">8</a>	BORE		ON	NW/0.9	18.00	<a href="#">127</a>
<a href="#">9</a>	SPL	EAGLEBROOK ENVIRONMENTAL	QEW EASTBOUND AT CAWTHRA TANK TRUCK (CARGO) MISSISSAUGA CITY ON	SE/1.0	-22.01	<a href="#">128</a>
<a href="#">10</a>	BORE		ON	NW/1.2	18.00	<a href="#">128</a>
<a href="#">11</a>	SPL	Enbridge Gas Distribution Inc.	3071 Cawthra Mississauga ON	SE/1.2	-2.00	<a href="#">129</a>
<a href="#">12</a>	BORE		ON	NW/1.3	13.00	<a href="#">129</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">13</a>	BORE		ON	NW/1.5	15.00	<a href="#">130</a>
<a href="#">14</a>	SCT	H.O. TRERICE CO.	2935 CAWTHRA RD UNIT 3 MISSISSAUGA ON L5A 2W8	SE/1.5	-22.00	<a href="#">130</a>
<a href="#">15</a>	BORE		ON	NW/1.6	18.00	<a href="#">130</a>
<a href="#">16</a>	WWIS		Mississauga ON <b>Well ID:</b> 7172875	NW/1.7	16.00	<a href="#">131</a>
<a href="#">17</a>	BORE		ON	NW/2.0	16.00	<a href="#">134</a>
<a href="#">18</a>	WWIS		MISSISSAUGA ON <b>Well ID:</b> 4909768	NW/2.1	12.00	<a href="#">134</a>
<a href="#">19</a>	BORE		ON	NW/2.5	14.00	<a href="#">137</a>
<a href="#">20</a>	BORE		ON	SE/2.7	-22.01	<a href="#">137</a>
<a href="#">21</a>	BORE		ON	NW/2.8	18.00	<a href="#">138</a>
<a href="#">22</a>	NPRI	LAFARGE CONSTRUCTION & MATERIALS	2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/3.2	-13.41	<a href="#">138</a>
<a href="#">22</a>	NPRI	LAFARGE CONSTRUCTION & MATERIALS	2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/3.2	-13.41	<a href="#">139</a>
<a href="#">22</a>	NPRI	LAFARGE CONSTRUCTION & MATERIALS	2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/3.2	-13.41	<a href="#">141</a>
<a href="#">23</a>	BORE		ON	SE/3.3	-22.01	<a href="#">142</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">24</a>	BORE		ON	SE/3.7	-22.01	<a href="#">143</a>
<a href="#">25</a>	BORE		ON	NW/3.8	13.77	<a href="#">143</a>
<a href="#">26</a>	WWIS		Mississauga ON <b>Well ID:</b> 7183363	NW/3.9	14.00	<a href="#">144</a>
<a href="#">27</a>	GEN	MISSISSAUGA HYDRO	BLOOR M.S. 3266 CAWTHRA ROAD MISSISSAUGA ON L5C 3K1	NW/4.0	3.11	<a href="#">147</a>
<a href="#">27</a>	GEN	MISSISSAUGA HYDRO 27-336	BLOOR M.S. 3266 CAWTHRA ROAD MISSISSAUGA ON L5C 3K1	NW/4.0	3.11	<a href="#">147</a>
<a href="#">27</a>	GEN	Enersource Hydro Mississauga	3266 Cawthra Road Mississauga ON	NW/4.0	3.11	<a href="#">147</a>
<a href="#">27</a>	GEN	Enersource Hydro Mississauga	3266 Cawthra Road Mississauga ON L5A 2X7	NW/4.0	3.11	<a href="#">148</a>
<a href="#">27</a>	SPL	MISSISSAUGA HYDRO	AT SUB STATION AT 3266 CAWTHRA RD. TRANSFORMER MISSISSAUGA CITY ON	NW/4.0	3.11	<a href="#">148</a>
<a href="#">27</a>	SPL	Enersource Hydro Mississauga Inc.; All Canada Crane Rental Corp.	3266 Cawthra Rd Mississauga ON	NW/4.0	3.11	<a href="#">148</a>
<a href="#">27</a>	SPL	All Canada Crane Rental Corp.	3266 Cawthra Road Mississauga ON	NW/4.0	3.11	<a href="#">149</a>
<a href="#">28</a>	WWIS		Mississauga ON <b>Well ID:</b> 7109071	SE/4.5	-22.01	<a href="#">149</a>
<a href="#">28</a>	WWIS		Mississauga ON <b>Well ID:</b> 7109072	SE/4.5	-22.01	<a href="#">153</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">28</a>	WWIS		Mississauga ON <b>Well ID:</b> 7109073	SE/4.5	-22.01	<a href="#">156</a>
<a href="#">29</a>	BORE		ON	SE/4.6	-21.99	<a href="#">159</a>
<a href="#">30</a>	BORE		ON	NW/5.0	14.76	<a href="#">159</a>
<a href="#">31</a>	WWIS		Mississauga ON <b>Well ID:</b> 7181196	NW/5.3	13.00	<a href="#">160</a>
<a href="#">32</a>	BORE		ON	SE/6.0	-21.91	<a href="#">163</a>
<a href="#">33</a>	BORE		ON	SE/6.1	-21.97	<a href="#">163</a>
<a href="#">34</a>	BORE		ON	NW/6.2	18.00	<a href="#">164</a>
<a href="#">35</a>	WWIS		Mississauga ON <b>Well ID:</b> 7172524	NW/6.4	15.00	<a href="#">164</a>
<a href="#">36</a>	SPL	GO TRANSIT	QEW WESTBOUND AT CAWTHRA MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SE/6.5	-22.01	<a href="#">167</a>
<a href="#">37</a>	BORE		ON	SE/6.8	-22.03	<a href="#">167</a>
<a href="#">38</a>	BORE		ON	NW/6.8	18.00	<a href="#">168</a>
<a href="#">39</a>	GEN	Bot Construction (Ontario) Limited	4433 Cawthra Road Mississauga ON	NW/7.2	18.00	<a href="#">168</a>
<a href="#">40</a>	BORE		ON	NW/7.2	18.00	<a href="#">169</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">41</a>	BORE		ON	SE/7.5	-22.01	<a href="#">169</a>
<a href="#">42</a>	BORE		ON	NW/7.9	14.00	<a href="#">169</a>
<a href="#">43</a>	BORE		ON	SE/8.8	-21.99	<a href="#">170</a>
<a href="#">44</a>	BORE		ON	SE/9.6	-23.38	<a href="#">170</a>
<a href="#">45</a>	BORE		ON	SE/10.0	-22.01	<a href="#">171</a>
<a href="#">46</a>	WWIS		MISSISSAUGA ON <i>Well ID: 4910285</i>	NW/10.0	12.00	<a href="#">171</a>
<a href="#">47</a>	BORE		ON	NW/10.5	18.00	<a href="#">174</a>
<a href="#">48</a>	SPL	MISSISSAUGA HYDRO	ORWELL STREET, NEAR CAWTHRA & QUEENSWAY TRANSFORMER MISSISSAUGA CITY ON	SE/11.0	-23.61	<a href="#">174</a>
<a href="#">48</a>	SPL	PUC	ORWELL STREET, NEAR CAWTHRA & QUEENSWAY WATERWORKS MISSISSAUGA CITY ON	SE/11.0	-23.61	<a href="#">175</a>
<a href="#">49</a>	BORE		ON	SE/11.3	-22.01	<a href="#">175</a>
<a href="#">50</a>	BORE		ON	NW/11.3	15.00	<a href="#">176</a>
<a href="#">51</a>	BORE		ON	NW/11.8	16.00	<a href="#">176</a>
<a href="#">52</a>	BORE		ON	NW/11.9	15.00	<a href="#">177</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">53</a>	SPL	PETRO-CANADA	CAWTHRA AND RATHBORN RDS. SERVICE STATION MISSISSAUGA CITY ON	NW/12.2	14.00	<a href="#">177</a>
<a href="#">53</a>	SPL		Ne corner of Cawthra Rd and Rathburn Rd Mississauga ON	NW/12.2	14.00	<a href="#">178</a>
<a href="#">54</a>	CA	DR. KINGSLEY RATNANATHER	CAWTHRA RD./MEADOWS BLVD. MISSISSAUGA CITY ON	NW/12.4	17.00	<a href="#">178</a>
<a href="#">55</a>	BORE		ON	NW/12.5	17.00	<a href="#">179</a>
<a href="#">56</a>	WWIS		ON <i>Well ID: 7183444</i>	NW/12.6	13.00	<a href="#">179</a>
<a href="#">57</a>	BORE		ON	SE/12.7	-22.95	<a href="#">180</a>
<a href="#">58</a>	BORE		ON	NW/13.2	14.00	<a href="#">180</a>
<a href="#">59</a>	SPL	PRIMO ARGO BRICK	DUNDAS ST EAST/CAWTHRA RD. 375 DUNDAS ST EAST ABANDONED SITE MISSISSAUGA CITY ON	SE/13.7	-12.00	<a href="#">181</a>
<a href="#">60</a>	BORE		ON	SE/14.0	-21.99	<a href="#">181</a>
<a href="#">61</a>	SPL	MISSISSAUGA HYDRO	ON CAWTHRA RD. JUST SOUTH OF DUNDAS TRANSFORMER MISSISSAUGA CITY ON	SE/14.4	-12.00	<a href="#">182</a>
<a href="#">61</a>	SPL	PEEL, REGIONAL MUNICIPALITY OF	CAWTHRA RD JUST N. OF DUNDAS RD FORCEMAIN MISSISSAUGA CITY ON	SE/14.4	-12.00	<a href="#">182</a>
<a href="#">62</a>	EHS		2526 Cawthra Rd Mississauga ON L5A2W7	SE/14.5	-14.94	<a href="#">183</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">63</a>	SPL	Mississauga Hydro (Enersource)	3460 Cawthra rd.<UNOFFICIAL> Mississauga ON L5A 2X7	NW/14.9	9.00	<a href="#">183</a>
<a href="#">64</a>	PINC		3071 CAWTHRA RD, MISSISSAUGA ON	SE/15.2	-2.00	<a href="#">183</a>
<a href="#">64</a>	PINC		3071 CAWTHRA ROAD, MISSISSAUGA ON	SE/15.2	-2.00	<a href="#">184</a>
<a href="#">64</a>	SPL	Waste Connections of Canada Inc.	3071 Cawthra Road Mississauga ON	SE/15.2	-2.00	<a href="#">184</a>
<a href="#">65</a>	INC		671 TEDWYN DRIVE, MISSISSAUGA ON L5A 1K4	SE/15.8	-26.00	<a href="#">185</a>
<a href="#">66</a>	SPL	TRANSPORT TRUCK	HWY 403 AT EASTGATE PARKWAY, MISSISSAUGA MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	NW/16.1	18.00	<a href="#">186</a>
<a href="#">67</a>	WWIS		Mississauga ON <b>Well ID:</b> 7116449	NW/16.5	12.00	<a href="#">186</a>
<a href="#">68</a>	WWIS		MISSISSAUGA ON <b>Well ID:</b> 4909828	SE/16.5	-2.00	<a href="#">188</a>
<a href="#">69</a>	SPL	TTR TRANSPORT	CAWTHRA BLVD. & SILVER CREEK BLVD. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SE/17.3	-2.00	<a href="#">192</a>
<a href="#">70</a>	WWIS		Mississauga ON <b>Well ID:</b> 7140733	NW/18.5	18.00	<a href="#">192</a>
<a href="#">71</a>	WWIS		MISSISSAUGA ON <b>Well ID:</b> 7161951	SE/18.8	-22.00	<a href="#">197</a>
<a href="#">72</a>	BORE		ON	SE/19.1	-22.01	<a href="#">200</a>
<a href="#">73</a>	GEN	Quantum Murray LP	3447 Cawthra Road Mississauga ON	NW/19.9	9.00	<a href="#">200</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">74</a>	BORE		ON	SE/20.4	-21.99	<a href="#">200</a>
<a href="#">75</a>	BORE		ON	SE/20.6	-22.01	<a href="#">201</a>
<a href="#">76</a>	BORE		ON	SE/20.6	-22.00	<a href="#">201</a>
<a href="#">77</a>	INC		3453 Cawthra Road, Mississauga ON	NW/20.6	9.00	<a href="#">202</a>
<a href="#">77</a>	SPL	Enbridge Gas Distribution Inc.	3453 Cawthra Road Mississauga ON L5A 2X9	NW/20.6	9.00	<a href="#">203</a>
<a href="#">78</a>	GEN	TSCC 2020	3351 Cawthra Road Mississauga ON	NW/20.9	6.00	<a href="#">203</a>
<a href="#">79</a>	EHS		3670 Cawthra Road Mississauga ON L5A 2Y6	NW/22.6	12.00	<a href="#">203</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">204</a>
<a href="#">79</a>	EXP	ERIC LEWIS SHELL	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">204</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">204</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">204</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">205</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">205</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">205</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">205</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">206</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">206</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">206</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">206</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">206</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">206</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	NW/22.6	12.00	<a href="#">207</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">207</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">207</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">207</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">208</a>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">208</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">79</a>	EXP	1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">208</a>
<a href="#">79</a>	FSTH	FRC ENTERPRISES INC	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">208</a>
<a href="#">79</a>	GEN	Shell Canada Products	3670 Cawthra Road Mississauga ON L5A 2Y6	NW/22.6	12.00	<a href="#">209</a>
<a href="#">79</a>	PRT	ERIC LEWIS SHELL	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">209</a>
<a href="#">79</a>	PRT	SHELL CIRCLE K L THOMPSON	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">209</a>
<a href="#">79</a>	PRT	SHEHATA MAGDY	3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	NW/22.6	12.00	<a href="#">210</a>
<a href="#">79</a>	PRT		3670 CAWTHRA RD. MISSISSAUGA ON	NW/22.6	12.00	<a href="#">210</a>
<a href="#">79</a>	RST	CYC SHELL SELECT	3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	NW/22.6	12.00	<a href="#">210</a>
<a href="#">79</a>	RST	SHELL CAWTHRA	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">210</a>
<a href="#">79</a>	RST	SHELL CANADA PRODUCTS	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	NW/22.6	12.00	<a href="#">210</a>
<a href="#">79</a>	RST	SHELL CANADA PRODUCTS	3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	NW/22.6	12.00	<a href="#">210</a>
<a href="#">80</a>	EHS		Cawthra And Dundas St.E. Mississauga ON	SE/25.3	-7.40	<a href="#">211</a>
<a href="#">81</a>	WWIS		Mississauga ON	SE/25.6	-24.06	<a href="#">211</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7141979			
<a href="#">82</a>	SPL		Intersection of The Queen's Way and Cowthra Road Mississauga ON	SE/26.1	-22.09	<a href="#">215</a>
<a href="#">83</a>	PINC		722 Abana Road, Mississauga ON	SE/26.4	-26.80	<a href="#">216</a>
<a href="#">84</a>	EXP	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON	SE/27.8	-12.27	<a href="#">216</a>
<a href="#">84</a>	EXP	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">216</a>
<a href="#">84</a>	EXP	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON	SE/27.8	-12.27	<a href="#">217</a>
<a href="#">84</a>	EXP	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">217</a>
<a href="#">84</a>	FST	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">217</a>
<a href="#">84</a>	FSTH	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">217</a>
<a href="#">84</a>	FSTH	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">218</a>
<a href="#">84</a>	GEN	FRANCESCHINI BROS. AGGREGATES LTD.	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">218</a>
<a href="#">84</a>	GEN	FRANCESCHINI BROS. AGGREGATES LTD.	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">218</a>
<a href="#">84</a>	GEN	FRANCESCHINI BROS. AGGREGATES LTD.15-157	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">219</a>
<a href="#">84</a>	GEN	FRANCESCHINI BROS AGGREGATES LTD	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">219</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">84</a>	GEN	FRANCESCHINI BROS AGGREGATES LTD.	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">219</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">220</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">220</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">221</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">221</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">221</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON	SE/27.8	-12.27	<a href="#">222</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">222</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">223</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">223</a>
<a href="#">84</a>	GEN	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">224</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">224</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">225</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">226</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">227</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">227</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L7K3L3	SE/27.8	-12.27	<a href="#">228</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L7K3L3	SE/27.8	-12.27	<a href="#">230</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">230</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">231</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">232</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">234</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">235</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">236</a>
<a href="#">84</a>	NPRI	FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	SE/27.8	-12.27	<a href="#">239</a>
<a href="#">84</a>	PRT	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">241</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">84</a>	PRT	FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">241</a>
<a href="#">84</a>	PTTW	Franceschini Bros. Aggregates Ltd.	2531 Cawthra Road, Mississauga, Ontario, L5A 2W7 ON	SE/27.8	-12.27	<a href="#">241</a>
<a href="#">84</a>	SCT	FRANCESCHINI BROS AGGREGATES	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/27.8	-12.27	<a href="#">242</a>
<a href="#">84</a>	SCT	Franceschini Bros. Aggregates Ltd.	2531 Cawthra Rd Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">242</a>
<a href="#">84</a>	SCT	Franceschini Bros. Aggregates	2531 Cawthra Rd Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">242</a>
<a href="#">84</a>	SPL	Lafarge Canada Inc.	2531 Cawthra Rd Mississauga ON L5A 2W7	SE/27.8	-12.27	<a href="#">243</a>
<a href="#">84</a>	SPL	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON	SE/27.8	-12.27	<a href="#">243</a>
<a href="#">84</a>	SPL	Lafarge Canada Inc.	2531 Cawthra Rd Mississauga ON NA	SE/27.8	-12.27	<a href="#">244</a>
<a href="#">84</a>	SPL	Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON	SE/27.8	-12.27	<a href="#">244</a>
<a href="#">85</a>	EHS		691 Burnhamthorpe Road East Mississauga ON	NW/28.0	13.00	<a href="#">245</a>
<a href="#">85</a>	EHS		691 Burnhamthorpe Road East Mississauga ON	NW/28.0	13.00	<a href="#">245</a>
<a href="#">86</a>	INC		2361 HARCOURT CRESCENT, MISSISSAUGA ON	SE/28.3	-25.00	<a href="#">245</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">86</a>	INC		2361 HARCOURT CRESCENT, MISSISSAUGA ON	SE/28.3	-25.00	<a href="#">246</a>
<a href="#">87</a>	EXP	LAIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON	SE/28.4	-20.99	<a href="#">247</a>
<a href="#">87</a>	EXP	LAIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">247</a>
<a href="#">87</a>	EXP	LAIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">247</a>
<a href="#">87</a>	GEN	LAIDLAW(SEE&USE ON0470602 LAIDLAW)	2421 CAWTHRA RD. MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">248</a>
<a href="#">87</a>	GEN	LAIDLAW(SEE&USE ON0470602 LAIDLAW)24-042	2421 CAWTHRA RD. MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">248</a>
<a href="#">87</a>	GEN	LAIDLAW CARRIERS INC.	DIVISION OF THE CONTRANS GROUP 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">248</a>
<a href="#">87</a>	GEN	LAIDLAW CARRIERS INC.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	SE/28.4	-20.99	<a href="#">248</a>
<a href="#">87</a>	GEN	LAIDLAW CARRIERS INC. 24- 042	DIVISION OF THE CONTRANS GROUP 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">249</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	SE/28.4	-20.99	<a href="#">249</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">250</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">250</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">250</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	SE/28.4	-20.99	<a href="#">251</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON	SE/28.4	-20.99	<a href="#">251</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">251</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">252</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">252</a>
<a href="#">87</a>	GEN	MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">253</a>
<a href="#">87</a>	PRT	LIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">253</a>
<a href="#">87</a>	SPL	The Regional Municipality of Peel	2421 Cawthra Road Mississauga ON L5A 2W7	SE/28.4	-20.99	<a href="#">253</a>
<a href="#">87</a>	WDS	LCI ENVIRONMENTAL INC.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">254</a>
<a href="#">87</a>	WDS	LCI ENVIRONMENTAL INC.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	SE/28.4	-20.99	<a href="#">254</a>
<a href="#">88</a>	CA	LONDON PROPERTY CORP.	SWM - 3095 CAWTHRA ROAD MISSISSAUGA CITY ON L5A 2X4	SE/28.7	-2.00	<a href="#">255</a>
<a href="#">89</a>	CA	The Regional Municipality of Peel	2500 Cawthra Rd Mississauga ON L5A 2X3	SE/28.9	-14.98	<a href="#">255</a>
<a href="#">89</a>	ECA	The Regional Municipality of Peel	2500 Cawthra Rd Mississauga ON L6T 4B9	SE/28.9	-14.98	<a href="#">256</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">90</a>	GEN	The Natural Path Integrated Health Care Centre	3313 Cawthra Road Mississauga ON L5A2X4	NW/29.4	5.00	<a href="#">256</a>
<a href="#">90</a>	GEN	The Natural Path Integrated Health Care Centre	3313 Cawthra Road Mississauga ON L5A2X4	NW/29.4	5.00	<a href="#">256</a>
<a href="#">91</a>	HINC		4138 SUNSET VALLEY COURT MISSISSAUGA ON L4W 3L5	NW/29.4	14.00	<a href="#">257</a>
<a href="#">92</a>	SPL	WEED AWAY	3580 CAWTHRA RD MISSISSAUGA CITY ON L5A 2Y3	NW/30.3	10.00	<a href="#">257</a>
<a href="#">93</a>	CA	Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road Mississauga ON L5A 2X3	SE/30.9	-14.90	<a href="#">257</a>
<a href="#">94</a>	EASR	HAWLEY COLLISION CENTRE INC.	2526 CAWTHRA RD MISSISSAUGA ON L5A 2X3	SE/31.2	-14.90	<a href="#">258</a>
<a href="#">94</a>	EASR	HAWLEY COLLISION CENTRE INC.	2526 CAWTHRA RD MISSISSAUGA ON L5A 2X3	SE/31.2	-14.90	<a href="#">258</a>
<a href="#">94</a>	EBR	Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road CITY OF MISSISSAUGA ON	SE/31.2	-14.90	<a href="#">258</a>
<a href="#">94</a>	EBR	Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road Mississauga Ontario L5A 2X3 Mississauga ON	SE/31.2	-14.90	<a href="#">259</a>
<a href="#">94</a>	ECA	Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road Mississauga ON L5A 2X3	SE/31.2	-14.90	<a href="#">259</a>
<a href="#">95</a>	SPL		676 Abana Rd Mississauga ON	SE/31.5	-25.62	<a href="#">259</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	NW/33.2	13.00	<a href="#">260</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5 STN	NW/33.2	13.00	<a href="#">260</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">260</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">260</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">261</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">261</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">261</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">261</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	NW/33.2	13.00	<a href="#">262</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5 STN	NW/33.2	13.00	<a href="#">262</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5 STN	NW/33.2	13.00	<a href="#">262</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5 STN	NW/33.2	13.00	<a href="#">262</a>
<a href="#">96</a>	EXP	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5 STN	NW/33.2	13.00	<a href="#">263</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">97</a>	EHS		Cawthra Rd. & Burnhamthorpe Rd. E. Mississauga ON	NW/33.7	13.00	<a href="#">263</a>
<a href="#">97</a>	EHS		Cawthra Rd. & Burnhamthorpe Rd. E. Mississauga ON	NW/33.7	13.00	<a href="#">263</a>
<a href="#">98</a>	EHS		3100 Cawthra Rd Mississauga ON L5A 2X5	SSE/34.7	-2.00	<a href="#">263</a>
<a href="#">98</a>	GEN	Imperial Oil Limited	3100 Cawthra Road Mississauga ON L5A 2X5	SSE/34.7	-2.00	<a href="#">264</a>
<a href="#">98</a>	PRT	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A2X5	SSE/34.7	-2.00	<a href="#">264</a>
<a href="#">98</a>	PRT		3100 CAWTHRA RD. MISSISSAUGA ON	SSE/34.7	-2.00	<a href="#">264</a>
<a href="#">98</a>	RSC	Febau (Canada) Limited	3100 CAWTHRA RD, MISSISSAUGA, ON, L5A 2X5 ON	SSE/34.7	-2.00	<a href="#">264</a>
<a href="#">98</a>	SPL	ESSO PETROLEUM	3100 CAWTHRA RD SERVICE STATION MISSISSAUGA CITY ON L5A 2X5	SSE/34.7	-2.00	<a href="#">265</a>
<a href="#">99</a>	EHS		691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	NW/34.8	13.00	<a href="#">265</a>
<a href="#">99</a>	EHS		691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	NW/34.8	13.00	<a href="#">265</a>
<a href="#">99</a>	EHS		691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	NW/34.8	13.00	<a href="#">266</a>
<a href="#">99</a>	GEN	IMPERIAL OIL	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	NW/34.8	13.00	<a href="#">266</a>
<a href="#">99</a>	GEN	Imperial Oil Limited (c/o Sara Yonson)	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	NW/34.8	13.00	<a href="#">266</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#"><u>99</u></a>	GEN	Imperial Oil Limited	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	NW/34.8	13.00	<a href="#"><u>266</u></a>
<a href="#"><u>99</u></a>	GEN	Imperial Oil Limited	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	NW/34.8	13.00	<a href="#"><u>267</u></a>
<a href="#"><u>99</u></a>	PRT	MT SERVICES ATTN GUS THOMAS	691 BURNHAMTHORPE RD MISSISSAUGA ON L5A 3K5	NW/34.8	13.00	<a href="#"><u>267</u></a>
<a href="#"><u>99</u></a>	PRT	PACZAY & SONS LTD	691 BURNHAMTHORPE RD MISSISSAUGA ON L5A3K5	NW/34.8	13.00	<a href="#"><u>267</u></a>
<a href="#"><u>99</u></a>	RSC	172965 Canada Limited	691 Burnhamthorpe Road East, Mississauga, Ontario, L5A 3K5 Mississauga ON L5A 3K5	NW/34.8	13.00	<a href="#"><u>267</u></a>
<a href="#"><u>99</u></a>	RST	KARTEX AUTO	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A3K5	NW/34.8	13.00	<a href="#"><u>268</u></a>
<a href="#"><u>99</u></a>	RST	ROYAL ESSO	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	NW/34.8	13.00	<a href="#"><u>268</u></a>
<a href="#"><u>99</u></a>	SPL	TEXACO	691 BURNHAMTHORPE RD. SERVICE STATION MISSISSAUGA CITY ON	NW/34.8	13.00	<a href="#"><u>268</u></a>
<a href="#"><u>100</u></a>	GEN	UGOFAN DIAGNOSTIC INC. 39- 448	702 BURNAMTHORDE ROAD EAST UNIT 5 MISSISSAUGA ON L4Y 2X3	NW/35.5	12.00	<a href="#"><u>269</u></a>
<a href="#"><u>101</u></a>	CA		4106 Cawthra Road at Rathburn Road Mississauga ON L4Z 1A1	NW/35.6	14.00	<a href="#"><u>269</u></a>
<a href="#"><u>101</u></a>	ECA	Petro-Canada	4106 Cawthra Rd at Rathburn Rd, Part of Lot 7 Mississauga ON L6L 6N5	NW/35.6	14.00	<a href="#"><u>269</u></a>
<a href="#"><u>101</u></a>	EXP	KANEV MANAGEMENT PETRO GAS BAR	4106 CAWTHRA RD MISSISSAUGA ON	NW/35.6	14.00	<a href="#"><u>270</u></a>
<a href="#"><u>101</u></a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#"><u>270</u></a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">270</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	NW/35.6	14.00	<a href="#">270</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	NW/35.6	14.00	<a href="#">271</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	NW/35.6	14.00	<a href="#">271</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">271</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">271</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">272</a>
<a href="#">101</a>	EXP	1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">272</a>
<a href="#">101</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">272</a>
<a href="#">101</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">272</a>
<a href="#">101</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">273</a>
<a href="#">101</a>	FSTH	1390901 ONTARIO LTD O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">273</a>
<a href="#">101</a>	PRT	KANEV MANAGEMENT	4106 CAWTHRA RD E MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">274</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">101</a>	RST	KATZ FAINA	4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	NW/35.6	14.00	<a href="#">274</a>
<a href="#">101</a>	RST	PETRO CANADA	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	NW/35.6	14.00	<a href="#">274</a>
<a href="#">101</a>	RST	PETRO CANADA	4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	NW/35.6	14.00	<a href="#">274</a>
<a href="#">101</a>	RST	PETRO CANADA 481	4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	NW/35.6	14.00	<a href="#">274</a>
<a href="#">102</a>	GEN	SHOPPERS DRUG MART	700 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L4Y 2X3	NW/35.7	12.00	<a href="#">274</a>
<a href="#">102</a>	GEN	London Excavators and Trucking Ltd	700 Burnhamthorpe Road East Mississauga ON L4Y 2X3	NW/35.7	12.00	<a href="#">275</a>
<a href="#">102</a>	GEN	Ksenia Jankovic Pharmacy Ltd.	700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	NW/35.7	12.00	<a href="#">275</a>
<a href="#">102</a>	GEN	Ksenia Jankovic Pharmacy Ltd.	700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	NW/35.7	12.00	<a href="#">275</a>
<a href="#">102</a>	GEN	Ksenia Jankovic Pharmacy Ltd.	700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	NW/35.7	12.00	<a href="#">276</a>
<a href="#">102</a>	PES	SHOPPERS DRUG MART	700 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L4Y 2X3	NW/35.7	12.00	<a href="#">276</a>
<a href="#">102</a>	PES	KSENIA JANKOVIC PHARMACY LTD. O/A SHOPPERS DRUG MART #774	700 BURNHAMTHORPE RD E MISSISSAUGA ON L4Y 2X3	NW/35.7	12.00	<a href="#">276</a>
<a href="#">102</a>	PES	KSENIA JANKOVIC PHARMACY LTD. O/A SHOPPERS DRUG MART #774	700 BURNHAMTHORPE RD E MISSISSAUGA ON L4Y2X3	NW/35.7	12.00	<a href="#">277</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">103</a>	WWIS		Mississauga ON <i>Well ID:</i> 7149162	NW/36.0	12.00	<a href="#">277</a>
<a href="#">104</a>	HINC		4216 CAWTHRA ROAD MISSISSAUGA ON L4Z 1A1	NW/36.3	16.00	<a href="#">285</a>
<a href="#">105</a>	BORE		ON	NW/36.6	12.00	<a href="#">286</a>
<a href="#">107</a>	WWIS		Mississauga ON <i>Well ID:</i> 7202010	NW/36.9	10.00	<a href="#">286</a>
<a href="#">108</a>	SCT	EL MUNDO LATINO NEWS	700 DUNDAS ST E UNIT 5 MISSISSAUGA ON L4Y 3Y5	SE/37.4	-10.91	<a href="#">289</a>
<a href="#">109</a>	EHS		3635 & 3643 Cawthra Rd Mississauga ON L5A 2Y4	NW/37.9	12.00	<a href="#">289</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">289</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">289</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">290</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">290</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON	SSE/37.9	-2.00	<a href="#">290</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON	SSE/37.9	-2.00	<a href="#">290</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON	SSE/37.9	-2.00	<a href="#">291</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">291</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">291</a>
<a href="#">110</a>	EXP	JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	SSE/37.9	-2.00	<a href="#">291</a>
<a href="#">111</a>	EHS		3153 Cawthra Rd Mississauga ON L5A2X4	ESE/38.9	-1.00	<a href="#">292</a>
<a href="#">111</a>	EHS		3153 Cawthra Rd Mississauga ON L5A2X4	ESE/38.9	-1.00	<a href="#">292</a>
<a href="#">111</a>	EHS		3153 Cawthra Rd Mississauga ON L5A2X4	ESE/38.9	-1.00	<a href="#">292</a>
<a href="#">112</a>	WWIS		MISSISSAUGA ON <b>Well ID:</b> 7116422	NW/39.6	13.00	<a href="#">292</a>
<a href="#">113</a>	WWIS		MISSISSAUGA ON <b>Well ID:</b> 7139581	NW/39.6	13.00	<a href="#">295</a>
<a href="#">114</a>	WWIS		Mississauga ON <b>Well ID:</b> 7110880	NW/39.9	12.62	<a href="#">297</a>
<a href="#">115</a>	CA	CENTRE-STAGE PLASTICS INC.	2395 CAWTHRA RD., UNIT 9, LOT10 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">299</a>
<a href="#">115</a>	GEN	ELECTROLYTIC HONING &	POLISHING CO LTD 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">299</a>
<a href="#">115</a>	GEN	ELECTROLYTIC (OUT OF BUSINESS)	POLISHING COMPANY LIMITED 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">299</a>
<a href="#">115</a>	GEN	J. HERON REPAIR SVC.	2395 CAWTHRA ROAD, MISSISSAUGA, ON L5A 2W8	SE/40.7	-22.00	<a href="#">300</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">115</a>	GEN	ELECTROLYTIC (OUT OF BUSINESS) 14-065	POLISHING CO LTD 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">300</a>
<a href="#">115</a>	GEN	J. HERON REPAIR SVC. 22-273	2395 CAWTHRA ROAD, MISSISSAUGA, ON L5A 2W8	SE/40.7	-22.00	<a href="#">300</a>
<a href="#">115</a>	SCT	Centre Stage Plastics Inc.	2395 Cawthra Rd Unit 9 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">301</a>
<a href="#">115</a>	SCT	LOADING DOCK COMPANY	2395 CAWTHRA RD UNIT 12 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">301</a>
<a href="#">115</a>	SCT	D S FASHIONS	2395 CAWTHRA RD UNIT 3 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">301</a>
<a href="#">115</a>	SCT	CHINERY'S ADVERTISING LTD.	2395 CAWTHRA RD UNIT 12 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">302</a>
<a href="#">115</a>	SCT	CONTINENTAL MARKING PRODUCTS	2395 CAWTHRA RD UNIT 14 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">302</a>
<a href="#">115</a>	SCT	EM Graphics Limited	2395 Cawthra Rd Unit 2 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">302</a>
<a href="#">115</a>	SCT	AMBER TECHNOLOGY LTD.	2395 CAWTHRA RD UNIT 19 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">302</a>
<a href="#">115</a>	SCT	Eagle Hill Tool & Die Inc.	2395 Cawthra Rd Unit 7 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">303</a>
<a href="#">115</a>	SCT	ROLAND GRAPHICS SCREEN PRINT	2395 CAWTHRA RD UNIT 13 MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">303</a>
<a href="#">115</a>	SCT	M.M. FABRICATING LTD.	2395 CAWTHRA RD MISSISSAUGA ON L5A 2W8	SE/40.7	-22.00	<a href="#">303</a>
<a href="#">115</a>	SCT	Rizco Gifts Inc.	2395 Cawthra Rd Unit 16 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">304</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">115</a>	SCT	Nationwide Computers Ltd.	2395 Cawthra Rd Suite 101 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">304</a>
<a href="#">115</a>	SCT	Perfect Defence Inc.	2395 Cawthra Rd Unit 6 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">304</a>
<a href="#">115</a>	SCT	Industrial Technical Services	2395 Cawthra Rd Unit 8 Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">304</a>
<a href="#">115</a>	SPL	Day and Night Mobile Refrigeration (Bob)<UNOFFICIAL>	2395 Cawthra<UNOFFICIAL> Mississauga ON L5A 2W8	SE/40.7	-22.00	<a href="#">305</a>
<a href="#">116</a>	EHS		2399 Cawthra Rd Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">306</a>
<a href="#">116</a>	GEN	ZYLSTRA MOLDED PRODUCTS (OUT OF BU	2399 CAWTHRA RD. UNIT 36 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">306</a>
<a href="#">116</a>	GEN	ZYLSTRA MOLDED PRODUCTS (OUT OF BUS.)	2399 CAWTHRA RD. UNIT 36 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">306</a>
<a href="#">116</a>	GEN	R.P. PRINTING CO.	UNIT 32 2399 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">306</a>
<a href="#">116</a>	GEN	R.P. PRINTING CO (OUT OF BUSINESS)33-127	UNIT 32 2399 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">306</a>
<a href="#">116</a>	GEN	ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS)	2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">307</a>
<a href="#">116</a>	GEN	DAB DESKTOP PUBLISHING CENTRE INC.12-732	2399 CAWTHRA ROAD, UNIT 33 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">307</a>
<a href="#">116</a>	GEN	GLENN A. DAVIS & ASSOCIATES LTD.	2399 CAWTHRA ROAD, SUITE 204 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">307</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">116</a>	GEN	2395-2399 CAWTHRA ROAD LIMITED	2395-2399 CAWTHRA ROAD TORONTO ON L5A 2W9	SE/40.8	-22.00	<a href="#">307</a>
<a href="#">116</a>	GEN	Golder Associates Innovative Applications Inc.	2399 Cawthra Ave Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">308</a>
<a href="#">116</a>	GEN	DAB (OUT OF BUS) 12-732	2399 CAWTHRA ROAD, UNIT 33 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">308</a>
<a href="#">116</a>	GEN	GLENN A. DAVIS & ASSOCIATES LTD. 13-419	2399 CAWTHRA ROAD, SUITE 204 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">308</a>
<a href="#">116</a>	REC	ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS)	2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">309</a>
<a href="#">116</a>	REC	ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS)	2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">309</a>
<a href="#">116</a>	SCT	Beaver Flagpoles Inc.	2399 Cawthra Rd Unit 39-40 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">309</a>
<a href="#">116</a>	SCT	POLA MACHINE LTD.	2399 CAWTHRA RD UNIT 31 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">309</a>
<a href="#">116</a>	SCT	A B C L INTERIORS INC.	2399 CAWTHRA RD UNIT 24 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">310</a>
<a href="#">116</a>	SCT	DA BINDERY SHOP LTD.	2399 CAWTHRA RD UNIT 27-28 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">310</a>
<a href="#">116</a>	SCT	ROYAL CUSTOM WOOD WORKING	2399 CAWTHRA RD UNIT 30 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">310</a>
<a href="#">116</a>	SCT	WEBBER PANTS CO.	2399 CAWTHRA RD UNIT 42 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">311</a>
<a href="#">116</a>	SCT	POLA MACHINE LTD.	2399 CAWTHRA RD UNIT 31 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">311</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">116</a>	SCT	JOBMASTER MAGNETS CANADA INC.	2399 CAWTHRA RD UNIT 37 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">311</a>
<a href="#">116</a>	SCT	ONE DAY PRINTING LTD.	2399 CAWTHRA RD UNIT 23 MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">311</a>
<a href="#">116</a>	SCT	CHINERY'S ADVERTISING LTD.	2399 CAWTHRA RD MISSISSAUGA ON L5A 2W9	SE/40.8	-22.00	<a href="#">312</a>
<a href="#">116</a>	SCT	D S FASHIONS	2399 Cawthra Rd Unit 25 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">312</a>
<a href="#">116</a>	SCT	FRIKON INDUSTRIES LTD	2399 Cawthra Rd Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">313</a>
<a href="#">116</a>	SCT	ELON DESIGNS INC.	2399 Cawthra Rd Unit 30 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">313</a>
<a href="#">116</a>	SCT	Frikon Industries Ltd.	2399 Cawthra Rd Unit 27-28 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">313</a>
<a href="#">116</a>	SCT	Anna The Fashion Outlet	2399 Cawthra Rd Unit 24 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">313</a>
<a href="#">116</a>	SCT	Rauf Machinery Co.	2399 Cawthra Rd Unit 37 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">314</a>
<a href="#">116</a>	SCT	East Meats West Halal	2399 Cawthra Rd Unit 31 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">314</a>
<a href="#">116</a>	SCT	SNMB Roasted Nut Factory	2399 Cawthra Rd Unit 42 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">314</a>
<a href="#">116</a>	SCT	D. S. Fashions Inc.	2399 Cawthra Rd Unit 25 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">314</a>
<a href="#">116</a>	SCT	One Day Printing Limited	2399 Cawthra Rd Suite 105 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">315</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">116</a>	SCT	S N M B Roasted Nut Factory	2399 Cawthra Rd Unit 42 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">315</a>
<a href="#">116</a>	SCT	JNJ Daily Meat Wholesale Ltd.	2399 Cawthra Rd Unit 34-35 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">315</a>
<a href="#">116</a>	SCT	Tanor Bread	2399 Cawthra Rd Unit 41 Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">316</a>
<a href="#">116</a>	SPL	GAIA Contractors<UNOFFICIAL>	2399 CAWTHRA RD QUEENSWAY AND CAWTHRA (NW CORNER)<UNOFFICIAL> Mississauga ON L5A 2W9	SE/40.8	-22.00	<a href="#">316</a>
<a href="#">117</a>	SPL		Queensway Avenue just directly west of Cawthra on the north side, in front of the Sunoco gas station<UNOFFICIAL> Mississauga ON	SE/41.2	-24.05	<a href="#">316</a>
<a href="#">118</a>	EHS		3153 Cawthra Rd Mississauga ON L5A2X4	ESE/41.5	-0.60	<a href="#">317</a>
<a href="#">119</a>	WWIS		lot 65 MISSISSAUGA ON <b>Well ID:</b> 4910124	NW/41.6	12.25	<a href="#">317</a>
<a href="#">120</a>	EHS		700 Dundas Street East Mississauga ON	SE/42.0	-10.87	<a href="#">320</a>
<a href="#">121</a>	BORE		ON	NW/42.6	12.00	<a href="#">321</a>
<a href="#">122</a>	EHS		2370 Cawthra Road Mississauga ON L5A 2X1	SE/43.4	-22.00	<a href="#">321</a>
<a href="#">122</a>	GEN	COLUMBIA MACHINE (CANADA) LTD.	2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/43.4	-22.00	<a href="#">321</a>
<a href="#">122</a>	GEN	COLUMBIA MACHINE (CANADA) LTD. 10-259	2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/43.4	-22.00	<a href="#">322</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/43.4	-22.00	<a href="#">322</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	SE/43.4	-22.00	<a href="#">322</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	SE/43.4	-22.00	<a href="#">323</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	SE/43.4	-22.00	<a href="#">323</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	SE/43.4	-22.00	<a href="#">323</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON	SE/43.4	-22.00	<a href="#">324</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON	SE/43.4	-22.00	<a href="#">324</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON L5A2X1	SE/43.4	-22.00	<a href="#">324</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON L5A2X1	SE/43.4	-22.00	<a href="#">325</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON L5A2X1	SE/43.4	-22.00	<a href="#">325</a>
<a href="#">122</a>	GEN	WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON L5A2X1	SE/43.4	-22.00	<a href="#">326</a>
<a href="#">122</a>	SCT	Westway Machinery Ltd.	2370 Cawthra Rd Mississauga ON L5A 2X1	SE/43.4	-22.00	<a href="#">326</a>
<a href="#">122</a>	SPL	MISSISSAUGA HYDRO	2370 CAWTHRA TRANSFORMER MISSISSAUGA ON L5A 2X1	SE/43.4	-22.00	<a href="#">326</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">123</a>	GEN	HALTON HILLS PROP. MANAGE. (OUT OF	2455 CAWTHRA RD., SUITE 58 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">327</a>
<a href="#">123</a>	GEN	HALTON HILLS PROP. MANAGE. (OUT OF BUS.)	2455 CAWTHRA RD., SUITE 58 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">327</a>
<a href="#">123</a>	GEN	TRILLIUM PHOTO SERVICES LTD.	2455 CAWTHRA MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">327</a>
<a href="#">123</a>	GEN	TRILLIUM PHOTO SERVICES LTD.	2455 CAWTHRA MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">327</a>
<a href="#">123</a>	GEN	TRILLIUM PHOTO SERVICES LIMITED	2455 CAWTHRA UNIT 15 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">328</a>
<a href="#">123</a>	GEN	BCM SCREEN AND LABEL	2455 CAWTHRA RD., UNIT 28-29 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">328</a>
<a href="#">123</a>	GEN	HYBRID SCREENS INC.	2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">328</a>
<a href="#">123</a>	GEN	HYBRID SCREENS INC (OUT OF BUS.)	2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">329</a>
<a href="#">123</a>	GEN	TRILLIUM PHOTO SERVICES LTD. 38-302	2455 CAWTHRA MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">329</a>
<a href="#">123</a>	GEN	BCM SCREEN AND LABEL 04-189	2455 CAWTHRA RD., UNIT 28-29 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">329</a>
<a href="#">123</a>	GEN	HYBRID SCREENS INC (OUT OF BUS.) 20-227	2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">329</a>
<a href="#">123</a>	SCT	Helen's Home Style Foods Ltd.	2455 Cawthra Rd Unit 12-13 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">330</a>
<a href="#">123</a>	SCT	Renewable Office Concepts Inc.	2455 Cawthra Rd Unit 28 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">330</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">123</a>	SCT	SOUVENIRS & COATS OF ARMS	2455 CAWTHRA RD MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">330</a>
<a href="#">123</a>	SCT	Q.M.P. LTD.	2455 CAWTHRA RD MISSISSAUGA ON L5A 3P1	SE/45.7	-16.99	<a href="#">331</a>
<a href="#">123</a>	SCT	JBM Resource Network Ltd.	2455 Cawthra Rd Unit 16 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">331</a>
<a href="#">123</a>	SCT	Canadian Wiping Cloth Company	2455 Cawthra Rd Unit 54 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">331</a>
<a href="#">123</a>	SCT	TFX The Furniture Exchange Inc.	2455 Cawthra Rd Unit 28 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">331</a>
<a href="#">123</a>	SCT	JBM Graphics Ltd.	2455 Cawthra Rd Unit 16 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">332</a>
<a href="#">123</a>	SCT	Willard Meats International	2455 Cawthra Rd Unit 77 Mississauga ON L5A 3P1	SE/45.7	-16.99	<a href="#">332</a>
<a href="#">124</a>	EHS		700 Dundas Street East Mississauga ON L4Y 3Y5	SE/45.8	-10.86	<a href="#">332</a>
<a href="#">125</a>	GEN	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 8 MISSISSAUGA ON L5A 3K6	SE/47.4	-18.20	<a href="#">333</a>
<a href="#">126</a>	GEN	N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON	SE/49.7	-15.22	<a href="#">333</a>
<a href="#">126</a>	GEN	N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON	SE/49.7	-15.22	<a href="#">333</a>
<a href="#">126</a>	GEN	NOVAK HYDRAUL(OUT OF BUSINESS) 28-688	2465 CAWTHRA ROAD, UNIT 131 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">334</a>
<a href="#">126</a>	GEN	N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	SE/49.7	-15.22	<a href="#">334</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">126</a>	GEN	N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	SE/49.7	-15.22	<a href="#">334</a>
<a href="#">126</a>	GEN	N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	SE/49.7	-15.22	<a href="#">335</a>
<a href="#">126</a>	GEN	N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	SE/49.7	-15.22	<a href="#">335</a>
<a href="#">126</a>	PAP	Canadian Safety Equipment Inc.	2465 Cawthra Rd Suite 114 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">335</a>
<a href="#">126</a>	SCT	JBM RESOURCE NETWORK LTD.	2465 CAWTHRA RD UNIT 112 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">336</a>
<a href="#">126</a>	SCT	ATK INTERNATIONAL	2465 CAWTHRA RD SUITE 120 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">336</a>
<a href="#">126</a>	SCT	CANADIAN WIPING CLOTH COMPANY	2465 CAWTHRA RD SUITE 117 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">336</a>
<a href="#">126</a>	SCT	SALCO & ASSOCIATES	2465 CAWTHRA RD UNIT 125 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">336</a>
<a href="#">126</a>	SCT	ACOUSTIC DESIGN GROUP INC	2465 CAWTHRA RD UNIT 128 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">337</a>
<a href="#">126</a>	SCT	Marvic Machine Co.	2465 Cawthra Rd Suite 131 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">337</a>
<a href="#">126</a>	SCT	B.G.R. MACHINING CO. LTD.	2465 CAWTHRA RD MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">337</a>
<a href="#">126</a>	SCT	Salco & Associates Ltd.	2465 Cawthra Rd Suite 125 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">338</a>
<a href="#">126</a>	SCT	P & W Technologies Ltd.	2465 Cawthra Rd Suite 131 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">338</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">126</a>	SCT	ARNSCOTT ELECTRONICS INC	2465 CAWTHRA RD UNIT 128 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">338</a>
<a href="#">126</a>	SCT	OWEN TRI-CUT LIMITED	2465 CAWTHRA RD UNIT 119 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">339</a>
<a href="#">126</a>	SCT	JAMES BICKERTON & MOORE LTD.	2465 CAWTHRA RD UNIT 112 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">339</a>
<a href="#">126</a>	SCT	SIGN & PRINT ECT.	2465 CAWTHRA RD SUITE 132 MISSISSAUGA ON L5A 3P2	SE/49.7	-15.22	<a href="#">339</a>
<a href="#">126</a>	SCT	Armscott Electronics Inc.	2465 Cawthra Rd Suite 125 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">340</a>
<a href="#">126</a>	SCT	Art Scott Electronics Group	2465 Cawthra Rd Unit 128 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">340</a>
<a href="#">126</a>	SCT	M & G Photography Co. Ltd.	2465 Cawthra Rd Unit 202 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">341</a>
<a href="#">126</a>	SCT	JBM Graphics Ltd.	2465 Cawthra Rd Suite 128 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">341</a>
<a href="#">126</a>	SCT	Schneider Enterprises Inc.	2465 Cawthra Rd Unit 118 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">341</a>
<a href="#">126</a>	SCT	Soak Wash Inc.	2465 Cawthra Rd Unit 124 Mississauga ON L5A 3P2	SE/49.7	-15.22	<a href="#">342</a>
<a href="#">127</a>	EHS		3635 Cawthra Road Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">342</a>
<a href="#">127</a>	GEN	Cawthorpe Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">342</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">343</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">343</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">343</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">344</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON	NW/49.9	12.00	<a href="#">344</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">344</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">344</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">344</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">345</a>
<a href="#">127</a>	GEN	Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">345</a>
<a href="#">127</a>	SCT	NOVA PASTRY & BAKERY	3635 CAWTHRA RD SUITE 11 MISSISSAUGA ON L5A 2Y5	NW/49.9	12.00	<a href="#">345</a>
<a href="#">127</a>	SCT	Nova Pastry & Bakery Ltd.	3635 Cawthra Rd Unit 11 Mississauga ON L5A 2Y5	NW/49.9	12.00	<a href="#">346</a>
<a href="#">128</a>	SPL	ONTARIO HYDRO	2080 CAWTHRA RD CAWTHRA & QEW TRANSFORMER MISSISSAUGA CITY ON	SE/51.0	-24.93	<a href="#">346</a>
<a href="#">129</a>	WWIS		Mississauga ON <b>Well ID:</b> 7158695	SE/52.4	-22.00	<a href="#">346</a>
<a href="#">130</a>	PINC		4076 CAWTHRA RD, MISSISSAUGA ON	NW/52.6	14.00	<a href="#">348</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">130</a>	SPL		4076 Cawthra Rd Mississauga ON	NW/52.6	14.00	<a href="#">349</a>
<a href="#">130</a>	SPL		4076 Cawthra Road Mississauga ON	NW/52.6	14.00	<a href="#">349</a>
<a href="#">131</a>	WWIS		MISSISSAUGA ON <i>Well ID:</i> 4909407	SE/55.5	-22.14	<a href="#">349</a>
<a href="#">132</a>	ECA	Hydro One Networks Inc.	2070 Cawthra Rd Mississauga ON	SE/56.0	-25.00	<a href="#">352</a>
<a href="#">132</a>	GEN	Hydro One Networks Inc	2070 Cawthra Road Mississauga ON L5A 2W6	SE/56.0	-25.00	<a href="#">352</a>
<a href="#">132</a>	GEN	Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON	SE/56.0	-25.00	<a href="#">353</a>
<a href="#">132</a>	SPL	Hydro One Inc.	2070 Cawthra Rd. Mississauga ON	SE/56.0	-25.00	<a href="#">353</a>
<a href="#">132</a>	WWIS		MISSISSAUGA ON <i>Well ID:</i> 4909834	SE/56.0	-25.00	<a href="#">354</a>
<a href="#">133</a>	WWIS		lot 10 con 1 ON <i>Well ID:</i> 4902250	SE/56.4	-8.72	<a href="#">355</a>
<a href="#">134</a>	EBR	NuStef Foods Limited	2440 Cawthra Road Mississauga, Regional Municipality of Peel L5A 2X1 CITY OF MISSISSAUGA ON	SE/58.0	-20.07	<a href="#">357</a>
<a href="#">134</a>	ECA	NuStef Foods Limited	2440 Cawthra Rd Mississauga ON L5A 2X1	SE/58.0	-20.07	<a href="#">358</a>
<a href="#">135</a>	SCT	D.S. Signs Inc.	2390 Cawthra Rd Unit 4 Mississauga ON L5A 2X1	SE/58.3	-20.99	<a href="#">358</a>
<a href="#">135</a>	SCT	ROBINSON BREWING CO.	2390 Cawthra Rd Unit 3 Mississauga ON L5A 2X1	SE/58.3	-20.99	<a href="#">358</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">135</a>	SCT	A 1 Custom Woodworking Ltd.	2390 Cawthra Rd Unit 1 Mississauga ON L5A 2X1	SE/58.3	-20.99	<a href="#">358</a>
<a href="#">135</a>	SCT	SUNLIGHT SOLARIUMS	2390 CAWTHRA RD UNIT 9-10 MISSISSAUGA ON L5A 2X1	SE/58.3	-20.99	<a href="#">359</a>
<a href="#">135</a>	SCT	A. K. DESIGNS	2390 CAWTHRA RD UNIT 8 MISSISSAUGA ON L5A 2X1	SE/58.3	-20.99	<a href="#">359</a>
<a href="#">135</a>	SCT	A K DESIGNS LTD.	2390 Cawthra Rd Unit 8 Mississauga ON L5A 2X1	SE/58.3	-20.99	<a href="#">359</a>
<a href="#">135</a>	SCT	A. K. Designs Ltd.	2390 Cawthra Rd Unit 8 Mississauga ON L5A 2X1	SE/58.3	-20.99	<a href="#">359</a>
<a href="#">135</a>	SCT	Elsen Electric Inc.	2390 Cawthra Rd Unit 3 Mississauga ON L5A 2X1	SE/58.3	-20.99	<a href="#">360</a>
<a href="#">136</a>	SPL	The Regional Municipality of Peel	665 Vermouth Avenue Mississauga ON	NW/58.5	8.00	<a href="#">360</a>
<a href="#">137</a>	ECA	NuStef Foods Limited	2440 Cawthra Rd Mississauga City, Mississauga ON L5A2X1	SE/58.6	-20.07	<a href="#">361</a>
<a href="#">137</a>	EHS		2440 Cawthra Road Mississauga ON	SE/58.6	-20.07	<a href="#">361</a>
<a href="#">137</a>	EHS		2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	SE/58.6	-20.07	<a href="#">361</a>
<a href="#">137</a>	EHS		2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	SE/58.6	-20.07	<a href="#">361</a>
<a href="#">137</a>	EHS		2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	SE/58.6	-20.07	<a href="#">362</a>
<a href="#">137</a>	GEN	CLARK PORCELAIN LTD.	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">362</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">137</a>	GEN	CLARK POR(OUT OF BUSINESS)	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">362</a>
<a href="#">137</a>	GEN	CANADIAN PROCELAIN PRODUCTS INC.	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">362</a>
<a href="#">137</a>	GEN	Hansen & Young Machinery (1995) Inc.	2440 Cawthra Road Mississauga ON	SE/58.6	-20.07	<a href="#">363</a>
<a href="#">137</a>	GEN	CLARK PORCELAIN LIMITED 10-355	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">363</a>
<a href="#">137</a>	GEN	CLARK PORCELAIN LTD. 10-355	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">363</a>
<a href="#">137</a>	SCT	CANADIAN PORCELAIN PRODUCTS	2440 CAWTHRA RD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">363</a>
<a href="#">137</a>	SCT	CLARK PORCELAIN LIMITED	2440 CAWTHRA RD MISSISSAUGA ON L5A 2X1	SE/58.6	-20.07	<a href="#">364</a>
<a href="#">137</a>	SCT	Nustef Foods Ltd.	2440 Cawthra Rd Mississauga ON L5A 2X1	SE/58.6	-20.07	<a href="#">364</a>
<a href="#">138</a>	BORE		ON	NW/58.8	12.00	<a href="#">364</a>
<a href="#">139</a>	SPL	Seaboard Liquid Carriers Ltd.	655 The Queensway East Mississauga ON	SE/59.5	-24.04	<a href="#">365</a>
<a href="#">140</a>	EHS		n/a Mississauga ON	NW/60.8	11.00	<a href="#">365</a>
<a href="#">140</a>	EHS		n/a Mississauga ON	NW/60.8	11.00	<a href="#">366</a>
<a href="#">140</a>	EHS		n/a Mississauga ON	NW/60.8	11.00	<a href="#">366</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">141</a>	GEN	STEPHENSON'S RENT-ALL INC.	720 Burnhamthorpe Rd. East Mississauga ON L5C 3G1	NW/63.6	12.00	<a href="#">366</a>
<a href="#">141</a>	SPL		720 Burnhamthorpe Rd E Mississauga ON L4Y 2X3	NW/63.6	12.00	<a href="#">366</a>
<a href="#">142</a>	EBR	Hydro One Networks Inc.	2070 Cawthra Road Mississauga, Regional Municipality of Peel L5A 3X6 CITY OF MISSISSAUGA ON	SE/64.2	-25.00	<a href="#">367</a>
<a href="#">142</a>	ECA	Hydro One Networks Inc.	2070 Cawthra Rd Mississauga ON M5G 2P5	SE/64.2	-25.00	<a href="#">367</a>
<a href="#">142</a>	ECA	Hydro One Networks Inc.	2070 Cawthra Rd Mississauga ON M5G 2P5	SE/64.2	-25.00	<a href="#">368</a>
<a href="#">142</a>	GEN	Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	SE/64.2	-25.00	<a href="#">368</a>
<a href="#">142</a>	GEN	Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	SE/64.2	-25.00	<a href="#">368</a>
<a href="#">142</a>	GEN	Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	SE/64.2	-25.00	<a href="#">368</a>
<a href="#">142</a>	GEN	Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	SE/64.2	-25.00	<a href="#">369</a>
<a href="#">143</a>	WWIS		Mississauga ON <b>Well ID:</b> 7219360	SE/65.1	-11.92	<a href="#">369</a>
<a href="#">144</a>	WWIS		MISSISSAUGA ON <b>Well ID:</b> 7116747	SE/66.1	-14.02	<a href="#">372</a>
<a href="#">145</a>	SPL	TRANSPORT TRUCK	QEW HWY EASTBOUND EAST OF CAWTHRA RD. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SE/66.5	-23.00	<a href="#">375</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">146</a>	CA	Tri-Phase Environmental Inc.	2446 Cawthra Rd. Bldg 2 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">375</a>
<a href="#">146</a>	ECA	Tri-Phase Environmental Inc.	2446 Cawthra Rd. Bldg 2 Mississauga ON L5A 4K4	SE/67.7	-18.43	<a href="#">376</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD.	2446 CAWTHRA RD. BLDG 2, UNIT 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">376</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD. 08-812	2446 CAWTHRA RD. BLDG 2, UNIT 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">376</a>
<a href="#">146</a>	GEN	Shooting Chrony Inc.	2446 Cawthra Rd. Bldg. 1 Unit 10 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">377</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">377</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">377</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">377</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">378</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">378</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON	SE/67.7	-18.43	<a href="#">378</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">379</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">379</a>
<a href="#">146</a>	GEN	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">379</a>
<a href="#">146</a>	SCT	Beaverbrook Cabinets Ltd.	2446 Cawthra Rd Unit 3 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">380</a>
<a href="#">146</a>	SCT	Bryant Electric Inc.	2446 Cawthra Rd Unit 5 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">380</a>
<a href="#">146</a>	SCT	DELI FACTORY LTD.	2446 CAWTHRA RD UNIT 8 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">380</a>
<a href="#">146</a>	SCT	Aloumac Custom Welding Ltd.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">381</a>
<a href="#">146</a>	SCT	SHOOTING CHRONY INC	2446 CAWTHRA RD BLDG 1 UNIT 10 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">381</a>
<a href="#">146</a>	SCT	Beaverbrook Custom Cabinets	2446 Cawthra Rd Unit 3 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">381</a>
<a href="#">146</a>	SCT	COLOUR DISPLAY COMPANY LIMITED	2446 CAWTHRA RD BLDG 3 UNIT 5-6 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">382</a>
<a href="#">146</a>	SCT	Sunkim Industries Ltd	2446 Cawthra Rd Unit 6 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">382</a>
<a href="#">146</a>	SCT	TRANS MEDIA GRAPHICS LTD.	2446 CAWTHRA RD BLDG 2 UNIT 4 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">382</a>
<a href="#">146</a>	SCT	Nustef Foods Ltd.	2446 Cawthra Rd Unit 1 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">382</a>
<a href="#">146</a>	SCT	SUMMAR FOODS LTD	2446 CAWTHRA RD BLDG 3 UNIT 7 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">383</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">146</a>	SCT	E. & A. IMAGE TREND LTD	2446 CAWTHRA RD BLDG 4 UNIT 8 MISSISSAUGA ON L5A 3K6	SE/67.7	-18.43	<a href="#">383</a>
<a href="#">146</a>	SCT	Glenholme Printing Inc	2446 Cawthra Rd Unit 7 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">383</a>
<a href="#">146</a>	SCT	E. & A. IMAGE TREND LTD.	2446 Cawthra Rd Bldg 4 Unit 8 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">383</a>
<a href="#">146</a>	SCT	Summar Foods Ltd.	2446 Cawthra Rd Unit 7 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">384</a>
<a href="#">146</a>	SCT	Shooting Chrony Inc.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">384</a>
<a href="#">146</a>	SCT	Multi-Scales Charge Ltd.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">384</a>
<a href="#">146</a>	SCT	A A MACHINING KEY SEAT & APPL.	2446 Cawthra Rd Bldg 4 Unit 1 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">385</a>
<a href="#">146</a>	SCT	5 STAR WHOLESALE SMOKED MEAT	2446 Cawthra Rd Bldg 2 Unit 8 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">385</a>
<a href="#">146</a>	SCT	Glenholme Printing Inc.	2446 Cawthra Rd Bldg 4 Unit 7 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">385</a>
<a href="#">146</a>	SCT	Sunkim Industries Ltd.	2446 Cawthra Rd Bldg 1 Unit 6 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">385</a>
<a href="#">146</a>	SCT	5 Star Wholesale Smoked Meat & Sausages	2446 Cawthra Rd Bldg 2 Unit 8 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">385</a>
<a href="#">146</a>	SCT	Ali Food	2446 Cawthra Rd Unit 6 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">385</a>
<a href="#">146</a>	SCT	Aloumac Custom Welding Ltd.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	SE/67.7	-18.43	<a href="#">386</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">147</a>	WWIS		MISSISSAUGA ON <i>Well ID: 7224923</i>	SE/69.1	-22.00	<a href="#">386</a>
<a href="#">148</a>	EHS		2350 Cawthra Rd. Mississauga ON L5A 2X1	SE/69.6	-22.87	<a href="#">388</a>
<a href="#">148</a>	GEN	STANDARD PRODUCTS (CANADA) LTD.	(PV I0 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/69.6	-22.87	<a href="#">389</a>
<a href="#">148</a>	GEN	STANDARD (OUT OF BUSINESS)	(PVI) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/69.6	-22.87	<a href="#">389</a>
<a href="#">148</a>	GEN	STANDARD (OUT OF BUSINESS)	2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/69.6	-22.87	<a href="#">389</a>
<a href="#">148</a>	GEN	Nova Coating Technologies Inc.	2350 Cawthra Road, Unit#1 Mississauga ON L5A 2X1	SE/69.6	-22.87	<a href="#">389</a>
<a href="#">148</a>	GEN	STANDARD (OUT OF BUSINESS) 36-175	(PVI) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	SE/69.6	-22.87	<a href="#">390</a>
<a href="#">148</a>	SCT	THE ATHLETIC SPORTSHOW INC.	2350 CAWTHRA RD MISSISSAUGA ON L5A 2X1	SE/69.6	-22.87	<a href="#">390</a>
<a href="#">148</a>	SCT	Lee & Martin Industries Ltd	2350 Cawthra Rd Mississauga ON L5A 2X1	SE/69.6	-22.87	<a href="#">390</a>
<a href="#">148</a>	SCT	Lee & Martin Industries Limited	2350 Cawthra Rd Mississauga ON L5A 2X1	SE/69.6	-22.87	<a href="#">390</a>
<a href="#">148</a>	SCT	Cveti Products Inc.	2350 Cawthra Rd Mississauga ON L5A 2X1	SE/69.6	-22.87	<a href="#">391</a>
<a href="#">148</a>	SCT	Nova Coating Technologies Inc.	2350 Cawthra Rd Unit 1 Mississauga ON L5A 2X1	SE/69.6	-22.87	<a href="#">391</a>
<a href="#">149</a>	WWIS		Mississauga ON	SE/70.2	-9.80	<a href="#">391</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7219359			
<a href="#">150</a>	EHS		3133 Cawthra Road Mississauga ON L5A 2X4	ESE/74.2	-1.00	<a href="#">394</a>
<a href="#">151</a>	EHS		650 Dundas St E Mississauga ON L5A3Y6	SE/76.1	-11.68	<a href="#">394</a>
<a href="#">152</a>	RSC	Dan-Con Developments Inc.	No Municipal Address ON	NW/76.3	16.00	<a href="#">395</a>
<a href="#">153</a>	ECA	Dusan Petkovic	1528 Cawthra Rd Mississauga ON L5G 4L2	SE/81.6	-32.00	<a href="#">395</a>
<a href="#">154</a>	CA	R.M. OF PEEL	MELTON COURT/MELTON DRIVE MISSISSAUGA CITY ON	SE/81.6	-24.00	<a href="#">395</a>
<a href="#">155</a>	CA	INDUSTRIAL PLASTIC FABRICATORS LTD.	2480 CAWTHRA ROAD, UNIT # 25 MISSISSAUGA CITY ON L5A 2X2	SE/81.7	-17.69	<a href="#">396</a>
<a href="#">155</a>	GEN	MACHINE TOOL TECH.	DIVISION OF PROCOR LTD. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">396</a>
<a href="#">155</a>	GEN	MACHINE (SEE&USE ON0150902)	ROBERTSON WHITEHOUSE 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">396</a>
<a href="#">155</a>	GEN	MACHINE (SEE&USE ON0150902) 25-409	ROBERTSON WHITEHOUSE 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">397</a>
<a href="#">155</a>	GEN	MACHINE TOOL TECH-DIV. OF	ROBERTSON WHITEHOUSE INC. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">397</a>
<a href="#">155</a>	GEN	MAC TOOL TECHNOLOGIES	2480 CAWTHRA ROAD, UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">397</a>
<a href="#">155</a>	GEN	MACHINE TOOL TECH-DIV. OF 25-407	ROBERTSON WHITEHOUSE INC. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">398</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">155</a>	GEN	MAC TOOL TECHNOLOGIES	2480 CAWTHRA ROAD UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">398</a>
<a href="#">155</a>	GEN	MAC TOO(OUT OF BUSINESS)	2480 CAWTHRA ROAD UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">398</a>
<a href="#">155</a>	GEN	NORDTECH INC.	2480 CAWTHRA RD. MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">399</a>
<a href="#">155</a>	GEN	NORDTECH INC.(OUT OF BUSINESS) 28-370	2480 CAWTHRA RD. MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">399</a>
<a href="#">155</a>	GEN	MACHINE TOOL (SEE & USE ON0143405)	2480 CAWTHRA RD., UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">399</a>
<a href="#">155</a>	GEN	MACHINE TOOL (SEE & USE ON0143405)25-409	2480 CAWTHRA RD., UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">400</a>
<a href="#">155</a>	GEN	VALUE PRINTING SERVICE	2480 CAWTHRA ROAD, UNIT #11 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">400</a>
<a href="#">155</a>	GEN	VALUE PRINTING SERVICE	2480 CAWTHRA ROAD, UNIT 11 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">400</a>
<a href="#">155</a>	SCT	DRIVER-BIT TOOLS	2480 CAWTHRA RD UNIT 17 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">400</a>
<a href="#">155</a>	SCT	Casa Toste Ltd.	2480 Cawthra Rd Unit 2-3 Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">401</a>
<a href="#">155</a>	SCT	VALUE PRINTING SERVICE	2480 CAWTHRA RD UNIT 11 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">401</a>
<a href="#">155</a>	SCT	GBS BARBECUES INC.	2480 CAWTHRA RD UNIT 27 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">401</a>
<a href="#">155</a>	SCT	Costa Produce Ltd.	2480 Cawthra Rd Unit 8-9 Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">402</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">155</a>	SCT	CONCEPT CAPITAL INC.	2480 CAWTHRA RD UNIT 27 MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">402</a>
<a href="#">155</a>	SCT	ASTROGRAPHIC PRINTING	2480 CAWTHRA RD MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">402</a>
<a href="#">155</a>	SCT	F GARCIA MEAT PRODUCTS	2480 CAWTHRA RD MISSISSAUGA ON L5A 2X2	SE/81.7	-17.69	<a href="#">403</a>
<a href="#">155</a>	SCT	Toste Wholesale Food Products	2480 Cawthra Rd Unit 3 Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">403</a>
<a href="#">155</a>	SCT	Associated Sanitation Inc.	2480 Cawthra Rd Unit 26 Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">403</a>
<a href="#">155</a>	SCT	Toste Bakery Ltd.	2480 Cawthra Rd Unit 2 Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">403</a>
<a href="#">155</a>	SCT	Mississauga Hydraulics Ltd.	2480 Cawthra Rd Unit 32 Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">404</a>
<a href="#">155</a>	SPL	Costa Produce Ltd.	2480 Cawthra Road 2480 CAWTHRA ROAD Mississauga ON L5A 2X2	SE/81.7	-17.69	<a href="#">404</a>
<a href="#">155</a>	SPL		2480 Cawthra Road Mississauga ON	SE/81.7	-17.69	<a href="#">405</a>
<a href="#">155</a>	SPL		2480 Cawthra Road Mississauga ON	SE/81.7	-17.69	<a href="#">405</a>
<a href="#">156</a>	AUWR	SUPREME DISPOSAL SERVICES	2355 CAWTHRA RD MISSISSAUGA ON L5A2W7	SE/83.6	-22.00	<a href="#">406</a>
<a href="#">156</a>	SCT	Treblex Limited	2355 Cawthra Rd Mississauga ON L5A 2W7	SE/83.6	-22.00	<a href="#">406</a>
<a href="#">157</a>	CA	Dusan Petkovic	1528 Cawthra Rd Mississauga ON L5G 4L2	SE/85.3	-32.00	<a href="#">406</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">158</a>	EHS		Dixie and Tomken Corridor Mississauga ON	SE/85.9	-23.07	<a href="#">407</a>
<a href="#">159</a>	EHS		2524 Cawthra Rd Mississauga ON L5A 2X3	SE/86.9	-14.60	<a href="#">407</a>
<a href="#">159</a>	EHS		2524 Cawthra Road Mississauga ON L5A 2X3	SE/86.9	-14.60	<a href="#">407</a>
<a href="#">159</a>	GEN	E. DICARLO DISPOSAL & PALLET CO. 49-171	LTD. 2524 CAWTHRA RD. MISSISSAUGA ON L5A 2X3	SE/86.9	-14.60	<a href="#">407</a>
<a href="#">159</a>	SPL	E. DICARLO DISPOSAL & PALLET C	2524 CAWTHRA ROAD MISSISSAUGA SITE 2524 CAWTHRA ROAD MISSISSAUGA CITY ON L5A 2X3	SE/86.9	-14.60	<a href="#">407</a>
<a href="#">160</a>	SCT	J. J. PAD PRINTING	755 QUEEN ST E UNIT 28 MISSISSAUGA ON L4Y 2X3	SE/88.3	-22.00	<a href="#">408</a>
<a href="#">161</a>	SPL	The Regional Municipality of Peel	front of 3531 Wisner Rd Mississauga ON	NW/91.0	10.00	<a href="#">408</a>
<a href="#">162</a>	GEN	Regional Municipality of Peel	650 Orwell Drive Mississauga ON	SE/91.8	-22.00	<a href="#">409</a>
<a href="#">163</a>	SPL	GreenLawn, Ltd.	4300 Cawthra Road Mississauga ON L4Z 1V8	NW/92.1	17.00	<a href="#">409</a>
<a href="#">164</a>	ECA	Rona Ontario Inc.	650 Dundas St E Mississauga ON J4B 8H7	SE/92.3	-12.00	<a href="#">409</a>
<a href="#">164</a>	GEN	RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	SE/92.3	-12.00	<a href="#">410</a>
<a href="#">164</a>	GEN	RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	SE/92.3	-12.00	<a href="#">410</a>
<a href="#">164</a>	GEN	RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	SE/92.3	-12.00	<a href="#">411</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">164</a>	GEN	RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	SE/92.3	-12.00	<a href="#">411</a>
<a href="#">164</a>	PES	RONA INC	650 DUNDAS ST E MISSISSAUGA ON L5A3Y6	SE/92.3	-12.00	<a href="#">412</a>
<a href="#">165</a>	SCT	Vangro Welding Ltd.	726 Dundas St E Mississauga ON L4Y 2B6	SE/94.5	-10.52	<a href="#">413</a>
<a href="#">165</a>	SPL	Sincere Muffler & Tire Brake Shop	726 Dundas St E Mississauga ON L4Y 2B6	SE/94.5	-10.52	<a href="#">413</a>
<a href="#">166</a>	SPL	Enersource Hydro Mississauga Inc.	759 Ajyn Court Mississauga ON	SE/96.6	-23.00	<a href="#">414</a>
<a href="#">167</a>	EHS		655 Queensway E Mississauga ON L5A 3X6	SE/96.8	-22.32	<a href="#">414</a>
<a href="#">167</a>	EHS		655 The Queensway East Mississauga ON	SE/96.8	-22.32	<a href="#">414</a>
<a href="#">167</a>	EXP	1467738 ONTARIO INC	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">414</a>
<a href="#">167</a>	EXP	SRAA AUTOMOTIVE SERVICES INC	655 THE QUEENSWAY E MISSISSAUGA ON	SE/96.8	-22.32	<a href="#">415</a>
<a href="#">167</a>	EXP	SRAA AUTOMOTIVE SERVICES INC	655 THE QUEENSWAY E MISSISSAUGA ON	SE/96.8	-22.32	<a href="#">415</a>
<a href="#">167</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">415</a>
<a href="#">167</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">415</a>
<a href="#">167</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">416</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">167</a>	FST	SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">416</a>
<a href="#">167</a>	FSTH	1659183 ONTARIO INC O/A GAS STN	655 THE QUEENSWAY E MISSISSAUGA ON	SE/96.8	-22.32	<a href="#">416</a>
<a href="#">167</a>	PRT	MISSISSAUGA KAR KARE CENTRE INC O/A QUEENSWAY/CAWT	655 THE QUEENSWAY AV E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">417</a>
<a href="#">167</a>	PRT	MISSISSAUGA KAR KARE CENTRE INC O/A QUEENSWAY/CAWT	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	SE/96.8	-22.32	<a href="#">417</a>
<a href="#">167</a>	RST	SUNOCO ONTARIO	655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">417</a>
<a href="#">167</a>	RST	CAN LUBE	655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">417</a>
<a href="#">167</a>	RST	PETRO CANADA	655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	SE/96.8	-22.32	<a href="#">418</a>
<a href="#">167</a>	RST	TA LUBE	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	SE/96.8	-22.32	<a href="#">418</a>
<a href="#">167</a>	RST	PETRO CANADA	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	SE/96.8	-22.32	<a href="#">418</a>
<a href="#">167</a>	RST	VALVOLINE EXPRESS CARE / QUICK LUBE	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	SE/96.8	-22.32	<a href="#">418</a>
<a href="#">167</a>	SPL	SUNOCO	655 QUEENSWAY EAST (AT CAWTHRA) SERVICE STATION MISSISSAUGA CITY ON L5A 3X6	SE/96.8	-22.32	<a href="#">418</a>
<a href="#">167</a>	SPL	SUNOCO	655 QUEENSWAY, AT CAWTHRA SERVICE STATION MISSISSAUGA CITY ON	SE/96.8	-22.32	<a href="#">419</a>
<a href="#">167</a>	SPL	SUNOCO	655 THE QUEENSWAY EAST. SERVICE STATION MISSISSAUGA CITY ON	SE/96.8	-22.32	<a href="#">419</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">167</a>	SPL	Suncor Energy Products Inc.	655 The Queensway Mississauga ON	SE/96.8	-22.32	<a href="#">420</a>
<a href="#">167</a>	SPL	Seaboard Transport	655 Queensway East Mississauga ON	SE/96.8	-22.32	<a href="#">420</a>
<a href="#">168</a>	EHS		680 Silver Creek Blvd Mississauga ON L5A3Z1	SSE/97.1	-2.00	<a href="#">421</a>
<a href="#">168</a>	GEN	Ascona Management & Consulting Inc.	680 Silvercreek Boulevard Mississauga ON L5A 3Z1	SSE/97.1	-2.00	<a href="#">421</a>
<a href="#">168</a>	GEN	SILVERCREEK PHARMACY LTD.	680 SILVER CREEK BLVD. MISSISSAUGA ON L5A 3Z1	SSE/97.1	-2.00	<a href="#">421</a>
<a href="#">168</a>	GEN	Ascona Management & Consulting Inc.	680 Silvercreek Boulevard Mississauga ON L5A 3Z1	SSE/97.1	-2.00	<a href="#">422</a>
<a href="#">168</a>	PES	2405403 ONTARIO LIMITED O/A JERRY'S NO FRILLS	16 & 17- 680 SILVER CREEK BLVD MISSISSAUGA ON L5A3Z1	SSE/97.1	-2.00	<a href="#">422</a>
<a href="#">168</a>	SPL		680 Silver Creek Blvd Mississauga ON	SSE/97.1	-2.00	<a href="#">422</a>
<a href="#">169</a>	BORE		ON	SE/98.9	-8.98	<a href="#">423</a>
<a href="#">170</a>	CA	Rona Ontario Inc.	650 Dundas Street East Mississauga ON L5A 3Y6	SE/99.6	-12.00	<a href="#">423</a>
<a href="#">170</a>	EHS		650 Dundas St. E Mississauga ON L5A 3Y6	SE/99.6	-12.00	<a href="#">423</a>
<a href="#">170</a>	GEN	LANSING BUILDALL	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	SE/99.6	-12.00	<a href="#">424</a>
<a href="#">170</a>	GEN	RONA ONTARIO INC.	RONA-LANSING 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	SE/99.6	-12.00	<a href="#">424</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">170</a>	GEN	RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON	SE/99.6	-12.00	<a href="#">424</a>
<a href="#">170</a>	NPRI	RONA INC.	650 Dundas Street East Mississauga ON L5A3Y6	SE/99.6	-12.00	<a href="#">425</a>
<a href="#">170</a>	PES	LANSING LUMBER (DUNDAS) LTD.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	SE/99.6	-12.00	<a href="#">426</a>
<a href="#">170</a>	PES	REVY HOME CENTRES INC.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	SE/99.6	-12.00	<a href="#">426</a>
<a href="#">170</a>	PES	RONA ONTARIO INC	650 DUNDAS ST E MISSISSAUGA ON L5A 3Y6	SE/99.6	-12.00	<a href="#">427</a>
<a href="#">170</a>	PES	4536631 CANADA INC	650 DUNDAS ST E MISSISSAUGA ON L5A 3Y6	SE/99.6	-12.00	<a href="#">427</a>

# Executive Summary: Summary By Data Source

## **AUWR - Automobile Wrecking & Supplies**

A search of the AUWR database, dated 1999-Jul 31, 2018 has found that there are 1 AUWR site(s) within approximately 0.10 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
SUPREME DISPOSAL SERVICES	2355 CAWTHRA RD MISSISSAUGA ON L5A2W7	83.6	<a href="#"><u>156</u></a>

## **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2014 has found that there are 47 BORE site(s) within approximately 0.10 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	0.0	<a href="#"><u>1</u></a>
	ON	0.1	<a href="#"><u>2</u></a>
	ON	0.4	<a href="#"><u>3</u></a>
	ON	0.6	<a href="#"><u>5</u></a>
	ON	0.6	<a href="#"><u>6</u></a>
	ON	0.9	<a href="#"><u>8</u></a>
	ON	1.2	<a href="#"><u>10</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	1.3	<a href="#"><u>12</u></a>
	ON	1.5	<a href="#"><u>13</u></a>
	ON	1.6	<a href="#"><u>15</u></a>
	ON	2.0	<a href="#"><u>17</u></a>
	ON	2.5	<a href="#"><u>19</u></a>
	ON	2.7	<a href="#"><u>20</u></a>
	ON	2.8	<a href="#"><u>21</u></a>
	ON	3.3	<a href="#"><u>23</u></a>
	ON	3.7	<a href="#"><u>24</u></a>
	ON	3.8	<a href="#"><u>25</u></a>
	ON	4.6	<a href="#"><u>29</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	5.0	<a href="#"><u>30</u></a>
	ON	6.0	<a href="#"><u>32</u></a>
	ON	6.1	<a href="#"><u>33</u></a>
	ON	6.2	<a href="#"><u>34</u></a>
	ON	6.8	<a href="#"><u>37</u></a>
	ON	6.8	<a href="#"><u>38</u></a>
	ON	7.2	<a href="#"><u>40</u></a>
	ON	7.5	<a href="#"><u>41</u></a>
	ON	7.9	<a href="#"><u>42</u></a>
	ON	8.8	<a href="#"><u>43</u></a>
	ON	9.6	<a href="#"><u>44</u></a>
	ON	10.0	<a href="#"><u>45</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	10.5	<a href="#"><u>47</u></a>
	ON	11.3	<a href="#"><u>49</u></a>
	ON	11.3	<a href="#"><u>50</u></a>
	ON	11.8	<a href="#"><u>51</u></a>
	ON	11.9	<a href="#"><u>52</u></a>
	ON	12.5	<a href="#"><u>55</u></a>
	ON	12.7	<a href="#"><u>57</u></a>
	ON	13.2	<a href="#"><u>58</u></a>
	ON	14.0	<a href="#"><u>60</u></a>
	ON	19.1	<a href="#"><u>72</u></a>
	ON	20.4	<a href="#"><u>74</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	20.6	<a href="#">75</a>
	ON	20.6	<a href="#">76</a>
	ON	36.6	<a href="#">105</a>
	ON	42.6	<a href="#">121</a>
	ON	58.8	<a href="#">138</a>
	ON	98.9	<a href="#">169</a>

### **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 11 CA site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
DR. KINGSLEY RATNANATHER	CAWTHRA RD./MEADOWS BLVD. MISSISSAUGA CITY ON	12.4	<a href="#">54</a>
LONDON PROPERTY CORP.	SWM - 3095 CAWTHRA ROAD MISSISSAUGA CITY ON L5A 2X4	28.7	<a href="#">88</a>
The Regional Municipality of Peel	2500 Cawthra Rd Mississauga ON L5A 2X3	28.9	<a href="#">89</a>
Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road Mississauga ON L5A 2X3	30.9	<a href="#">93</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	4106 Cawthra Road at Rathburn Road Mississauga ON L4Z 1A1	35.6	<a href="#">101</a>
CENTRE-STAGE PLASTICS INC.	2395 CAWTHRA RD., UNIT 9, LOT10 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
Tri-Phase Environmental Inc.	2446 Cawthra Rd. Bldg 2 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
R.M. OF PEEL	MELTON COURT/MELTON DRIVE MISSISSAUGA CITY ON	81.6	<a href="#">154</a>
INDUSTRIAL PLASTIC FABRICATORS LTD.	2480 CAWTHRA ROAD, UNIT # 25 MISSISSAUGA CITY ON L5A 2X2	81.7	<a href="#">155</a>
Dusan Petkovic	1528 Cawthra Rd Mississauga ON L5G 4L2	85.3	<a href="#">157</a>
Rona Ontario Inc.	650 Dundas Street East Mississauga ON L5A 3Y6	99.6	<a href="#">170</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011-Oct 31, 2018 has found that there are 2 EASR site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HAWLEY COLLISION CENTRE INC.	2526 CAWTHRA RD MISSISSAUGA ON L5A 2X3	31.2	<a href="#">94</a>
HAWLEY COLLISION CENTRE INC.	2526 CAWTHRA RD MISSISSAUGA ON L5A 2X3	31.2	<a href="#">94</a>

## **EBR - Environmental Registry**

A search of the EBR database, dated 1994-Oct 31, 2018 has found that there are 4 EBR site(s) within approximately 0.10 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road Mississauga Ontario L5A 2X3 Mississauga ON	31.2	<a href="#"><u>94</u></a>
Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road CITY OF MISSISSAUGA ON	31.2	<a href="#"><u>94</u></a>
NuStef Foods Limited	2440 Cawthra Road Mississauga, Regional Municipality of Peel L5A 2X1 CITY OF MISSISSAUGA ON	58.0	<a href="#"><u>134</u></a>
Hydro One Networks Inc.	2070 Cawthra Road Mississauga, Regional Municipality of Peel L5A 3X6 CITY OF MISSISSAUGA ON	64.2	<a href="#"><u>142</u></a>

## **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011-Oct 31, 2018 has found that there are 11 ECA site(s) within approximately 0.10 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
The Regional Municipality of Peel	2500 Cawthra Rd Mississauga ON L6T 4B9	28.9	<a href="#"><u>89</u></a>
Hawley Pontiac Buick Cadillac (1983) Ltd.	2526 Cawthra Road Mississauga ON L5A 2X3	31.2	<a href="#"><u>94</u></a>
Petro-Canada	4106 Cawthra Rd at Rathburn Rd, Part of Lot 7 Mississauga ON L6L 6N5	35.6	<a href="#"><u>101</u></a>
Hydro One Networks Inc.	2070 Cawthra Rd Mississauga ON	56.0	<a href="#"><u>132</u></a>
NuStef Foods Limited	2440 Cawthra Rd Mississauga ON L5A 2X1	58.0	<a href="#"><u>134</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
NuStef Foods Limited	2440 Cawthra Rd Mississauga City, Mississauga ON L5A2X1	58.6	<a href="#">137</a>
Hydro One Networks Inc.	2070 Cawthra Rd Mississauga ON M5G 2P5	64.2	<a href="#">142</a>
Hydro One Networks Inc.	2070 Cawthra Rd Mississauga ON M5G 2P5	64.2	<a href="#">142</a>
Tri-Phase Environmental Inc.	2446 Cawthra Rd. Bldg 2 Mississauga ON L5A 4K4	67.7	<a href="#">146</a>
Dusan Petkovic	1528 Cawthra Rd Mississauga ON L5G 4L2	81.6	<a href="#">153</a>
Rona Ontario Inc.	650 Dundas St E Mississauga ON J4B 8H7	92.3	<a href="#">164</a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Oct 31, 2018 has found that there are 40 EHS site(s) within approximately 0.10 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	3153 Cawthra Road Mississauga ON L5A 2X4	0.5	<a href="#">4</a>
	2526 Cawthra Rd Mississauga ON L5A2W7	14.5	<a href="#">62</a>
	3670 Cawthra Road Mississauga ON L5A 2Y6	22.6	<a href="#">79</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Cawthra And Dundas St.E. Mississauga ON	25.3	<a href="#"><u>80</u></a>
	691 Burnhamthorpe Road East Mississauga ON	28.0	<a href="#"><u>85</u></a>
	691 Burnhamthorpe Road East Mississauga ON	28.0	<a href="#"><u>85</u></a>
	Cawthra Rd. & Burnhamthorpe Rd. E. Mississauga ON	33.7	<a href="#"><u>97</u></a>
	Cawthra Rd. & Burnhamthorpe Rd. E. Mississauga ON	33.7	<a href="#"><u>97</u></a>
	3100 Cawthra Rd Mississauga ON L5A 2X5	34.7	<a href="#"><u>98</u></a>
	691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
	691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
	691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
	Land at Cawthra Road Mississauga ON	36.9	<a href="#"><u>106</u></a>
	3635 & 3643 Cawthra Rd Mississauga ON L5A 2Y4	37.9	<a href="#"><u>109</u></a>
	3153 Cawthra Rd Mississauga ON L5A2X4	38.9	<a href="#"><u>111</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3153 Cawthra Rd Mississauga ON L5A2X4	38.9	<a href="#">111</a>
	3153 Cawthra Rd Mississauga ON L5A2X4	38.9	<a href="#">111</a>
	2399 Cawthra Rd Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
	3153 Cawthra Rd Mississauga ON L5A2X4	41.5	<a href="#">118</a>
	700 Dundas Street East Mississauga ON	42.0	<a href="#">120</a>
	2370 Cawthra Road Mississauga ON L5A 2X1	43.4	<a href="#">122</a>
	700 Dundas Street East Mississauga ON L4Y 3Y5	45.8	<a href="#">124</a>
	3635 Cawthra Road Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
	2440 Cawthra Road Mississauga ON	58.6	<a href="#">137</a>
	2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	58.6	<a href="#">137</a>
	2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	58.6	<a href="#">137</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	58.6	<a href="#">137</a>
	n/a Mississauga ON	60.8	<a href="#">140</a>
	n/a Mississauga ON	60.8	<a href="#">140</a>
	n/a Mississauga ON	60.8	<a href="#">140</a>
	2350 Cawthra Rd. Mississauga ON L5A 2X1	69.6	<a href="#">148</a>
	3133 Cawthra Road Mississauga ON L5A 2X4	74.2	<a href="#">150</a>
	650 Dundas St E Mississauga ON L5A3Y6	76.1	<a href="#">151</a>
	Dixie and Tomken Corridor Mississauga ON	85.9	<a href="#">158</a>
	2524 Cawthra Road Mississauga ON L5A 2X3	86.9	<a href="#">159</a>
	2524 Cawthra Rd Mississauga ON L5A 2X3	86.9	<a href="#">159</a>
	655 The Queensway East Mississauga ON	96.8	<a href="#">167</a>
	655 Queensway E Mississauga ON L5A 3X6	96.8	<a href="#">167</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	680 Silver Creek Blvd Mississauga ON L5A3Z1	97.1	<a href="#">168</a>
	650 Dundas St. E Mississauga ON L5A 3Y6	99.6	<a href="#">170</a>

### **EXP - List of TSSA Expired Facilities**

A search of the EXP database, dated Feb 28, 2017 has found that there are 63 EXP site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
ERIC LEWIS SHELL	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
1680378 ONTARIO INC O/A SHELL GAS STN	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#"><u>79</u></a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
LIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON	28.4	<a href="#"><u>87</u></a>
LIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
LIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	33.2	<a href="#"><u>96</u></a>
2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	33.2	<a href="#"><u>96</u></a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#"><u>101</u></a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#"><u>101</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
1467738 ONTARIO INC O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON	35.6	<a href="#">101</a>
KANEV MANAGEMENT PETRO GAS BAR	4106 CAWTHRA RD MISSISSAUGA ON	35.6	<a href="#">101</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	37.9	<a href="#">110</a>
1467738 ONTARIO INC	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#">167</a>
SRAA AUTOMOTIVE SERVICES INC	655 THE QUEENSWAY E MISSISSAUGA ON	96.8	<a href="#">167</a>
SRAA AUTOMOTIVE SERVICES INC	655 THE QUEENSWAY E MISSISSAUGA ON	96.8	<a href="#">167</a>

### **FST - Fuel Storage Tank**

A search of the FST database, dated Feb 28, 2017 has found that there are 8 FST site(s) within approximately 0.10 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#">167</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#">167</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#">167</a>
SUNCOR ENERGY PRODUCTS PARTNERSHIP	655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#">167</a>

### **FSTH - Fuel Storage Tank - Historic**

A search of the FSTH database, dated Pre-Jan 2010\* has found that there are 5 FSTH site(s) within approximately 0.10 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
FRC ENTERPRISES INC	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
1390901 ONTARIO LTD O/A GAS STN	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
1659183 ONTARIO INC O/A GAS STN	655 THE QUEENSWAY E MISSISSAUGA ON	96.8	<a href="#">167</a>

### **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-June 30, 2018 has found that there are 165 GEN site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MISSISSAUGA HYDRO	BLOOR M.S. 3266 CAWTHRA ROAD MISSISSAUGA ON L5C 3K1	4.0	<a href="#">27</a>
MISSISSAUGA HYDRO 27-336	BLOOR M.S. 3266 CAWTHRA ROAD MISSISSAUGA ON L5C 3K1	4.0	<a href="#">27</a>
Enersource Hydro Mississauga	3266 Cawthra Road Mississauga ON	4.0	<a href="#">27</a>
Enersource Hydro Mississauga	3266 Cawthra Road Mississauga ON L5A 2X7	4.0	<a href="#">27</a>
Bot Construction (Ontario) Limited	4433 Cawthra Road Mississauga ON	7.2	<a href="#">39</a>
Quantum Murray LP	3447 Cawthra Road Mississauga ON	19.9	<a href="#">73</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
TSCC 2020	3351 Cawthra Road Mississauga ON	20.9	<a href="#">78</a>
Shell Canada Products	3670 Cawthra Road Mississauga ON L5A 2Y6	22.6	<a href="#">79</a>
FRANCESCHINI BROS. AGGREGATES LTD.	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS. AGGREGATES LTD.	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS. AGGREGATES LTD.15-157	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS AGGREGATES LTD	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS AGGREGATES LTD.	2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#">84</a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#">84</a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#">84</a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#">84</a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#">84</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
LIDLAW CARRIERS INC.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	28.4	<a href="#"><u>87</u></a>
LIDLAW CARRIERS INC. 24-042	DIVISION OF THE CONTRANS GROUP 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
MUSKET TRANSPORT LTD.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
LIDLAW(SEE&USE ON0470602 LIDLAW)	2421 CAWTHRA RD. MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
LIDLAW(SEE&USE ON0470602 LIDLAW)24-042	2421 CAWTHRA RD. MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
LIDLAW CARRIERS INC.	DIVISION OF THE CONTRANS GROUP 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
The Natural Path Integrated Health Care Centre	3313 Cawthra Road Mississauga ON L5A2X4	29.4	<a href="#"><u>90</u></a>
The Natural Path Integrated Health Care Centre	3313 Cawthra Road Mississauga ON L5A2X4	29.4	<a href="#"><u>90</u></a>
Imperial Oil Limited	3100 Cawthra Road Mississauga ON L5A 2X5	34.7	<a href="#"><u>98</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
IMPERIAL OIL	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
Imperial Oil Limited (c/o Sara Yonson)	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
Imperial Oil Limited	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
Imperial Oil Limited	691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	34.8	<a href="#"><u>99</u></a>
UGOFAN DIAGNOSTIC INC. 39-448	702 BURNAMTHORDE ROAD EAST UNIT 5 MISSISSAUGA ON L4Y 2X3	35.5	<a href="#"><u>100</u></a>
SHOPPERS DRUG MART	700 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L4Y 2X3	35.7	<a href="#"><u>102</u></a>
London Excavators and Trucking Ltd	700 Burnhamthorpe Road East Mississauga ON L4Y 2X3	35.7	<a href="#"><u>102</u></a>
Ksenia Jankovic Pharmacy Ltd.	700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	35.7	<a href="#"><u>102</u></a>
Ksenia Jankovic Pharmacy Ltd.	700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	35.7	<a href="#"><u>102</u></a>
Ksenia Jankovic Pharmacy Ltd.	700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	35.7	<a href="#"><u>102</u></a>
ELECTROLYTIC HONING &	POLISHING CO LTD 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	40.7	<a href="#"><u>115</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ELECTROLYTIC (OUT OF BUSINESS)	POLISHING COMPANY LIMITED 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
J. HERON REPAIR SVC.	2395 CAWTHRA ROAD, MISSISSAUGA, ON L5A 2W8	40.7	<a href="#">115</a>
ELECTROLYTIC (OUT OF BUSINESS) 14-065	POLISHING CO LTD 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
J. HERON REPAIR SVC. 22-273	2395 CAWTHRA ROAD, MISSISSAUGA, ON L5A 2W8	40.7	<a href="#">115</a>
ZYLSTRA MOLDED PRODUCTS (OUT OF BU	2399 CAWTHRA RD. UNIT 36 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
ZYLSTRA MOLDED PRODUCTS (OUT OF BUS.)	2399 CAWTHRA RD. UNIT 36 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
R.P. PRINTING CO.	UNIT 32 2399 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
R.P. PRINTING CO (OUT OF BUSINESS)33-127	UNIT 32 2399 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS)	2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
DAB DESKTOP PUBLISHING CENTRE INC.12-732	2399 CAWTHRA ROAD, UNIT 33 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
GLENN A. DAVIS & ASSOCIATES LTD.	2399 CAWTHRA ROAD, SUITE 204 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
2395-2399 CAWTHRA ROAD LIMITED	2395-2399 CAWTHRA ROAD TORONTO ON L5A 2W9	40.8	<a href="#">116</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Golder Associates Innovative Applications Inc.	2399 Cawthra Ave Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
DAB (OUT OF BUS) 12-732	2399 CAWTHRA ROAD, UNIT 33 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
GLENN A. DAVIS & ASSOCIATES LTD. 13-419	2399 CAWTHRA ROAD, SUITE 204 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
COLUMBIA MACHINE (CANADA) LTD.	2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	43.4	<a href="#">122</a>
COLUMBIA MACHINE (CANADA) LTD. 10-259	2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga ON L5A 2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga,On ON	43.4	<a href="#">122</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga, On ON	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga, On ON L5A2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga, On ON L5A2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga, On ON L5A2X1	43.4	<a href="#">122</a>
WESTWAY MACHINERY LTD.	2370 Cawthra Rd Mississauga, On ON L5A2X1	43.4	<a href="#">122</a>
HALTON HILLS PROP. MANAGE. (OUT OF	2455 CAWTHRA RD., SUITE 58 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
HALTON HILLS PROP. MANAGE. (OUT OF BUS.)	2455 CAWTHRA RD., SUITE 58 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
TRILLIUM PHOTO SERVICES LTD.	2455 CAWTHRA MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
TRILLIUM PHOTO SERVICES LTD.	2455 CAWTHRA MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
TRILLIUM PHOTO SERVICES LIMITED	2455 CAWTHRA UNIT 15 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
BCM SCREEN AND LABEL	2455 CAWTHRA RD., UNIT 28-29 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
HYBRID SCREENS INC.	2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
HYBRID SCREENS INC (OUT OF BUS.)	2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
TRILLIUM PHOTO SERVICES LTD. 38-302	2455 CAWTHRA MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
BCM SCREEN AND LABEL 04-189	2455 CAWTHRA RD., UNIT 28-29 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
HYBRID SCREENS INC (OUT OF BUS.) 20-227	2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 8 MISSISSAUGA ON L5A 3K6	47.4	<a href="#">125</a>
N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON	49.7	<a href="#">126</a>
N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON	49.7	<a href="#">126</a>
NOVAK HYDRAUL(OUT OF BUSINESS) 28-688	2465 CAWTHRA ROAD, UNIT 131 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	49.7	<a href="#">126</a>
N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	49.7	<a href="#">126</a>
N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	49.7	<a href="#">126</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
N.C. MACHINING LTD	2465 Cawthra RD unit 125 Mississauga ON L5A3P2	49.7	<a href="#">126</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Cawthorpe Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Sjonnesen Veterinary Services Professional Corpora	3635 Cawthra Rd. Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
Hydro One Networks Inc	2070 Cawthra Road Mississauga ON L5A 2W6	56.0	<a href="#">132</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON	56.0	<a href="#">132</a>
CLARK PORCELAIN LTD.	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
CLARK POR(OUT OF BUSINESS)	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
CANADIAN PROCELAIN PRODUCTS INC.	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
Hansen & Young Machinery (1995) Inc.	2440 Cawthra Road Mississauga ON	58.6	<a href="#">137</a>
CLARK PORCELAIN LIMITED 10-355	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
CLARK PORCELAIN LTD. 10-355	2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
STEPHENSON'S RENT-ALL INC.	720 Burnamthrope Rd. East Mississauga ON L5C 3G1	63.6	<a href="#">141</a>
Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	64.2	<a href="#">142</a>
Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	64.2	<a href="#">142</a>
Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	64.2	<a href="#">142</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Hydro One Networks Inc.	Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	64.2	<a href="#">142</a>
CONSOLIDATED SALVAGE CO. LTD.	2446 CAWTHRA RD. BLDG 2, UNIT 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD. 08-812	2446 CAWTHRA RD. BLDG 2, UNIT 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
Shooting Chrony Inc.	2446 Cawthra Rd. Bldg. 1 Unit 10 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD	2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
STANDARD PRODUCTS (CANADA) LTD.	(PV I0 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	69.6	<a href="#">148</a>
STANDARD (OUT OF BUSINESS)	(PVI) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	69.6	<a href="#">148</a>
STANDARD (OUT OF BUSINESS)	2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	69.6	<a href="#">148</a>
Nova Coating Technologies Inc.	2350 Cawthra Road, Unit#1 Mississauga ON L5A 2X1	69.6	<a href="#">148</a>
STANDARD (OUT OF BUSINESS) 36- 175	(PVI) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	69.6	<a href="#">148</a>
MACHINE TOOL TECH.	DIVISION OF PROCOR LTD. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MACHINE (SEE&USE ON0150902)	ROBERTSON WHITEHOUSE 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MACHINE (SEE&USE ON0150902) 25- 409	ROBERTSON WHITEHOUSE 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MACHINE TOOL TECH-DIV. OF	ROBERTSON WHITEHOUSE INC. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MAC TOOL TECHNOLOGIES	2480 CAWTHRA ROAD, UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
MACHINE TOOL TECH-DIV. OF 25-407	ROBERTSON WHITEHOUSE INC. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MAC TOOL TECHNOLOGIES	2480 CAWTHRA ROAD UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MAC TOO(OUT OF BUSINESS)	2480 CAWTHRA ROAD UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
NORDTECH INC.	2480 CAWTHRA RD. MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
NORDTECH INC.(OUT OF BUSINESS) 28-370	2480 CAWTHRA RD. MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MACHINE TOOL (SEE & USE ON0143405)	2480 CAWTHRA RD., UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
MACHINE TOOL (SEE & USE ON0143405)25-409	2480 CAWTHRA RD., UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
VALUE PRINTING SERVICE	2480 CAWTHRA ROAD, UNIT #11 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
VALUE PRINTING SERVICE	2480 CAWTHRA ROAD, UNIT 11 MISSISSAUGA ON L5A 2X2	81.7	<a href="#">155</a>
E. DICARLO DISPOSAL & PALLET CO. 49-171	LTD. 2524 CAWTHRA RD. MISSISSAUGA ON L5A 2X3	86.9	<a href="#">159</a>
Regional Municipality of Peel	650 Orwell Drive Mississauga ON	91.8	<a href="#">162</a>
RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	92.3	<a href="#">164</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	92.3	<a href="#">164</a>
RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	92.3	<a href="#">164</a>
RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	92.3	<a href="#">164</a>
Ascona Management & Consulting Inc.	680 Silvercreek Boulevard Mississauga ON L5A 3Z1	97.1	<a href="#">168</a>
SILVERCREEK PHARMACY LTD.	680 SILVER CREEK BLVD. MISSISSAUGA ON L5A 3Z1	97.1	<a href="#">168</a>
Ascona Management & Consulting Inc.	680 Silvercreek Boulevard Mississauga ON L5A 3Z1	97.1	<a href="#">168</a>
LANSING BUILDALL	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	99.6	<a href="#">170</a>
RONA ONTARIO INC.	RONA-LANSING 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	99.6	<a href="#">170</a>
RONA Inc.	650 DUNDAS STREET EAST MISSISSAUGA ON	99.6	<a href="#">170</a>

### **HINC - TSSA Historic Incidents**

A search of the HINC database, dated 2006-June 2009\* has found that there are 2 HINC site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	4138 SUNSET VALLEY COURT MISSISSAUGA ON L4W 3L5	29.4	<a href="#">91</a>
	4216 CAWTHRA ROAD MISSISSAUGA ON L4Z 1A1	36.3	<a href="#">104</a>

### **INC - TSSA Incidents**

A search of the INC database, dated Feb 28, 2017 has found that there are 4 INC site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	671 TEDWYN DRIVE, MISSISSAUGA ON L5A 1K4	15.8	<a href="#">65</a>
	3453 Cawthra Road, Mississauga ON	20.6	<a href="#">77</a>
	2361 HARCOURT CRESCENT, MISSISSAUGA ON	28.3	<a href="#">86</a>
	2361 HARCOURT CRESCENT, MISSISSAUGA ON	28.3	<a href="#">86</a>

### **NPRI - National Pollutant Release Inventory**

A search of the NPRI database, dated 1993-May 2017 has found that there are 18 NPRI site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LAFARGE CONSTRUCTION & MATERIALS	2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	3.2	<a href="#">22</a>
LAFARGE CONSTRUCTION & MATERIALS	2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	3.2	<a href="#">22</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
LAFARGE CONSTRUCTION & MATERIALS	2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	3.2	<a href="#"><u>22</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L7K3L3	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L7K3L3	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#"><u>84</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS. AGGREGATES	2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	27.8	<a href="#">84</a>
RONA INC.	650 Dundas Street East Mississauga ON L5A3Y6	99.6	<a href="#">170</a>

### **PAP - Canadian Pulp and Paper**

A search of the PAP database, dated 1999, 2002, 2004, 2005, 2009-2014 has found that there are 1 PAP site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Canadian Safety Equipment Inc.	2465 Cawthra Rd Suite 114 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>

### **PES - Pesticide Register**

A search of the PES database, dated 1988-Mar 2018 has found that there are 9 PES site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHOPPERS DRUG MART	700 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L4Y 2X3	35.7	<a href="#">102</a>
KSENIA JANKOVIC PHARMACY LTD. O/A SHOPPERS DRUG MART #774	700 BURNHAMTHORPE RD E MISSISSAUGA ON L4Y 2X3	35.7	<a href="#">102</a>
KSENIA JANKOVIC PHARMACY LTD. O/A SHOPPERS DRUG MART #774	700 BURNHAMTHORPE RD E MISSISSAUGA ON L4Y2X3	35.7	<a href="#">102</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RONA INC	650 DUNDAS ST E MISSISSAUGA ON L5A3Y6	92.3	<a href="#">164</a>
2405403 ONTARIO LIMITED O/A JERRY'S NO FRILLS	16 & 17- 680 SILVER CREEK BLVD MISSISSAUGA ON L5A3Z1	97.1	<a href="#">168</a>
LANSING LUMBER (DUNDAS) LTD.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	99.6	<a href="#">170</a>
REVY HOME CENTRES INC.	650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	99.6	<a href="#">170</a>
RONA ONTARIO INC	650 DUNDAS ST E MISSISSAUGA ON L5A 3Y6	99.6	<a href="#">170</a>
4536631 CANADA INC	650 DUNDAS ST E MISSISSAUGA ON L5A 3Y6	99.6	<a href="#">170</a>

### **PINC - TSSA Pipeline Incidents**

A search of the PINC database, dated Feb 28, 2017 has found that there are 4 PINC site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3071 CAWTHRA ROAD, MISSISSAUGA ON	15.2	<a href="#">64</a>
	3071 CAWTHRA RD, MISSISSAUGA ON	15.2	<a href="#">64</a>
	722 Abana Road, Mississauga ON	26.4	<a href="#">83</a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	4076 CAWTHRA RD, MISSISSAUGA ON	52.6	<a href="#">130</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 14 PRT site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3670 CAWTHRA RD. MISSISSAUGA ON	22.6	<a href="#">79</a>
SHEHATA MAGDY	3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	22.6	<a href="#">79</a>
SHELL CIRCLE K L THOMPSON	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
ERIC LEWIS SHELL	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
FRANCESCHINI BROS AGGREGATES LIMITED	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
LIDLAW CARRIERS INC	2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	28.4	<a href="#">87</a>
JOHN VICTOR	3100 CAWTHRA RD MISSISSAUGA ON L5A2X5	34.7	<a href="#">98</a>
	3100 CAWTHRA RD. MISSISSAUGA ON	34.7	<a href="#">98</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MT SERVICES ATTN GUS THOMAS	691 BURNHAMTHORPE RD MISSISSAUGA ON L5A 3K5	34.8	<a href="#">99</a>
PACZAY & SONS LTD	691 BURNHAMTHORPE RD MISSISSAUGA ON L5A3K5	34.8	<a href="#">99</a>
KANEV MANAGEMENT	4106 CAWTHRA RD E MISSISSAUGA ON L4Z 1A1	35.6	<a href="#">101</a>
MISSISSAUGA KAR KARE CENTRE INC O/A QUEENSWAY/CAWT	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	96.8	<a href="#">167</a>
MISSISSAUGA KAR KARE CENTRE INC O/A QUEENSWAY/CAWT	655 THE QUEENSWAY AV E MISSISSAUGA ON L5A 3X6	96.8	<a href="#">167</a>

### **PTTW - Permit to Take Water**

A search of the PTTW database, dated 1994-Oct 31, 2018 has found that there are 1 PTTW site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Franceschini Bros. Aggregates Ltd.	2531 Cawthra Road, Mississauga, Ontario, L5A 2W7 ON	27.8	<a href="#">84</a>

### **REC - Ontario Regulation 347 Waste Receivers Summary**

A search of the REC database, dated 1986-2016 has found that there are 2 REC site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS)	2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS)	2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

### **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Sep 2018 has found that there are 3 RSC site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Febau (Canada) Limited	3100 CAWTHRA RD, MISSISSAUGA, ON, L5A 2X5 ON	34.7	<a href="#">98</a>
172965 Canada Limited	691 Burnhamthorpe Road East, Mississauga, Ontario, L5A 3K5 Mississauga ON L5A 3K5	34.8	<a href="#">99</a>
Dan-Con Developments Inc.	No Municipal Address ON	76.3	<a href="#">152</a>

### **RST - Retail Fuel Storage Tanks**

A search of the RST database, dated 1999-Jul 31, 2018 has found that there are 16 RST site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
SHELL CANADA PRODUCTS	3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	22.6	<a href="#">79</a>
SHELL CANADA PRODUCTS	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
SHELL CAWTHRA	3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	22.6	<a href="#">79</a>
CYC SHELL SELECT	3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	22.6	<a href="#">79</a>
ROYAL ESSO	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	34.8	<a href="#">99</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
KARTEX AUTO	691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A3K5	34.8	<a href="#"><u>99</u></a>
KATZ FAINA	4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	35.6	<a href="#"><u>101</u></a>
PETRO CANADA	4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	35.6	<a href="#"><u>101</u></a>
PETRO CANADA	4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	35.6	<a href="#"><u>101</u></a>
PETRO CANADA 481	4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	35.6	<a href="#"><u>101</u></a>
SUNOCO ONTARIO	655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#"><u>167</u></a>
CAN LUBE	655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#"><u>167</u></a>
PETRO CANADA	655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	96.8	<a href="#"><u>167</u></a>
TA LUBE	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	96.8	<a href="#"><u>167</u></a>
PETRO CANADA	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	96.8	<a href="#"><u>167</u></a>
VALVOLINE EXPRESS CARE / QUICK LUBE	655 QUEENSWAY E MISSISSAUGA ON L5A3X6	96.8	<a href="#"><u>167</u></a>

## **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 128 SCT site(s) within approximately 0.10 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
H.O. TRERICE CO.	2935 CAWTHRA RD UNIT 3 MISSISSAUGA ON L5A 2W8	1.5	<a href="#">14</a>
FRANCESCHINI BROS AGGREGATES	2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	27.8	<a href="#">84</a>
Franceschini Bros. Aggregates Ltd.	2531 Cawthra Rd Mississauga ON L5A 2W7	27.8	<a href="#">84</a>
Franceschini Bros. Aggregates	2531 Cawthra Rd Mississauga ON L5A 2W7	27.8	<a href="#">84</a>
EL MUNDO LATINO NEWS	700 DUNDAS ST E UNIT 5 MISSISSAUGA ON L4Y 3Y5	37.4	<a href="#">108</a>
M.M. FABRICATING LTD.	2395 CAWTHRA RD MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
Rizco Gifts Inc.	2395 Cawthra Rd Unit 16 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>
Nationwide Computers Ltd.	2395 Cawthra Rd Suite 101 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>
Perfect Defence Inc.	2395 Cawthra Rd Unit 6 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>
Industrial Technical Services	2395 Cawthra Rd Unit 8 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>
Centre Stage Plastics Inc.	2395 Cawthra Rd Unit 9 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
LOADING DOCK COMPANY	2395 CAWTHRA RD UNIT 12 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
D S FASHIONS	2395 CAWTHRA RD UNIT 3 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
CHINERY'S ADVERTISING LTD.	2395 CAWTHRA RD UNIT 12 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
CONTINENTAL MARKING PRODUCTS	2395 CAWTHRA RD UNIT 14 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
EM Graphics Limited	2395 Cawthra Rd Unit 2 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>
AMBER TECHNOLOGY LTD.	2395 CAWTHRA RD UNIT 19 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
Eagle Hill Tool & Die Inc.	2395 Cawthra Rd Unit 7 Mississauga ON L5A 2W8	40.7	<a href="#">115</a>
ROLAND GRAPHICS SCREEN PRINT	2395 CAWTHRA RD UNIT 13 MISSISSAUGA ON L5A 2W8	40.7	<a href="#">115</a>
Beaver Flagpoles Inc.	2399 Cawthra Rd Unit 39-40 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
POLA MACHINE LTD.	2399 CAWTHRA RD UNIT 31 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
A B C L INTERIORS INC.	2399 CAWTHRA RD UNIT 24 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
DA BINDERY SHOP LTD.	2399 CAWTHRA RD UNIT 27-28 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
ROYAL CUSTOM WOOD WORKING	2399 CAWTHRA RD UNIT 30 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
WEBBER PANTS CO.	2399 CAWTHRA RD UNIT 42 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
POLA MACHINE LTD.	2399 CAWTHRA RD UNIT 31 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
JOBMASTER MAGNETS CANADA INC.	2399 CAWTHRA RD UNIT 37 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
ONE DAY PRINTING LTD.	2399 CAWTHRA RD UNIT 23 MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
CHINERY'S ADVERTISING LTD.	2399 CAWTHRA RD MISSISSAUGA ON L5A 2W9	40.8	<a href="#">116</a>
D S FASHIONS	2399 Cawthra Rd Unit 25 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
FRIKON INDUSTRIES LTD	2399 Cawthra Rd Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
ELON DESIGNS INC.	2399 Cawthra Rd Unit 30 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
Frikon Industries Ltd.	2399 Cawthra Rd Unit 27-28 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
Anna The Fashion Outlet	2399 Cawthra Rd Unit 24 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Rauf Machinery Co.	2399 Cawthra Rd Unit 37 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
East Meats West Halal	2399 Cawthra Rd Unit 31 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
SNMB Roasted Nut Factory	2399 Cawthra Rd Unit 42 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
D. S. Fashions Inc.	2399 Cawthra Rd Unit 25 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
One Day Printing Limited	2399 Cawthra Rd Suite 105 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
S N M B Roasted Nut Factory	2399 Cawthra Rd Unit 42 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
JNJ Daily Meat Wholesale Ltd.	2399 Cawthra Rd Unit 34-35 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
Tanor Bread	2399 Cawthra Rd Unit 41 Mississauga ON L5A 2W9	40.8	<a href="#">116</a>
Westway Machinery Ltd.	2370 Cawthra Rd Mississauga ON L5A 2X1	43.4	<a href="#">122</a>
TFX The Furniture Exchange Inc.	2455 Cawthra Rd Unit 28 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>
JBM Graphics Ltd.	2455 Cawthra Rd Unit 16 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Willard Meats International	2455 Cawthra Rd Unit 77 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>
Helen's Home Style Foods Ltd.	2455 Cawthra Rd Unit 12-13 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>
Renewable Office Concepts Inc.	2455 Cawthra Rd Unit 28 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>
SOUVENIRS & COATS OF ARMS	2455 CAWTHRA RD MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
Q.M.P. LTD.	2455 CAWTHRA RD MISSISSAUGA ON L5A 3P1	45.7	<a href="#">123</a>
JBM Resource Network Ltd.	2455 Cawthra Rd Unit 16 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>
Canadian Wiping Cloth Company	2455 Cawthra Rd Unit 54 Mississauga ON L5A 3P1	45.7	<a href="#">123</a>
JBM RESOURCE NETWORK LTD.	2465 CAWTHRA RD UNIT 112 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
ATK INTERNATIONAL	2465 CAWTHRA RD SUITE 120 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
CANADIAN WIPING CLOTH COMPANY	2465 CAWTHRA RD SUITE 117 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
SALCO & ASSOCIATES	2465 CAWTHRA RD UNIT 125 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
ACOUSTIC DESIGN GROUP INC	2465 CAWTHRA RD UNIT 128 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Marvic Machine Co.	2465 Cawthra Rd Suite 131 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
B.G.R. MACHINING CO. LTD.	2465 CAWTHRA RD MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
Salco & Associates Ltd.	2465 Cawthra Rd Suite 125 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
P & W Technologies Ltd.	2465 Cawthra Rd Suite 131 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
ARNSCOTT ELECTRONICS INC	2465 CAWTHRA RD UNIT 128 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
OWEN TRI-CUT LIMITED	2465 CAWTHRA RD UNIT 119 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
JAMES BICKERTON & MOORE LTD.	2465 CAWTHRA RD UNIT 112 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
SIGN & PRINT ECT.	2465 CAWTHRA RD SUITE 132 MISSISSAUGA ON L5A 3P2	49.7	<a href="#">126</a>
Arnscoot Electronics Inc.	2465 Cawthra Rd Suite 125 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
Art Scott Electronics Group	2465 Cawthra Rd Unit 128 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
M & G Photography Co. Ltd.	2465 Cawthra Rd Unit 202 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
JBM Graphics Ltd.	2465 Cawthra Rd Suite 128 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
Schneider Enterprises Inc.	2465 Cawthra Rd Unit 118 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
Soak Wash Inc.	2465 Cawthra Rd Unit 124 Mississauga ON L5A 3P2	49.7	<a href="#">126</a>
NOVA PASTRY & BAKERY	3635 CAWTHRA RD SUITE 11 MISSISSAUGA ON L5A 2Y5	49.9	<a href="#">127</a>
Nova Pastry & Bakery Ltd.	3635 Cawthra Rd Unit 11 Mississauga ON L5A 2Y5	49.9	<a href="#">127</a>
D.S. Signs Inc.	2390 Cawthra Rd Unit 4 Mississauga ON L5A 2X1	58.3	<a href="#">135</a>
ROBINSON BREWING CO.	2390 Cawthra Rd Unit 3 Mississauga ON L5A 2X1	58.3	<a href="#">135</a>
A 1 Custom Woodworking Ltd.	2390 Cawthra Rd Unit 1 Mississauga ON L5A 2X1	58.3	<a href="#">135</a>
SUNLIGHT SOLARIUMS	2390 CAWTHRA RD UNIT 9-10 MISSISSAUGA ON L5A 2X1	58.3	<a href="#">135</a>
A. K. DESIGNS	2390 CAWTHRA RD UNIT 8 MISSISSAUGA ON L5A 2X1	58.3	<a href="#">135</a>
A K DESIGNS LTD.	2390 Cawthra Rd Unit 8 Mississauga ON L5A 2X1	58.3	<a href="#">135</a>
A. K. Designs Ltd.	2390 Cawthra Rd Unit 8 Mississauga ON L5A 2X1	58.3	<a href="#">135</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Elsen Electric Inc.	2390 Cawthra Rd Unit 3 Mississauga ON L5A 2X1	58.3	<a href="#">135</a>
CANADIAN PORCELAIN PRODUCTS	2440 CAWTHRA RD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
CLARK PORCELAIN LIMITED	2440 CAWTHRA RD MISSISSAUGA ON L5A 2X1	58.6	<a href="#">137</a>
Nustef Foods Ltd.	2440 Cawthra Rd Mississauga ON L5A 2X1	58.6	<a href="#">137</a>
Beaverbrook Cabinets Ltd.	2446 Cawthra Rd Unit 3 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Bryant Electric Inc.	2446 Cawthra Rd Unit 5 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
DELI FACTORY LTD.	2446 CAWTHRA RD UNIT 8 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
Aloumac Custom Welding Ltd.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
SHOOTING CHRONY INC	2446 CAWTHRA RD BLDG 1 UNIT 10 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
Beaverbrook Custom Cabinets	2446 Cawthra Rd Unit 3 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
COLOUR DISPLAY COMPANY LIMITED	2446 CAWTHRA RD BLDG 3 UNIT 5-6 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Sunkim Industries Ltd	2446 Cawthra Rd Unit 6 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
TRANS MEDIA GRAPHICS LTD.	2446 CAWTHRA RD BLDG 2 UNIT 4 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
Nustef Foods Ltd.	2446 Cawthra Rd Unit 1 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
SUMMAR FOODS LTD	2446 CAWTHRA RD BLDG 3 UNIT 7 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
E. & A. IMAGE TREND LTD	2446 CAWTHRA RD BLDG 4 UNIT 8 MISSISSAUGA ON L5A 3K6	67.7	<a href="#">146</a>
Glenholme Printing Inc	2446 Cawthra Rd Unit 7 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
E. & A. IMAGE TREND LTD.	2446 Cawthra Rd Bldg 4 Unit 8 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Summar Foods Ltd.	2446 Cawthra Rd Unit 7 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Shooting Chrony Inc.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Multi-Scales Charge Ltd.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
A A MACHINING KEY SEAT & APPL.	2446 Cawthra Rd Bldg 4 Unit 1 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
5 STAR WHOLESALE SMOKED MEAT	2446 Cawthra Rd Bldg 2 Unit 8 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Glenholme Printing Inc.	2446 Cawthra Rd Bldg 4 Unit 7 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Sunkim Industries Ltd.	2446 Cawthra Rd Bldg 1 Unit 6 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
5 Star Wholesale Smoked Meat & Sausages	2446 Cawthra Rd Bldg 2 Unit 8 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Ali Food	2446 Cawthra Rd Unit 6 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
Aloumac Custom Welding Ltd.	2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	67.7	<a href="#">146</a>
THE ATHLETIC SPORTSHOW INC.	2350 CAWTHRA RD MISSISSAUGA ON L5A 2X1	69.6	<a href="#">148</a>
Lee & Martin Industries Ltd	2350 Cawthra Rd Mississauga ON L5A 2X1	69.6	<a href="#">148</a>
Lee & Martin Industries Limited	2350 Cawthra Rd Mississauga ON L5A 2X1	69.6	<a href="#">148</a>
Cveti Products Inc.	2350 Cawthra Rd Mississauga ON L5A 2X1	69.6	<a href="#">148</a>
Nova Coating Technologies Inc.	2350 Cawthra Rd Unit 1 Mississauga ON L5A 2X1	69.6	<a href="#">148</a>
Toste Bakery Ltd.	2480 Cawthra Rd Unit 2 Mississauga ON L5A 2X2	81.7	<a href="#">155</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Mississauga Hydraulics Ltd.	2480 Cawthra Rd Unit 32 Mississauga ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
Toste Wholesale Food Products	2480 Cawthra Rd Unit 3 Mississauga ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
Associated Sanitation Inc.	2480 Cawthra Rd Unit 26 Mississauga ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
DRIVER-BIT TOOLS	2480 CAWTHRA RD UNIT 17 MISSISSAUGA ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
Casa Toste Ltd.	2480 Cawthra Rd Unit 2-3 Mississauga ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
VALUE PRINTING SERVICE	2480 CAWTHRA RD UNIT 11 MISSISSAUGA ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
GBS BARBECUES INC.	2480 CAWTHRA RD UNIT 27 MISSISSAUGA ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
Costa Produce Ltd.	2480 Cawthra Rd Unit 8-9 Mississauga ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
CONCEPT CAPITAL INC.	2480 CAWTHRA RD UNIT 27 MISSISSAUGA ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
ASTROGRAPHIC PRINTING	2480 CAWTHRA RD MISSISSAUGA ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
F GARCIA MEAT PRODUCTS	2480 CAWTHRA RD MISSISSAUGA ON L5A 2X2	81.7	<a href="#"><u>155</u></a>
Treblex Limited	2355 Cawthra Rd Mississauga ON L5A 2W7	83.6	<a href="#"><u>156</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
J. J. PAD PRINTING	755 QUEEN ST E UNIT 28 MISSISSAUGA ON L4Y 2X3	88.3	<a href="#">160</a>
Vangro Welding Ltd.	726 Dundas St E Mississauga ON L4Y 2B6	94.5	<a href="#">165</a>

### **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Jul 2018 has found that there are 54 SPL site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
EAGLEBROOK ENVIRONMENTAL	QEW EASTBOUND AT CAWTHRA TANK TRUCK (CARGO) MISSISSAUGA CITY ON	1.0	<a href="#">9</a>
Enbridge Gas Distribution Inc.	3071 Cawthra Mississauga ON	1.2	<a href="#">11</a>
MISSISSAUGA HYDRO	AT SUB STATION AT 3266 CAWTHRA RD. TRANSFORMER MISSISSAUGA CITY ON	4.0	<a href="#">27</a>
Enersource Hydro Mississauga Inc.; All Canada Crane Rental Corp.	3266 Cawthra Rd Mississauga ON	4.0	<a href="#">27</a>
All Canada Crane Rental Corp.	3266 Cawthra Road Mississauga ON	4.0	<a href="#">27</a>
GO TRANSIT	QEW WESTBOUND AT CAWTHRA MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	6.5	<a href="#">36</a>
MISSISSAUGA HYDRO	ORWELL STREET, NEAR CAWTHRA & QUEENSWAY TRANSFORMER MISSISSAUGA CITY ON	11.0	<a href="#">48</a>



<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
PUC	ORWELL STREET, NEAR CAWTHRA & QUEENSWAY WATERWORKS MISSISSAUGA CITY ON	11.0	<a href="#">48</a>
PETRO-CANADA	CAWTHRA AND RATHBORN RDS. SERVICE STATION MISSISSAUGA CITY ON	12.2	<a href="#">53</a>
	Ne corner of Cawthra Rd and Rathburn Rd Mississauga ON	12.2	<a href="#">53</a>
PRIMO ARGO BRICK	DUNDAS ST EAST/CAWTHRA RD. 375 DUNDAS ST EAST ABANDONED SITE MISSISSAUGA CITY ON	13.7	<a href="#">59</a>
MISSISSAUGA HYDRO	ON CAWTHRA RD. JUST SOUTH OF DUNDAS TRANSFORMER MISSISSAUGA CITY ON	14.4	<a href="#">61</a>
PEEL, REGIONAL MUNICIPALITY OF	CAWTHRA RD JUST N. OF DUNDAS RD FORCEMAIN MISSISSAUGA CITY ON	14.4	<a href="#">61</a>
Mississauga Hydro (Enersource)	3460 Cawthra rd.<UNOFFICIAL> Mississauga ON L5A 2X7	14.9	<a href="#">63</a>
Waste Connections of Canada Inc.	3071 Cawthra Road Mississauga ON	15.2	<a href="#">64</a>
TRANSPORT TRUCK	HWY 403 AT EASTGATE PARKWAY, MISSISSAUGA MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	16.1	<a href="#">66</a>
TTR TRANSPORT	CAWTHRA BLVD. & SILVER CREEK BLVD. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	17.3	<a href="#">69</a>
Enbridge Gas Distribution Inc.	3453 Cawthra Road Mississauga ON L5A 2X9	20.6	<a href="#">77</a>
	Intersection of The Queen's Way and Cowthra Road Mississauga ON	26.1	<a href="#">82</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Lafarge Canada Inc.	2531 Cawthra Rd Mississauga ON L5A 2W7	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Rd Mississauga ON NA	27.8	<a href="#"><u>84</u></a>
Lafarge Canada Inc.	2531 Cawthra Road Mississauga ON	27.8	<a href="#"><u>84</u></a>
The Regional Municipality of Peel	2421 Cawthra Road Mississauga ON L5A 2W7	28.4	<a href="#"><u>87</u></a>
WEED AWAY	3580 CAWTHRA RD MISSISSAUGA CITY ON L5A 2Y3	30.3	<a href="#"><u>92</u></a>
	676 Abana Rd Mississauga ON	31.5	<a href="#"><u>95</u></a>
ESSO PETROLEUM	3100 CAWTHRA RD SERVICE STATION MISSISSAUGA CITY ON L5A 2X5	34.7	<a href="#"><u>98</u></a>
TEXACO	691 BURNHAMTHORPE RD. SERVICE STATION MISSISSAUGA CITY ON	34.8	<a href="#"><u>99</u></a>
Day and Night Mobile Refrigeration (Bob)<UNOFFICIAL>	2395 Cawthra<UNOFFICIAL> Mississauga ON L5A 2W8	40.7	<a href="#"><u>115</u></a>
GAIA Contractors<UNOFFICIAL>	2399 CAWTHRA RD QUEENSWAY AND CAWTHRA (NW CORNER)<UNOFFICIAL> Mississauga ON L5A 2W9	40.8	<a href="#"><u>116</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	Queensway Avenue just directly west of Cawthra on the north side, in front of the Sunoco gas station<UNOFFICIAL> Mississauga ON	41.2	<a href="#">117</a>
MISSISSAUGA HYDRO	2370 CAWTHRA TRANSFORMER MISSISSAUGA ON L5A 2X1	43.4	<a href="#">122</a>
ONTARIO HYDRO	2080 CAWTHRA RD CAWTHRA & QEW TRANSFORMER MISSISSAUGA CITY ON	51.0	<a href="#">128</a>
	4076 Cawthra Rd Mississauga ON	52.6	<a href="#">130</a>
	4076 Cawthra Road Mississauga ON	52.6	<a href="#">130</a>
Hydro One Inc.	2070 Cawthra Rd. Mississauga ON	56.0	<a href="#">132</a>
The Regional Municipality of Peel	665 Vermouth Avenue Mississauga ON	58.5	<a href="#">136</a>
Seaboard Liquid Carriers Ltd.	655 The Queensway East Mississauga ON	59.5	<a href="#">139</a>
	720 Burnhamthorpe Rd E Mississauga ON L4Y 2X3	63.6	<a href="#">141</a>
TRANSPORT TRUCK	QEW HWY EASTBOUND EAST OF CAWTHRA RD. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	66.5	<a href="#">145</a>
Costa Produce Ltd.	2480 Cawthra Road 2480 CAWTHRA ROAD Mississauga ON L5A 2X2	81.7	<a href="#">155</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	2480 Cawthra Road Mississauga ON	81.7	<a href="#">155</a>
	2480 Cawthra Road Mississauga ON	81.7	<a href="#">155</a>
E. DICARLO DISPOSAL & PALLET C	2524 CAWTHRA ROAD MISSISSAUGA SITE 2524 CAWTHRA ROAD MISSISSAUGA CITY ON L5A 2X3	86.9	<a href="#">159</a>
The Regional Municipality of Peel	front of 3531 Wisner Rd Mississauga ON	91.0	<a href="#">161</a>
GreenLawn, Ltd.	4300 Cawthra Road Mississauga ON L4Z 1V8	92.1	<a href="#">163</a>
Sincere Muffler & Tire Brake Shop	726 Dundas St E Mississauga ON L4Y 2B6	94.5	<a href="#">165</a>
Enersource Hydro Mississauga Inc.	759 Ajyn Court Mississauga ON	96.6	<a href="#">166</a>
SUNOCO	655 QUEENSWAY EAST (AT CAWTHRA) SERVICE STATION MISSISSAUGA CITY ON L5A 3X6	96.8	<a href="#">167</a>
SUNOCO	655 QUEENSWAY, AT CAWTHRA SERVICE STATION MISSISSAUGA CITY ON	96.8	<a href="#">167</a>
SUNOCO	655 THE QUEENSWAY EAST. SERVICE STATION MISSISSAUGA CITY ON	96.8	<a href="#">167</a>
Suncor Energy Products Inc.	655 The Queensway Mississauga ON	96.8	<a href="#">167</a>
Seaboard Transport	655 Queensway East Mississauga ON	96.8	<a href="#">167</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	680 Silver Creek Blvd Mississauga ON	97.1	<a href="#">168</a>

### **WDS - Waste Disposal Sites - MOE CA Inventory**

A search of the WDS database, dated Oct 2011-Oct 31, 2018 has found that there are 2 WDS site(s) within approximately 0.10 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
LCI ENVIRONMENTAL INC.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#">87</a>
LCI ENVIRONMENTAL INC.	2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	28.4	<a href="#">87</a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Dec 31, 2017 has found that there are 30 WWIS site(s) within approximately 0.10 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Mississauga ON <i>Well ID: 7181195</i>	0.7	<a href="#">7</a>
	Mississauga ON <i>Well ID: 7172875</i>	1.7	<a href="#">16</a>
	MISSISSAUGA ON <i>Well ID: 4909768</i>	2.1	<a href="#">18</a>
	Mississauga ON <i>Well ID: 7183363</i>	3.9	<a href="#">26</a>
	Mississauga ON	4.5	<a href="#">28</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7109071		
	Mississauga ON	4.5	<a href="#"><u>28</u></a>
	<i>Well ID:</i> 7109072		
	Mississauga ON	4.5	<a href="#"><u>28</u></a>
	<i>Well ID:</i> 7109073		
	Mississauga ON	5.3	<a href="#"><u>31</u></a>
	<i>Well ID:</i> 7181196		
	Mississauga ON	6.4	<a href="#"><u>35</u></a>
	<i>Well ID:</i> 7172524		
	MISSISSAUGA ON	10.0	<a href="#"><u>46</u></a>
	<i>Well ID:</i> 4910285		
	ON	12.6	<a href="#"><u>56</u></a>
	<i>Well ID:</i> 7183444		
	Mississauga ON	16.5	<a href="#"><u>67</u></a>
	<i>Well ID:</i> 7116449		
	MISSISSAUGA ON	16.5	<a href="#"><u>68</u></a>
	<i>Well ID:</i> 4909828		
	Mississauga ON	18.5	<a href="#"><u>70</u></a>
	<i>Well ID:</i> 7140733		
	MISSISSAUGA ON	18.8	<a href="#"><u>71</u></a>
	<i>Well ID:</i> 7161951		
	Mississauga ON	25.6	<a href="#"><u>81</u></a>
	<i>Well ID:</i> 7141979		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Mississauga ON <i>Well ID:</i> 7149162	36.0	<a href="#">103</a>
	Mississauga ON <i>Well ID:</i> 7202010	36.9	<a href="#">107</a>
	MISSISSAUGA ON <i>Well ID:</i> 7116422	39.6	<a href="#">112</a>
	MISSISSAUGA ON <i>Well ID:</i> 7139581	39.6	<a href="#">113</a>
	Mississauga ON <i>Well ID:</i> 7110880	39.9	<a href="#">114</a>
	lot 65 MISSISSAUGA ON <i>Well ID:</i> 4910124	41.6	<a href="#">119</a>
	Mississauga ON <i>Well ID:</i> 7158695	52.4	<a href="#">129</a>
	MISSISSAUGA ON <i>Well ID:</i> 4909407	55.5	<a href="#">131</a>
	MISSISSAUGA ON <i>Well ID:</i> 4909834	56.0	<a href="#">132</a>
	lot 10 con 1 ON <i>Well ID:</i> 4902250	56.4	<a href="#">133</a>
	Mississauga ON <i>Well ID:</i> 7219360	65.1	<a href="#">143</a>
	MISSISSAUGA ON	66.1	<a href="#">144</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7116747</i>		
	MISSISSAUGA ON	69.1	<a href="#">147</a>
	<i>Well ID: 7224923</i>		
	Mississauga ON	70.2	<a href="#">149</a>
	<i>Well ID: 7219359</i>		






### Map : 0.1 Kilometer Radius

Order No: 20181212067

Address: Cawthra Road, Mississauga, ON



- |                                   |                                   |                                |
|-----------------------------------|-----------------------------------|--------------------------------|
| Project Property                  | Industrial and Resource - Regions | National Park                  |
| Buffer Outline                    | Main Line                         | Provincial or Territorial Park |
| Eris Sites with Higher Elevation  | Sidetrack                         | Other Park                     |
| Eris Sites with Same Elevation    | Transit Line                      | Golf Course or Driving Range   |
| Eris Sites with Lower Elevation   | Abandoned Line                    | Park or Sports Field           |
| Eris Sites with Unknown Elevation |                                   | Other Recreation Area          |



Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

1:24200

**Aerial (2013)**

**Address: Cawthra Road, Mississauga, ON**

Source: ESRI World Imagery

Order No: 20181212067



© ERIS Information Limited Partnership



# Topographic Map

Address: Cawthra Road, Mississauga, ON

Source: ESRI World Topographic Map

Order No: 20181212067



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">106</a>	1 of 1	NW/36.9	148.8 / 17.00	Land at Cawthra Road Mississauga ON	EHS
<b>Order No:</b> 20101018030 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 10/20/2010 <b>Date Received:</b> 10/18/2010 1:35:40 PM <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.62563 <b>Y:</b> 43.614011			
<a href="#">1</a>	1 of 1	SE/0.0	109.8 / -22.02	ON	BORE
<b>Borehole ID:</b> 833848 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Not known <b>Easting:</b> 614370 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 5.3 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> 22-JUL-1955 <b>Primary Water Use:</b>		<b>Type:</b> Borehole <b>Status:</b> Decommissioned <b>UTM Zone:</b> 17 <b>Northing:</b> 4826597 <b>Orig. Ground Elev m:</b> 103 <b>DEM Ground Elev m:</b> 109 <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> -999.9 <b>Sec. Water Use:</b>			
<b>--Details--</b>					
<b>Stratum ID:</b> 6014627		<b>Top Depth(m):</b> 0.0			
<b>Bottom Depth(m):</b> 2.0		<b>Stratum Desc:</b> Loose to compact, brown, fine, sand; compact fine sand			
<b>Stratum ID:</b> 6014628		<b>Top Depth(m):</b> 2.0			
<b>Bottom Depth(m):</b> 3.7		<b>Stratum Desc:</b> Glacial till - very stiff, grey clay, with gravel			
<b>Stratum ID:</b> 6014629		<b>Top Depth(m):</b> 3.7			
<b>Bottom Depth(m):</b> 5.3		<b>Stratum Desc:</b> Dense mixture of clay, sand, silt, and gravel with sandy layers			
<a href="#">2</a>	1 of 1	NW/0.1	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b> 840976 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Boring <b>Easting:</b> 610667 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 11.7 <b>Township:</b> TORONTO <b>Lot:</b> <b>Completion Date:</b> 25-JUN-1973		<b>Type:</b> Borehole <b>Status:</b> Decommissioned <b>UTM Zone:</b> 17 <b>Northing:</b> 4830111 <b>Orig. Ground Elev m:</b> 148 <b>DEM Ground Elev m:</b> 151 <b>Primary Name:</b> <b>Concession:</b> CON 2 NORTH OF DUNDAS STREET <b>Municipality:</b> <b>Static Water Level:</b> 1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502682			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	7.0			<b>Stratum Desc:</b>	Het. Mix of clayey silt, sand and gravel glacial till Brown Grey (Very stiff to hard)
<b>Stratum ID:</b>	6502683			<b>Top Depth(m):</b>	7.0
<b>Bottom Depth(m):</b>	11.7			<b>Stratum Desc:</b>	Silty sand and gravel. (Very dense).

<u>3</u>	1 of 1	NW/0.4	145.8 / 14.00	ON	BORE
<b>Borehole ID:</b>	637722			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611265			<b>Northing:</b>	4829483
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	145
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	145
<b>Total Depth m:</b>	2			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481572			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481573			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481574			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	SOIL,SAND,SILT,CLAY.GREY.
<b>Stratum ID:</b>	218481575			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	2.0			<b>Stratum Desc:</b>	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL. 011

<u>4</u>	1 of 1	SE/0.5	130.8 / -1.00	3153 Cawthra Road Mississauga ON L5A 2X4	EHS
<b>Order No:</b>	20070907012			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	USA - Complete Report (0.25)			<b>Client Prov/State:</b>	
<b>Report Date:</b>	9/11/2007			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	9/7/2007			<b>X:</b>	-79.604162
<b>Previous Site Name:</b>				<b>Y:</b>	43.597805
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans; Aerials Photos; City Directory				

<u>5</u>	1 of 1	SE/0.6	109.8 / -22.00	ON	BORE
<b>Borehole ID:</b>	833973			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Hollow stem auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	614399			<b>Northing:</b>	4826602
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	108
<b>Total Depth m:</b>	8.1			<b>Primary Name:</b>	
<b>Township:</b>	Mississauga			<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	18-APR-1979			<b>Static Water Level:</b>	.6
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6014991			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.1			<b>Stratum Desc:</b>	Asphalt pavement and sandy roadway fill
<b>Stratum ID:</b>	6014992			<b>Top Depth(m):</b>	1.1
<b>Bottom Depth(m):</b>	2.4			<b>Stratum Desc:</b>	Uniform fine sand, brown, compact
<b>Stratum ID:</b>	6014993			<b>Top Depth(m):</b>	2.4
<b>Bottom Depth(m):</b>	3.0			<b>Stratum Desc:</b>	Medium sand, grey, dense
<b>Stratum ID:</b>	6014994			<b>Top Depth(m):</b>	3.0
<b>Bottom Depth(m):</b>	6.4			<b>Stratum Desc:</b>	Glacial till - heterogeneous mixture of clayey silt, sand and gravel, grey, hard
<b>Stratum ID:</b>	6014995			<b>Top Depth(m):</b>	6.4
<b>Bottom Depth(m):</b>	8.1			<b>Stratum Desc:</b>	Sand with angular gravel and shale fragments, very dense
<b>6</b>	1 of 1	NW/0.6	144.8 / 13.00	ON	BORE
<b>Borehole ID:</b>	637720			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611375			<b>Northing:</b>	4829378
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	143
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	144
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481563			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481564			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481565			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.4			<b>Stratum Desc:</b>	SOIL,SILT,SAND,CLAY.BROWN.
<b>Stratum ID:</b>	218481566			<b>Top Depth(m):</b>	0.4
<b>Bottom Depth(m):</b>	0.7			<b>Stratum Desc:</b>	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL.
<b>Stratum ID:</b>	218481567			<b>Top Depth(m):</b>	0.7
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SAND(43), SILT(26),CLAY. BROWN,GLACIAL,AGE GLACIAL. 012 00000200
<b>7</b>	1 of 1	NW/0.7	144.8 / 13.00	Mississauga ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7181195			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/18/2012
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z133252			<b>Owner:</b>	
<b>Tag:</b>	A129331			<b>Street Name:</b>	691 BURNHAMTHORPE RD E
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003789459	<b>Elevation:</b>	143.7
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	611438
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4829272
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-APR-12	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004315297
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	02
<b>Most Common Material:</b>	TOPSOIL
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	85
<b>Other Materials:</b>	SOFT
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.5
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004315298
<b>Layer:</b>	2
<b>Color:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		.5			
<b>Formation End Depth:</b>		4.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004315299			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		4.5			
<b>Formation End Depth:</b>		5.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004315308			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		2.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004315309			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.4			
<b>Plug To:</b>		5.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004315307			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004315306			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1004315296  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1004315302  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0  
 Depth To: 2.7  
 Casing Diameter: 5.2  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1004315303  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 2.7  
 Screen End Depth: 5.7  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter: 6.1

**Water Details**

Water ID: 1004315301  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004315300  
 Diameter: 10.9  
 Depth From: 0  
 Depth To: 5.7  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

<u>8</u>	1 of 1	NW/0.9	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b>	840978	<b>Type:</b>	Borehole		
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Status:</b>	Decommissioned		
<b>Drill Method:</b>	Boring	<b>UTM Zone:</b>	17		
<b>Easting:</b>	610690	<b>Northing:</b>	4830089		
<b>Location Accuracy:</b>		<b>Orig. Ground Elev m:</b>	148		
<b>Elev. Reliability Note:</b>		<b>DEM Ground Elev m:</b>	150		
<b>Total Depth m:</b>	9.1	<b>Primary Name:</b>			
<b>Township:</b>	TORONTO	<b>Concession:</b>	CON 2 NORTH OF DUNDAS STREET		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	26-JUN-1973			<b>Static Water Level:</b>	1.1
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502685			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	7.0			<b>Stratum Desc:</b>	het. Mix of clayey silt, sand and gravel Glacial till (Very stiff to hard) Brown Grey
<b>Stratum ID:</b>	6502686			<b>Top Depth(m):</b>	7.0
<b>Bottom Depth(m):</b>	9.1			<b>Stratum Desc:</b>	Silt, sand and gravel. (Very dense).

<u>9</u>	1 of 1	SE/1.0	109.8 / -22.01	<b>EAGLEBROOK ENVIRONMENTAL QEW EASTBOUND AT CAWTHRA TANK TRUCK (CARGO) MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	32911			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	4/5/1990			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	OPP, FIRE DEPT, MTO, PEEL REGION
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scrn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	4/6/1990			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	UNKNOWN				
<b>Incident Summary:</b>	EAGLEBROOK ENVIRONMENTAL:FERRIC CHLORIDE SOLUTION TO HIGHWAY FROM TANKER				

<u>10</u>	1 of 1	NW/1.2	149.8 / 18.00	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	840974			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	610648			<b>Northing:</b>	4830129
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	148
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	150
<b>Total Depth m:</b>	9.3			<b>Primary Name:</b>	
<b>Township:</b>	TORONTO			<b>Concession:</b>	CON 2 NORTH OF DUNDAS STREET
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	22-JUN-1973			<b>Static Water Level:</b>	.9
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502680			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	9.3			<b>Stratum Desc:</b>	Het. Mix Brown Grey Clayey silt, sand and

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				gravel, glacial till, Hard	
<a href="#">11</a>	1 of 1	SE/1.2	129.8 / -2.00	Enbridge Gas Distribution Inc. 3071 Cawthra Mississauga ON	SPL
<b>Ref No:</b>	3820-9MVRNW			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2014/08/11			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Unknown / N/A
<b>Incident Cause:</b>	Unknown / N/A			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	35			<b>Site Name:</b>	3071 Cawthra<UNOFFICIAL>
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b>	3071 Cawthra
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0.683 hr			<b>Site Region:</b>	Mississauga
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	
<b>Nature of Impact:</b>	Human Health/Safety			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	Referral to others			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2014/08/11			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Primary Assessment of Incident				
<b>Incident Reason:</b>	Unknown / N/A				
<b>Incident Summary:</b>	FSB: Cawthra Rd: 1in line strike, safe				
<a href="#">12</a>	1 of 1	NW/1.3	144.8 / 13.00	ON	BORE
<b>Borehole ID:</b>	637721			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611335			<b>Northing:</b>	4829418
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	144
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	144
<b>Total Depth m:</b>	1.7			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481568			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481569			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN.
<b>Stratum ID:</b>	218481570			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	SOIL,SAND,SILT. BLACK,MOIST.
<b>Stratum ID:</b>	218481571			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	1.7			<b>Stratum Desc:</b>	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AG E GLACIAL. ,

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">13</a>	1 of 1	NW/1.5	146.8 / 15.00	ON	BORE
<b>Borehole ID:</b>	637729			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611045			<b>Northing:</b>	4829688
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	147
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	147
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481600			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481601			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481602			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	SOIL,SILT,CLAY. BROWN.
<b>Stratum ID:</b>	218481603			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SAND,SILT,CLAY.GREY,BROWN,GLACIAL,MOIST, AGE GLACIAL. 014 1

<a href="#">14</a>	1 of 1	SE/1.5	109.8 / -22.00	H.O. TRERICE CO. 2935 CAWTHRA RD UNIT 3 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>	1927				
<b>Plant Size (ft²):</b>	0				
<b>Employment:</b>	2				
<b>--Details--</b>					
<b>Description:</b>	GASKETS, PACKING AND SEALING DEVICES				
<b>SIC/NAICS Code:</b>	3053				
<b>Description:</b>	INDUSTRIAL VALVES				
<b>SIC/NAICS Code:</b>	3491				
<b>Description:</b>	SWITCHGEAR AND SWITCHBOARD APPARATUS				
<b>SIC/NAICS Code:</b>	3613				
<b>Description:</b>	INDUSTRIAL INSTRUMENTS FOR MEASUREMENT, DISPLAY, AND CONTROL OF PROCESS VARIABLES; & RELATED ITEMS				
<b>SIC/NAICS Code:</b>	3823				

<a href="#">15</a>	1 of 1	NW/1.6	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b>	840975			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	610625			<b>Northing:</b>	4830107
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	149
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	150

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Total Depth m:</b>	9.3			<b>Primary Name:</b>	
<b>Township:</b>	TORONTO			<b>Concession:</b>	CON 2 NORTH OF DUNDAS STREET
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	22-JUN-1973			<b>Static Water Level:</b>	.8
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502681			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	9.3			<b>Stratum Desc:</b>	Het. Mix of clayey slit, sand and gravel glacial till Brown Grey (Stiff to hard)

<a href="#">16</a>	1 of 1	NW/1.7	147.8 / 16.00	Mississauga ON	WWIS
<b>Well ID:</b>	7172875			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	12/1/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7238
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z140459			<b>Owner:</b>	
<b>Tag:</b>	A120155			<b>Street Name:</b>	4230 CAWTHRA
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003615383			<b>Elevation:</b>	148.13
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	610967
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829762
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	28-OCT-11			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004015623				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	05				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<hr/>					
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		20			
<b>Formation End Depth:</b>		27			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004015622			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		5			
<b>Formation End Depth:</b>		20			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004015621			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		5			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004015631			
<b>Layer:</b>		2			
<b>Plug From:</b>		2			
<b>Plug To:</b>		25			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004015630			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004015632			
<b>Layer:</b>		3			
<b>Plug From:</b>		25			
<b>Plug To:</b>		27			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004015629			
<b>Method Construction Code:</b>		E			
<b>Method Construction:</b>		Auger			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004015620			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004015626			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		10			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004015627			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10			
<b>Screen End Depth:</b>		20			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004015625			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004015624			
<b>Diameter:</b>					
<b>Depth From:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">17</a>	1 of 1	NW/2.0	147.8 / 16.00	ON	BORE
<b>Borehole ID:</b>	637648			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611000			<b>Northing:</b>	4829733
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	147
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	148
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481330			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481331			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481332			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.4			<b>Stratum Desc:</b>	SOIL,SILT,CLAY. GREY.
<b>Stratum ID:</b>	218481333			<b>Top Depth(m):</b>	0.4
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL. 021 011 00016054

<a href="#">18</a>	1 of 1	NW/2.1	143.8 / 12.00	MISSISSAUGA ON	WWIS
<b>Well ID:</b>	4909768			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	6/8/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7230
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z29573			<b>Owner:</b>	
<b>Tag:</b>	A026360			<b>Street Name:</b>	3643 CAWTHRA ROAD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11323501			<b>Elevation:</b>	142.22
<b>DP2BR:</b>	10			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:	r			East83:	611569
Code OB Desc:	Bedrock			Org CS:	UTM83
Open Hole:				North83:	4829168
Cluster Kind:				UTMRC:	4
Date Completed:	12-MAY-05			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 933021423  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 05  
 Other Materials: CLAY  
 Mat3: 73  
 Other Materials: HARD  
 Formation Top Depth: 1  
 Formation End Depth: 2  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 933021425  
 Layer: 4  
 Color: 2  
 General Color: GREY  
 Mat1: 17  
 Most Common Material: SHALE  
 Mat2:  
 Other Materials:  
 Mat3:  
 Other Materials:  
 Formation Top Depth: 3  
 Formation End Depth: 4.6  
 Formation End Depth UOM: m

**Overburden and Bedrock**  
**Materials Interval**

Formation ID: 933021424  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Mat1: 05  
 Most Common Material: CLAY  
 Mat2: 06  
 Other Materials: SILT  
 Mat3: 73  
 Other Materials: HARD  
 Formation Top Depth: 2  
 Formation End Depth: 3  
 Formation End Depth UOM: m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933021422			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933270257			
<b>Layer:</b>		2			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933270258			
<b>Layer:</b>		1			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		2.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		964909768			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11338356			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930866568			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.1			
<b>Casing Diameter:</b>		5			
<b>Casing Diameter UOM:</b>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:	933413021				
Layer:	1				
Slot:	10				
Screen Top Depth:	3.1				
Screen End Depth:	4.6				
Screen Material:	5				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	5.2				
<b><u>Hole Diameter</u></b>					
Hole ID:	11543392				
Diameter:	12.5				
Depth From:	0				
Depth To:	4.6				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				

<a href="#">19</a>	1 of 1	NW/2.5	145.8 / 14.00	ON	BORE
<b>Borehole ID:</b>	637723			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611240			<b>Northing:</b>	4829503
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	145
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	145
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481576			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481577			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481578			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.7			<b>Stratum Desc:</b>	TILL,SAND,SILT,CLAY.GREY,BROWN,GLACIAL, AGE GLACIAL.
<b>Stratum ID:</b>	218481579			<b>Top Depth(m):</b>	0.7
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SILT,SAND. BROWN,GLACIAL,MOIST, AGE GLACIAL. 013

<a href="#">20</a>	1 of 1	SE/2.7	109.8 / -22.01	ON	BORE
<b>Borehole ID:</b>	833969			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	614360			<b>Northing:</b>	4826605
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	110

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b> 109	
<b>Total Depth m:</b>	14.8			<b>Primary Name:</b>	
<b>Township:</b>	Mississauga			<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	29-NOV-1974			<b>Static Water Level:</b> 7	
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6014977			<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>	6.4			<b>Stratum Desc:</b> Fill material - silty sand, traces of gravel and clay, compact to dense	
<b>Stratum ID:</b>	6014978			<b>Top Depth(m):</b> 6.4	
<b>Bottom Depth(m):</b>	8.5			<b>Stratum Desc:</b> Silty sand, traces of clay, compact	
<b>Stratum ID:</b>	6014979			<b>Top Depth(m):</b> 8.5	
<b>Bottom Depth(m):</b>	9.9			<b>Stratum Desc:</b> Heterogeneous mixture of clayey silt, sand and gravel - glacial till, hard	
<b>Stratum ID:</b>	6014980			<b>Top Depth(m):</b> 9.9	
<b>Bottom Depth(m):</b>	14.8			<b>Stratum Desc:</b> Shale bedrock - weathered to sound	
<b>21</b>	1 of 1	NW/2.8	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b>	840979			<b>Type:</b> Borehole	
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b> Decommissioned	
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b> 17	
<b>Easting:</b>	610667			<b>Northing:</b> 4830066	
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b> 148	
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b> 150	
<b>Total Depth m:</b>	7.3			<b>Primary Name:</b>	
<b>Township:</b>	TORONTO			<b>Concession:</b> CON 2 NORTH OF DUNDAS STREET	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	26-JUN-1973			<b>Static Water Level:</b> 1	
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502687			<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>	7.3			<b>Stratum Desc:</b> Het. Mix of clayey silt, sand and gravel. Glacial till. (Very stiff to hard). Brown Grey Boulder	
<b>22</b>	1 of 3	SE/3.2	118.4 / -13.41	LAFARGE CONSTRUCTION & MATERIALS 2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b>	8800000113			<b>Org ID:</b>	
<b>Other ID:</b>	*			<b>Submit Date:</b>	
<b>No Other ID:</b>				<b>Last Modified:</b>	
<b>Track ID:</b>				<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	
<b>Report Type:</b>				<b>Contact Title:</b>	
<b>Rpt Type ID:</b>				<b>Cont First Name:</b>	
<b>Report Year:</b>	2009			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>				<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>				<b>Contact Fax:</b>	
<b>Fac ID:</b>				<b>Contact Ph.:</b>	
<b>Fac Name:</b>	PETCH AGG SITE			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>				<b>Contact Tel.:</b>	
<b>Fac Address2:</b>				<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>				<b>Cont Fax Area Cde:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> No <b>URL:</b> <b>No of Empl.:</b> 0 <b>Parent Co.:</b> * <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> No <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> <b>NAICS 2 Description:</b> <b>NAICS Code (4 digit):</b> <b>NAICS 4 Description:</b> <b>NAICS Code (6 digit):</b> <b>NAICS 6 Description:</b>					
<b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> No <b>No Off Sites:</b> <b>Shutdown:</b> No <b>No of Shutdown:</b>					
<a href="#">22</a>	2 of 3	SE/3.2	118.4 / -13.41	LAFARGE CONSTRUCTION & MATERIALS 2530 CAWTHRA Road MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b> 8800001097 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> 2004 <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> PETCH AGG SITE <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 2 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 21 <b>NAICS 2 Description:</b> Mining, Quarrying, and Oil and Gas Extraction <b>NAICS Code (4 digit):</b> 2123 <b>NAICS 4 Description:</b> Non-Metallic Mineral Mining and Quarrying <b>NAICS Code (6 digit):</b> 212323					
<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> MED <b>Contact Title:</b> Mr. <b>Cont First Name:</b> TOM <b>Cont Last Name:</b> BAUMGARTEN <b>Contact Position:</b> Environmental Compliance Manager <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> 905 <b>Contact Tel.:</b> 7387070 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 905 <b>Contact Fax:</b> 7387080 <b>Contact Email:</b> tom.baumgarten@lafarge-na.com <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS 6 Description:</b>		Sand and Gravel Mining and Quarrying			
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		74-82-8			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Methane			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		630-08-0			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon monoxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		124-38-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		10024-97-2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report ID:</b>					
<b>Rpt Period:</b>			2004		
<b>Subst Released:</b>			Nitrous oxide		
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>			tonnes		
<b>CAS No:</b>			NA - M16		
<b>Report ID:</b>					
<b>Rpt Period:</b>			2004		
<b>Subst Released:</b>			Volatile Organic Compounds (VOCs)		
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>			tonnes		
<b>CAS No:</b>			11104-93-1		
<b>Report ID:</b>					
<b>Rpt Period:</b>			2004		
<b>Subst Released:</b>			Nitrogen oxides (expressed as NO2)		
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>			tonnes		
<b>CAS No:</b>			NA - M09		
<b>Report ID:</b>					
<b>Rpt Period:</b>			2004		
<b>Subst Released:</b>			PM10 - Particulate Matter <= 10 Microns		
<b>Air:</b>			.011		
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>			.011		
<b>Units:</b>			tonnes		
<b>CAS No:</b>			NA - M08		
<b>Report ID:</b>					
<b>Rpt Period:</b>			2004		
<b>Subst Released:</b>			PM - Total Particulate Matter		
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>			tonnes		

[22](#)

3 of 3

SE/3.2

118.4 / -13.41

**LAFARGE CONSTRUCTION & MATERIALS**  
2530 CAWTHRA Road  
MISSISSAUGA ON L5A2W7

**NPRI**

**NPRI ID:** 8800000050  
**Other ID:**  
**No Other ID:**  
**Track ID:**  
**Report ID:**  
**Report Type:**  
**Rpt Type ID:**  
**Report Year:** 2006  
**Not-Current Rpt?:**  
**Yr of Last Filed Rpt:**  
**Fac ID:**  
**Fac Name:** PETCH AGG SITE

**Org ID:**  
**Submit Date:**  
**Last Modified:**  
**Contact ID:**  
**Cont Type:** MED  
**Contact Title:** Mr.  
**Cont First Name:** TOM  
**Cont Last Name:** BAUMGARTEN  
**Contact Position:** Environmental Compliance Manager  
**Contact Fax:**  
**Contact Ph.:**  
**Cont Area Code:** 905

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 2 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 21 <b>NAICS 2 Description:</b> Mining, Quarrying, and Oil and Gas Extraction <b>NAICS Code (4 digit):</b> 2123 <b>NAICS 4 Description:</b> Non-Metallic Mineral Mining and Quarrying <b>NAICS Code (6 digit):</b> 212323 <b>NAICS 6 Description:</b> Sand and Gravel Mining and Quarrying				<b>Contact Tel.:</b> 7387070 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 905 <b>Contact Fax:</b> 7387080 <b>Contact Email:</b> tom.baumgarten@lafarge-na.com <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>		NA - M09			
<b>Report ID:</b>		2006			
<b>Rpt Period:</b>		2006			
<b>Subst Released:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		0			
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M08			
<b>Report ID:</b>		2006			
<b>Rpt Period:</b>		2006			
<b>Subst Released:</b>		PM - Total Particulate Matter			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		0			
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>		2006			
<b>Rpt Period:</b>		2006			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		0			
<b>Units:</b>		tonnes			
<a href="#">23</a>	1 of 1	SE/3.3	109.8 / -22.01	ON	BORE
<b>Borehole ID:</b>		649465		<b>Type:</b> Borehole	
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Drill Method:</b>	Diamond Drill			<b>UTM Zone:</b>	17
<b>Easting:</b>	614365			<b>Northing:</b>	4826603
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	109
<b>Total Depth m:</b>	5.9			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	JUL-1955			<b>Static Water Level:</b>	.2
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218527066			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND. BROWN, LOOSE.
<b>Stratum ID:</b>	218527067			<b>Top Depth(m):</b>	1.5
<b>Bottom Depth(m):</b>	2.6			<b>Stratum Desc:</b>	SAND. COMPACT, WATER STABLE AT 338.6 FEET.
<b>Stratum ID:</b>	218527068			<b>Top Depth(m):</b>	2.6
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	TILL, CLAY, GRAVEL.
<b>Stratum ID:</b>	218527069			<b>Top Depth(m):</b>	5.3
<b>Bottom Depth(m):</b>	5.9			<b>Stratum Desc:</b>	GRAVEL. 000000600050030
<b>24</b>	1 of 1	SE/3.7	109.8 / -22.01	ON	BORE
<b>Borehole ID:</b>	833845			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Not known			<b>UTM Zone:</b>	17
<b>Easting:</b>	614395			<b>Northing:</b>	4826577
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	109
<b>Total Depth m:</b>	9.1			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	14-JUL-1955			<b>Static Water Level:</b>	1.4
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6014614			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	1.4			<b>Stratum Desc:</b>	Loose to compact, fine sand, brown
<b>Stratum ID:</b>	6014615			<b>Top Depth(m):</b>	1.4
<b>Bottom Depth(m):</b>	2.7			<b>Stratum Desc:</b>	Compact, grey, sand to compact to dense, fine to medium, gravel with sand
<b>Stratum ID:</b>	6014616			<b>Top Depth(m):</b>	2.7
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	Extremely stiff, grey, clay with gravel, apparently glacial till
<b>Stratum ID:</b>	6014617			<b>Top Depth(m):</b>	5.3
<b>Bottom Depth(m):</b>	7.9			<b>Stratum Desc:</b>	Gravel
<b>Stratum ID:</b>	6014618			<b>Top Depth(m):</b>	7.9
<b>Bottom Depth(m):</b>	9.1			<b>Stratum Desc:</b>	Clay shale
<b>25</b>	1 of 1	NW/3.8	145.6 / 13.77	ON	BORE
<b>Borehole ID:</b>	637670			<b>Type:</b>	Borehole

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611300			<b>Northing:</b>	4829443
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	144
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	145
<b>Total Depth m:</b>	2			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481405			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481406			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. GREY,BROWN,MOIST.
<b>Stratum ID:</b>	218481407			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	TILL,SILT,SAND,CLAY.GREY,GLACIAL,AGE GLACIAL.
<b>Stratum ID:</b>	218481408			<b>Top Depth(m):</b>	0.9
<b>Bottom Depth(m):</b>	2.0			<b>Stratum Desc:</b>	TILL,SILT,SAND. BROWN,GLACIAL,MOIST, AGE GLACIAL. 009

26

1 of 1

NW/3.9

145.8 / 14.00

Mississauga ON

WWIS

**Well ID:** 7183363  
**Construction Date:**  
**Primary Water Use:** Monitoring and Test Hole  
**Sec. Water Use:** 0  
**Final Well Status:** Test Hole  
**Water Type:**  
**Casing Material:**  
**Audit No:** Z142513  
**Tag:** A129332  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:**  
**Date Received:** 5/18/2012  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 7241  
**Form Version:** 7  
**Owner:**  
**Street Name:** 4106 CAWTHROU RD  
**County:** PEEL  
**Municipality:** MISSISSAUGA CITY  
**Site Info:**  
**Lot:**  
**Concession:**  
**Concession Name:**  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 1004194858  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 10-APR-12  
**Remarks:**  
**Elevrc Desc:**

**Elevation:** 145.62  
**Elevrc:**  
**Zone:** 17  
**East83:** 611255  
**Org CS:** UTM83  
**North83:** 4829487  
**UTMRC:** 4  
**UTMRC Desc:** margin of error : 30 m - 100 m  
**Location Method:** wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Location Source Date:  
 Improvement Location Source:  
 Improvement Location Method:  
 Source Revision Comment:  
 Supplier Comment:

Overburden and Bedrock  
Materials Interval

Formation ID: 1004397303  
 Layer: 2  
 Color: 6  
 General Color: BROWN  
 Mat1: 06  
 Most Common Material: SILT  
 Mat2: 28  
 Other Materials: SAND  
 Mat3: 12  
 Other Materials: STONES  
 Formation Top Depth: .8  
 Formation End Depth: 4.5  
 Formation End Depth UOM: m

Overburden and Bedrock  
Materials Interval

Formation ID: 1004397302  
 Layer: 1  
 Color: 6  
 General Color: BROWN  
 Mat1: 02  
 Most Common Material: TOPSOIL  
 Mat2: 28  
 Other Materials: SAND  
 Mat3: 85  
 Other Materials: SOFT  
 Formation Top Depth: 0  
 Formation End Depth: .8  
 Formation End Depth UOM: m

Overburden and Bedrock  
Materials Interval

Formation ID: 1004397304  
 Layer: 3  
 Color: 2  
 General Color: GREY  
 Mat1: 17  
 Most Common Material: SHALE  
 Mat2: 06  
 Other Materials: SILT  
 Mat3: 73  
 Other Materials: HARD  
 Formation Top Depth: 4.5  
 Formation End Depth: 5.7  
 Formation End Depth UOM: m

Annular Space/Abandonment  
Sealing Record

Plug ID: 1004397312  
 Layer: 1

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004397313			
<b>Layer:</b>		2			
<b>Plug From:</b>		.31			
<b>Plug To:</b>		2.4			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004397314			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.4			
<b>Plug To:</b>		5.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004397311			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004397301			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004397307			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.7			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004397308			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.7			
<b>Screen End Depth:</b>		5.7			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Water Details</u></b>					
Water ID:			1004397306		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			m		
<b><u>Hole Diameter</u></b>					
Hole ID:			1004397305		
Diameter:			10.9		
Depth From:			0		
Depth To:			5.7		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		
<a href="#">27</a>	1 of 7	NW/4.0	135.0 / 3.11	MISSISSAUGA HYDRO BLOOR M.S. 3266 CAWTHRA ROAD MISSISSAUGA ON L5C 3K1	GEN
Generator No.:	ON0124321			PO Box No.:	
Status:				Country:	
Approval Years:	86,87,88,89,90,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	4911				
SIC Description:		ELECT. POWER SYS.			
<b><u>--Details--</u></b>					
Waste Code:			243		
Waste Description:			PCB'S		
<a href="#">27</a>	2 of 7	NW/4.0	135.0 / 3.11	MISSISSAUGA HYDRO 27-336 BLOOR M.S. 3266 CAWTHRA ROAD MISSISSAUGA ON L5C 3K1	GEN
Generator No.:	ON0124321			PO Box No.:	
Status:				Country:	
Approval Years:	92,93,94,95,96,97			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	4911				
SIC Description:		ELECT. POWER SYS.			
<b><u>--Details--</u></b>					
Waste Code:			243		
Waste Description:			PCB'S		
<a href="#">27</a>	3 of 7	NW/4.0	135.0 / 3.11	Enersource Hydro Mississauga 3266 Cawthra Road Mississauga ON	GEN
Generator No.:	ON4787547			PO Box No.:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> 221122 <b>SIC Description:</b> ELECTRIC POWER DISTRIBUTION				<b>Phone No. Admin:</b>	
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">27</a>	4 of 7	NW/4.0	135.0 / 3.11	<b>Enersource Hydro Mississauga</b> <b>3266 Cawthra Road</b> <b>Mississauga ON L5A 2X7</b>	GEN
<b>Generator No.:</b> ON4787547 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 221122 <b>SIC Description:</b> ELECTRIC POWER DISTRIBUTION				<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b> <b>Waste Code:</b> 252 <b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<a href="#">27</a>	5 of 7	NW/4.0	135.0 / 3.11	<b>MISSISSAUGA HYDRO</b> <b>AT SUB STATION AT 3266 CAWTHRA RD.</b> <b>TRANSFORMER</b> <b>MISSISSAUGA CITY ON</b>	SPL
<b>Ref No:</b> 100950 <b>Site No:</b> <b>Incident Dt:</b> 6/8/1994 <b>Year:</b> <b>Incident Cause:</b> COOLING SYSTEM LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/8/1994 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b> EQUIPMENT FAILURE MISSISSAUGA HYDRO- 90 L OF OF NON-PCB OIL TO GROUND FROM TRANSFORMER.				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">27</a>	6 of 7	NW/4.0	135.0 / 3.11	<b>Enersource Hydro Mississauga Inc.; All Canada</b> <b>Crane Rental Corp.</b> <b>3266 Cawthra Rd</b> <b>Mississauga ON</b>	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ref No:</b>	7283-8T2M6W			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	03-APR-12			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Motor Vehicle
<b>Incident Cause:</b>	Pipe Or Hose Leak			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13			<b>Site Name:</b>	3266 Cawthra
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	3266 Cawthra Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Sewage - Municipal/Private and Commercial			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>	Deferred Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	04-APR-12			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	29-MAY-12				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Spill				
<b>Incident Summary:</b>	Crane Collapse: 800 L diesel/Hydraulic Oil to Grnd, cln				

[27](#)      7 of 7      **NW/4.0**      **135.0 / 3.11**      **All Canada Crane Rental Corp.**  
**3266 Cawthra Road**  
**Mississauga ON**      **SPL**

<b>Ref No:</b>	8604-8T2QLY			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	04-APR-12			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Pipe Or Hose Leak			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	All Canada Crane Rental<UNOFFICIAL>
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	3266 Cawthra Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Sewage - Municipal/Private and Commercial			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	04-APR-12			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	29-MAY-12				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Spill				
<b>Incident Summary:</b>	DUPLICATE: SEE IDS 7283-8T2M6W				

[28](#)      1 of 3      **SE/4.5**      **109.8 / -22.01**      **Mississauga ON**      **WWIS**

<b>Well ID:</b>	7109071			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	7/31/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z81857			<b>Owner:</b>	
<b>Tag:</b>	A075605			<b>Street Name:</b>	113 LAKESHORE BLVD. 107
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001703961			<b>Elevation:</b>	108.96
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	614382
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4826615
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	10-JUL-08			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001760916				
<b>Layer:</b>	1				
<b>Color:</b>	8				
<b>General Color:</b>	BLACK				
<b>Mat1:</b>	01				
<b>Most Common Material:</b>	FILL				
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>	77				
<b>Other Materials:</b>	LOOSE				
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	1.22				
<b>Formation End Depth UOM:</b>	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001760918				
<b>Layer:</b>	3				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	28				
<b>Most Common Material:</b>	SAND				



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3.1			
<b>Formation End Depth:</b>		4.88			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001760917			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		3.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001760919			
<b>Layer:</b>		4			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		4.88			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760921			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760923			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug ID:</i>		1001760922			
<i>Layer:</i>		2			
<i>Plug From:</i>		.3			
<i>Plug To:</i>		1.5			
<i>Plug Depth UOM:</i>		m			
 <b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1001760928			
<i>Method Construction Code:</i>		H			
<i>Method Construction:</i>		Geoprobe			
<i>Other Method Construction:</i>					
 <b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1001760915			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
 <b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1001760925			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.83			
<i>Casing Diameter:</i>		3.81			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
 <b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1001760926			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.83			
<i>Screen End Depth:</i>		4.88			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		3.81			
 <b><u>Water Details</u></b>					
<i>Water ID:</i>		1001760924			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
 <b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1001760920			
<i>Diameter:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">28</a>	2 of 3	SE/4.5	109.8 / -22.01	Mississauga ON	WWIS
<b>Well ID:</b>	7109072			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	7/31/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z81858			<b>Owner:</b>	
<b>Tag:</b>	A063691			<b>Street Name:</b>	113 LAKESHORE BLVD. 107
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	1001703964	<b>Elevation:</b>	108.96
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	614382
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4826615
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	10-JUL-08	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	1001760933
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	06
<b>Other Materials:</b>	SILT
<b>Mat3:</b>	77
<b>Other Materials:</b>	LOOSE
<b>Formation Top Depth:</b>	1.22
<b>Formation End Depth:</b>	3.1
<b>Formation End Depth UOM:</b>	m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1001760935		
<b>Layer:</b>			4		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>			05		
<b>Other Materials:</b>			CLAY		
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			4.88		
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1001760934		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			06		
<b>Other Materials:</b>			SILT		
<b>Mat3:</b>			91		
<b>Other Materials:</b>			WATER-BEARING		
<b>Formation Top Depth:</b>			3.1		
<b>Formation End Depth:</b>			4.88		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1001760932		
<b>Layer:</b>			1		
<b>Color:</b>			8		
<b>General Color:</b>			BLACK		
<b>Mat1:</b>			27		
<b>Most Common Material:</b>			OTHER		
<b>Mat2:</b>			01		
<b>Other Materials:</b>			FILL		
<b>Mat3:</b>			77		
<b>Other Materials:</b>			LOOSE		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			1.22		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1001760939		
<b>Layer:</b>			3		
<b>Plug From:</b>			1.5		
<b>Plug To:</b>			4.88		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1001760938			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760937			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001760944			
<b>Method Construction Code:</b>		H			
<b>Method Construction:</b>		Geoprobe			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001760931			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001760941			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.83			
<b>Casing Diameter:</b>		3.81			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001760942			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.83			
<b>Screen End Depth:</b>		4.88			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		3.81			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001760940			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1001760936			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<u>28</u>	3 of 3	SE/4.5	109.8 / -22.01	Mississauga ON	WWIS
<b>Well ID:</b>	7109073			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	7/31/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	0			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z81859			<b>Owner:</b>	
<b>Tag:</b>	A075603			<b>Street Name:</b>	113 LAKESHORE BLVD. 107
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001703967			<b>Elevation:</b>	108.96
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	614382
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4826615
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	10-JUL-08			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1001760951
<b>Layer:</b>	4
<b>Color:</b>	
<b>General Color:</b>	
<b>Mat1:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		4.88			
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001760948			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		27			
<b>Most Common Material:</b>		OTHER			
<b>Mat2:</b>		01			
<b>Other Materials:</b>		FILL			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.22			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001760949			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		1.22			
<b>Formation End Depth:</b>		3.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001760950			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3.1			
<b>Formation End Depth:</b>		4.88			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1001760953			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760955			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5			
<b>Plug To:</b>		4.88			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001760954			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001760960			
<b>Method Construction Code:</b>		H			
<b>Method Construction:</b>		Geoprobe			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001760947			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001760957			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.83			
<b>Casing Diameter:</b>		3.81			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001760958			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.83			
<b>Screen End Depth:</b>		4.88			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		3.81			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001760956			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001760952			
<b>Diameter:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">29</a>	1 of 1	SE/4.6	109.9 / -21.99	ON	BORE
<b>Borehole ID:</b>		833967		<b>Type:</b>	Borehole
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status:</b>	Decommissioned
<b>Drill Method:</b>		Boring		<b>UTM Zone:</b>	17
<b>Easting:</b>		614388		<b>Northing:</b>	4826622
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	107
<b>Total Depth m:</b>		9.8		<b>Primary Name:</b>	
<b>Township:</b>		Mississauga		<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>		04-DEC-1974		<b>Static Water Level:</b>	1
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>		6014970		<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>		2.3		<b>Stratum Desc:</b>	Silty sand with gravel, trace of clay, compact to dense
<b>Stratum ID:</b>		6014971		<b>Top Depth(m):</b>	2.3
<b>Bottom Depth(m):</b>		4.3		<b>Stratum Desc:</b>	Heterogeneous mixture of clayey silt, sand and gravel - glacial till, hard
<b>Stratum ID:</b>		6014972		<b>Top Depth(m):</b>	4.3
<b>Bottom Depth(m):</b>		7.1		<b>Stratum Desc:</b>	Silty sand, trace of clay, compact to very dense
<b>Stratum ID:</b>		6014973		<b>Top Depth(m):</b>	7.1
<b>Bottom Depth(m):</b>		9.8		<b>Stratum Desc:</b>	Shale bedrock, weathered to sound

<a href="#">30</a>	1 of 1	NW/5.0	146.6 / 14.76	ON	BORE
<b>Borehole ID:</b>		637726		<b>Type:</b>	Borehole
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status:</b>	
<b>Drill Method:</b>		Power auger		<b>UTM Zone:</b>	17
<b>Easting:</b>		611160		<b>Northing:</b>	4829583
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	145
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	145
<b>Total Depth m:</b>		1.2		<b>Primary Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481588			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481589			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN.
<b>Stratum ID:</b>	218481590			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.9			<b>Stratum Desc:</b>	SOIL,ORGANIC. BLACK.
<b>Stratum ID:</b>	218481591			<b>Top Depth(m):</b>	0.9
<b>Bottom Depth(m):</b>	1.2			<b>Stratum Desc:</b>	TILL,SAND,CLAY,SILT.BROWN,GLACIAL,AG E GLACIAL. 023

[31](#) 1 of 1 NW/5.3 144.8 / 13.00 Mississauga ON WWIS

<b>Well ID:</b>	7181196	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	5/18/2012
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z142512	<b>Owner:</b>	
<b>Tag:</b>	A129330	<b>Street Name:</b>	691 BURNHAMTHORPE RD E
<b>Construction Method:</b>		<b>County:</b>	PEEL
<b>Elevation (m):</b>		<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003789462	<b>Elevation:</b>	143.82
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	611442
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4829250
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	12-APR-12	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004315313		
<b>Layer:</b>			3		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>			06		
<b>Other Materials:</b>			SILT		
<b>Mat3:</b>			73		
<b>Other Materials:</b>			HARD		
<b>Formation Top Depth:</b>			4.5		
<b>Formation End Depth:</b>			5.7		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004315311		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>			28		
<b>Other Materials:</b>			SAND		
<b>Mat3:</b>			85		
<b>Other Materials:</b>			SOFT		
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			.5		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004315312		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			06		
<b>Most Common Material:</b>			SILT		
<b>Mat2:</b>			28		
<b>Other Materials:</b>			SAND		
<b>Mat3:</b>			73		
<b>Other Materials:</b>			HARD		
<b>Formation Top Depth:</b>			.5		
<b>Formation End Depth:</b>			4.5		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>			1004315322		
<b>Layer:</b>			2		
<b>Plug From:</b>			.31		
<b>Plug To:</b>			2.4		
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1004315321			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.31			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004315323			
<b>Layer:</b>		3			
<b>Plug From:</b>		2.4			
<b>Plug To:</b>		5.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004315320			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004315310			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004315316			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.7			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004315317			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.7			
<b>Screen End Depth:</b>		5.7			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.1			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004315315			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b>Hole Diameter</b>					
<b>Hole ID:</b>		1004315314			
<b>Diameter:</b>		10.9			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5.7			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<u>32</u>	1 of 1	SE/6.0	109.9 / -21.91	ON	BORE
<b>Borehole ID:</b>		833966		<b>Type:</b> Borehole	
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status:</b> Decommissioned	
<b>Drill Method:</b>		Boring		<b>UTM Zone:</b> 17	
<b>Easting:</b>		614416		<b>Northing:</b> 4826593	
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b> 103	
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b> 107	
<b>Total Depth m:</b>		12.5		<b>Primary Name:</b>	
<b>Township:</b>		Mississauga		<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>		11-DEC-1974		<b>Static Water Level:</b> 1.5	
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>		6014966		<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>		3.8		<b>Stratum Desc:</b> Silty sand, trace of clay, loose to dense	
<b>Stratum ID:</b>		6014967		<b>Top Depth(m):</b> 3.8	
<b>Bottom Depth(m):</b>		5.2		<b>Stratum Desc:</b> Het. mixture of clayey silt, sand and gravel - glacial till, hard	
<b>Stratum ID:</b>		6014968		<b>Top Depth(m):</b> 5.2	
<b>Bottom Depth(m):</b>		11.0		<b>Stratum Desc:</b> Silty sand, traces of gravel and clay, very dense	
<b>Stratum ID:</b>		6014969		<b>Top Depth(m):</b> 11.0	
<b>Bottom Depth(m):</b>		12.5		<b>Stratum Desc:</b> Bedrock - sound shale	

<u>33</u>	1 of 1	SE/6.1	109.9 / -21.97	ON	BORE
<b>Borehole ID:</b>		833968		<b>Type:</b> Borehole	
<b>Use:</b>		Geotechnical/Geological Investigation		<b>Status:</b> Decommissioned	
<b>Drill Method:</b>		Boring		<b>UTM Zone:</b> 17	
<b>Easting:</b>		614376		<b>Northing:</b> 4826634	
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b> 103	
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b> 108	
<b>Total Depth m:</b>		9.4		<b>Primary Name:</b>	
<b>Township:</b>		Mississauga		<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>		04-DEC-1974		<b>Static Water Level:</b> 1.5	
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>		6014974		<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>		2.7		<b>Stratum Desc:</b> Silty sand, trace of clay, loose to compact	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum ID:</b>	6014975			<b>Top Depth(m):</b>	2.7
<b>Bottom Depth(m):</b>	4.6			<b>Stratum Desc:</b>	Het. mixture of clayey silt, sand and gravel - glacial till, hard
<b>Stratum ID:</b>	6014976			<b>Top Depth(m):</b>	4.6
<b>Bottom Depth(m):</b>	9.4			<b>Stratum Desc:</b>	Shale bedrock - weathered to sound
<b>34</b>	1 of 1	NW/6.2	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b>	841024			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	610701			<b>Northing:</b>	4830025
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	149
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	149
<b>Total Depth m:</b>	21.8			<b>Primary Name:</b>	CON 2 NORTH OF DUNDAS STREET
<b>Township:</b>	TORONTO			<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	13-APR-1972			<b>Static Water Level:</b>	3
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502803			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	7.6			<b>Stratum Desc:</b>	Brown Grey Clayey silt with some sand and gravel. (Glacial till) Hard
<b>Stratum ID:</b>	6502804			<b>Top Depth(m):</b>	7.6
<b>Bottom Depth(m):</b>	18.6			<b>Stratum Desc:</b>	Silty sand, occ. Clayey silt layers and boulders. Very dense
<b>Stratum ID:</b>	6502805			<b>Top Depth(m):</b>	18.6
<b>Bottom Depth(m):</b>	21.8			<b>Stratum Desc:</b>	Bedrock-Dark grey Shale
<b>35</b>	1 of 1	NW/6.4	146.8 / 15.00	Mississauga ON	WWIS
<b>Well ID:</b>	7172524			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	11/26/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7238
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z140460			<b>Owner:</b>	
<b>Tag:</b>	A120156			<b>Street Name:</b>	4180 CAWTHRA BLVD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1003613562			<b>Elevation:</b>	147.52

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611062
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829680
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	31-OCT-11			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004111442  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 01  
**Most Common Material:** FILL  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 77  
**Other Materials:** LOOSE  
**Formation Top Depth:** 0  
**Formation End Depth:** 5  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004111443  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 73  
**Other Materials:** HARD  
**Formation Top Depth:** 5  
**Formation End Depth:** 25  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004111452  
**Layer:** 3  
**Plug From:** 21  
**Plug To:** 25  
**Plug Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**

**Plug ID:** 1004111451

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	2				
<b>Plug From:</b>	3				
<b>Plug To:</b>	21				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004111450				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	3				
<b>Plug Depth UOM:</b>	ft				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1004111449				
<b>Method Construction Code:</b>	E				
<b>Method Construction:</b>	Auger				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1004111441				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1004111446				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0				
<b>Depth To:</b>	6				
<b>Casing Diameter:</b>	2				
<b>Casing Diameter UOM:</b>	inch				
<b>Casing Depth UOM:</b>	ft				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1004111447				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	6				
<b>Screen End Depth:</b>	16				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	ft				
<b>Screen Diameter UOM:</b>	inch				
<b>Screen Diameter:</b>	2				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1004111445				
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>	ft				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1004111444			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>36</u></b>	1 of 1	SE/6.5	109.8 / -22.01	GO TRANSIT QEW WESTBOUND AT CAWTHRA MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SPL
Ref No:	67174			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2/18/1992			Client Type:	
Year:				Sector Type:	
Incident Cause:	PIPE/HOSE LEAK			Source Type:	
Incident Event:				Nearest Watercourse:	
Contaminant Code:				Site Name:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site County/District:	
Contaminant UN No 1:				Site Postal Code:	
Contaminant Qty:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	21102
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
Health/Env Conseq:				Easting:	
MOE Response:				Site Geo Ref Accu:	
Dt MOE Arvl on Scn:				Site Geo Ref Meth:	
MOE Reported Dt:	2/18/1992			Site Map Datum:	
Dt Document Closed:					
Agency Involved:					
SAC Action Class:					
Incident Reason:	OVERSTRESS/OVERPRESSURE				
Incident Summary:	GO TRANSIT - 100 L. OF ETHYLENE GLYCOL TO ROAD FROM BUS				
<b><u>37</u></b>	1 of 1	SE/6.8	109.8 / -22.03	ON	BORE
Borehole ID:	833965			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status:	Decommissioned
Drill Method:	Boring			UTM Zone:	17
Easting:	614427			Northing:	4826581
Location Accuracy:				Orig. Ground Elev m:	103
Elev. Reliability Note:				DEM Ground Elev m:	108
Total Depth m:	15.5			Primary Name:	
Township:	Mississauga			Concession:	
Lot:				Municipality:	
Completion Date:	09-DEC-1974			Static Water Level:	1.4
Primary Water Use:				Sec. Water Use:	
--Details--					
Stratum ID:	6014962			Top Depth(m):	0.0
Bottom Depth(m):	3.1			Stratum Desc:	Silty sand, trace of clay, compact to dense
Stratum ID:	6014963			Top Depth(m):	3.1
Bottom Depth(m):	5.8			Stratum Desc:	Heterogeneous mixture of clayey silt, sand and

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					gravel - glacial till, hard
<b>Stratum ID:</b>	6014964			<b>Top Depth(m):</b>	5.8
<b>Bottom Depth(m):</b>	14.0			<b>Stratum Desc:</b>	Silty sand with gravel and trace of clay, compact to dense
<b>Stratum ID:</b>	6014965			<b>Top Depth(m):</b>	14.0
<b>Bottom Depth(m):</b>	15.5			<b>Stratum Desc:</b>	Bedrock - sound shale
<b>38</b>	1 of 1	NW/6.8	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b>	637652			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	610635			<b>Northing:</b>	4830103
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	149
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	150
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481348			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481349			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	FILL,SAND(59),GRAVEL(27). BROWN,MOIST.
<b>Stratum ID:</b>	218481350			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	SOIL,SAND,SILT,CLAY.GREY.
<b>Stratum ID:</b>	218481351			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	0.8			<b>Stratum Desc:</b>	TILL,SAND,SILT,CLAY.BROWN,GLACIAL,AG E GLACIAL.
<b>Stratum ID:</b>	218481352			<b>Top Depth(m):</b>	0.8
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AG E GLACIAL. 006 015
<b>39</b>	1 of 1	NW/7.2	149.8 / 18.00	Bot Construction (Ontario) Limited 4433 Cawthra Road Mississauga ON	GEN
<b>Generator No.:</b>	ON2950370			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	03,04,05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	231310				
<b>SIC Description:</b>	Highway, Street & Bridge Construction				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">40</a>	1 of 1	NW/7.2	149.8 / 18.00	ON	BORE
<b>Borehole ID:</b>	840977			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	610649			<b>Northing:</b>	4830085
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	148
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	151
<b>Total Depth m:</b>	9			<b>Primary Name:</b>	
<b>Township:</b>	TORONTO			<b>Concession:</b>	CON 2 NORTH OF DUNDAS STREET
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	25-JUN-1973			<b>Static Water Level:</b>	1.1
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6502684			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	9.0			<b>Stratum Desc:</b>	Het. Mix of clayey silt, sand and gravel glacial till (Very stiff to hard) Brown Grey
<a href="#">41</a>	1 of 1	SE/7.5	109.8 / -22.01	ON	BORE
<b>Borehole ID:</b>	649463			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Diamond Drill			<b>UTM Zone:</b>	17
<b>Easting:</b>	614395			<b>Northing:</b>	4826583
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	110
<b>Total Depth m:</b>	9.1			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	JUL-1955			<b>Static Water Level:</b>	.2
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218527058			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.7			<b>Stratum Desc:</b>	SAND, GRAVEL. GREY, COMPACT.
<b>Stratum ID:</b>	218527059			<b>Top Depth(m):</b>	2.7
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	TILL, CLAY, GRAVEL. GREY, VERY DENSE, WATER STABLE AT 338.4 FEET.
<b>Stratum ID:</b>	218527060			<b>Top Depth(m):</b>	5.3
<b>Bottom Depth(m):</b>	5.9			<b>Stratum Desc:</b>	GRAVEL.
<b>Stratum ID:</b>	218527061			<b>Top Depth(m):</b>	5.9
<b>Bottom Depth(m):</b>	7.9			<b>Stratum Desc:</b>	GRAVEL.
<b>Stratum ID:</b>	218527062			<b>Top Depth(m):</b>	7.9
<b>Bottom Depth(m):</b>	9.1			<b>Stratum Desc:</b>	SHALE, CLAY. 0000002600090060
<a href="#">42</a>	1 of 1	NW/7.9	145.8 / 14.00	ON	BORE
<b>Borehole ID:</b>	637725			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611185			<b>Northing:</b>	4829563
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	145
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	145

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Total Depth m:</b> <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> <b>Primary Water Use:</b>	1.1   OCT-1970 Not Used			<b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> <b>Sec. Water Use:</b>	-999.9
<b>--Details--</b>					
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218481584 0.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 ASPHALT.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218481585 0.3			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218481586 0.6			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.3 SOIL,ORGANIC. BLACK.
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218481587 1.1			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.6 TILL,SAND,SILT,CLAY.BROWN,GLACIAL,AGE GLACIAL. 021 T, AGE GLACIAL

<b>43</b>	<b>1 of 1</b>	<b>SE/8.8</b>	<b>109.9 / -21.99</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b> <b>Use:</b> <b>Drill Method:</b> <b>Easting:</b> <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> <b>Primary Water Use:</b>	833972 Geotechnical/Geological Investigation Boring 614401  18 Mississauga  12-DEC-1974			<b>Type:</b> <b>Status:</b> <b>UTM Zone:</b> <b>Northing:</b> <b>Orig. Ground Elev m:</b> <b>DEM Ground Elev m:</b> <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> <b>Sec. Water Use:</b>	Borehole Decommissioned 17 4826547 109 107   6
<b>--Details--</b>					
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	6014987 9.8			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 Fill material, silty sand, traces of gravel and clay, compact to dense, brown to grey; between 6.55m and 9.75m - Silty sand, traces of clay, compact to very dense
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	6014988 11.6			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	9.8 Het. mixture of clayey silt, sand and gravel, glacial till, hard
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	6014989 13.7			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	11.6 Silty sand with gravel & trace of clay, very dense
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	6014990 18.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	13.7 Shale bedrock - weathered to sound

<b>44</b>	<b>1 of 1</b>	<b>SE/9.6</b>	<b>108.5 / -23.38</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b> <b>Use:</b> <b>Drill Method:</b> <b>Easting:</b> <b>Location Accuracy:</b>	647805 Geotechnical/Geological Investigation Power auger 613735			<b>Type:</b> <b>Status:</b> <b>UTM Zone:</b> <b>Northing:</b> <b>Orig. Ground Elev m:</b>	Borehole  17 4827143 107

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 4.3 <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> JUN-1957 <b>Primary Water Use:</b> Not Used				<b>DEM Ground Elev m:</b> 108 <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> .3 <b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218520414			<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b> SAND-FINE,SILT. BROWN,GREY,BEACH,LOOSE, AGE GLACIAL.	
<b>Stratum ID:</b>	218520415			<b>Top Depth(m):</b> 1.5	
<b>Bottom Depth(m):</b>	3.0			<b>Stratum Desc:</b> CLAY,SHALE. GREY,WEATHERED,HARD,LAYERED, AGE GLACIAL, WATER STABLE AT 351.0 FEET.	
<b>Stratum ID:</b>	218520416			<b>Top Depth(m):</b> 3.0	
<b>Bottom Depth(m):</b>	4.3			<b>Stratum Desc:</b> CLAY,SHALE. GREY,WEATHERED,HARD,LAYERED. 00000002000501300010014000002	
<a href="#">45</a>	1 of 1	SE/10.0	109.8 / -22.01	ON	BORE
<b>Borehole ID:</b> 833974 <b>Use:</b> Geotechnical/Geological Investigation <b>Drill Method:</b> Hollow stem auger <b>Easting:</b> 614391 <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> 3.8 <b>Township:</b> Mississauga <b>Lot:</b> <b>Completion Date:</b> 18-APR-1979 <b>Primary Water Use:</b>				<b>Type:</b> Borehole <b>Status:</b> Decommissioned <b>UTM Zone:</b> 17 <b>Northing:</b> 4826591 <b>Orig. Ground Elev m:</b> 103 <b>DEM Ground Elev m:</b> 109 <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> .6 <b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6014996			<b>Top Depth(m):</b> 0.0	
<b>Bottom Depth(m):</b>	1.1			<b>Stratum Desc:</b> Asphalt pavement and sandy roadway fill	
<b>Stratum ID:</b>	6014997			<b>Top Depth(m):</b> 1.1	
<b>Bottom Depth(m):</b>	2.7			<b>Stratum Desc:</b> Uniform fine sand, brown, compact	
<b>Stratum ID:</b>	6014998			<b>Top Depth(m):</b> 2.7	
<b>Bottom Depth(m):</b>	3.8			<b>Stratum Desc:</b> Glacial till - grey, hard	
<a href="#">46</a>	1 of 1	NW/10.0	143.8 / 12.00	MISSISSAUGA ON	WWIS
<b>Well ID:</b> 4910285 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z52275 <b>Tag:</b> A043894 <b>Construction Method:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 8/4/2006 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> <b>Contractor:</b> 6607 <b>Form Version:</b> 3 <b>Owner:</b> <b>Street Name:</b> 3670 CAWTHRA ROAD <b>County:</b> PEEL	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	MISSISSAUGA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	11555519	Elevation:	142.65
DP2BR:	11	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	611505
Code OB Desc:	Bedrock	Org CS:	UTM83
Open Hole:		North83:	4829165
Cluster Kind:		UTMRC:	3
Date Completed:	21-JUL-06	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	933065459
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	28
Other Materials:	SAND
Mat3:	05
Other Materials:	CLAY
Formation Top Depth:	.3
Formation End Depth:	3.3
Formation End Depth UOM:	m

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	933065458
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28
Most Common Material:	SAND
Mat2:	02
Other Materials:	TOPSOIL
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	.3
Formation End Depth UOM:	m

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933065460			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		92			
<b>Other Materials:</b>		WEATHERED			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3.3			
<b>Formation End Depth:</b>		4.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933298050			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.9			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		964910285			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11565126			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930884247			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.1			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		933419545			
<b>Layer:</b>		1			
<b>Slot:</b>		20			
<b>Screen Top Depth:</b>		1.1			
<b>Screen End Depth:</b>		4.1			
<b>Screen Material:</b>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<b><u>Water Details</u></b>					
Water ID:		934078613			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		2.7			
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		11687135			
Diameter:		21			
Depth From:		0			
Depth To:		4.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">47</a>	1 of 1	NW/10.5	149.8 / 18.00	ON	BORE
Borehole ID:	637651			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status:	
Drill Method:	Power auger			UTM Zone:	17
Easting:	610730			Northing:	4830018
Location Accuracy:				Orig. Ground Elev m:	148
Elev. Reliability Note:				DEM Ground Elev m:	150
Total Depth m:	1.5			Primary Name:	
Township:				Concession:	
Lot:				Municipality:	
Completion Date:	OCT-1970			Static Water Level:	-999.9
Primary Water Use:	Not Used			Sec. Water Use:	
<b><u>--Details--</u></b>					
Stratum ID:	218481344			Top Depth(m):	0.0
Bottom Depth(m):	0.1			Stratum Desc:	ASPHALT.
Stratum ID:	218481345			Top Depth(m):	0.1
Bottom Depth(m):	0.2			Stratum Desc:	FILL,SAND,GRAVEL. BROWN,MOIST.
Stratum ID:	218481346			Top Depth(m):	0.2
Bottom Depth(m):	0.5			Stratum Desc:	SOIL,SAND,SILT,CLAY.GREY.
Stratum ID:	218481347			Top Depth(m):	0.5
Bottom Depth(m):	1.5			Stratum Desc:	TILL,SAND(33), CLAY(27),SILT. BROWN,GLACIAL,AGE GLACIAL.
					026 078

<a href="#">48</a>	1 of 2	SE/11.0	108.2 / -23.61	MISSISSAUGA HYDRO ORWELL STREET, NEAR CAWTHRA & QUEENSWAY TRANSFORMER MISSISSAUGA CITY ON	SPL
Ref No:	100938			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	6/8/1994			Client Type:	
Year:				Sector Type:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Cause:</b>	PROCESS UPSET			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Water course or lake			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	6/8/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	OTHER				
<b>Incident Summary:</b>	MISSISSAUGA HYDRO: OIL FROM TRANSFORMER WASHED AWAY BY WATERMAIN BREAK.				

<a href="#">48</a>	2 of 2	SE/11.0	108.2 / -23.61	<b>PUC</b> <b>ORWELL STREET, NEAR CAWTHRA &amp; QUEENSWAY WATERWORKS</b> <b>MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	100939			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	6/8/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Other			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	6/8/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	UNKNOWN				
<b>Incident Summary:</b>	REGION OF PEEL: WATERMAINBREAK CAUSED PROPERTY DAMAGE & SPILL OF OIL.				

<a href="#">49</a>	1 of 1	SE/11.3	109.8 / -22.01	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	833970			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	614375			<b>Northing:</b>	4826612
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	109

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Total Depth m:</b>	7.8			<b>Primary Name:</b>	
<b>Township:</b>	Mississauga			<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	09-DEC-1974			<b>Static Water Level:</b>	1.5
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6014981			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.9			<b>Stratum Desc:</b>	Silty sand, trace of clay, dense
<b>Stratum ID:</b>	6014982			<b>Top Depth(m):</b>	2.9
<b>Bottom Depth(m):</b>	4.6			<b>Stratum Desc:</b>	Heterogeneous mixture of clayey silt, sand and gravel - glacial till, hard
<b>Stratum ID:</b>	6014983			<b>Top Depth(m):</b>	4.6
<b>Bottom Depth(m):</b>	7.8			<b>Stratum Desc:</b>	Silty sand, trace of clay, dense to very dense

<u>50</u>	1 of 1	NW/11.3	146.8 / 15.00	ON	BORE
<b>Borehole ID:</b>	637728			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611095			<b>Northing:</b>	4829653
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	146
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	146
<b>Total Depth m:</b>	1.1			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481596			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.1			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481597			<b>Top Depth(m):</b>	0.1
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481598			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.4			<b>Stratum Desc:</b>	SOIL,ORGANIC,SILT, CLAY. BLACK.
<b>Stratum ID:</b>	218481599			<b>Top Depth(m):</b>	0.4
<b>Bottom Depth(m):</b>	1.1			<b>Stratum Desc:</b>	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL. 018 011

<u>51</u>	1 of 1	NW/11.8	147.8 / 16.00	ON	BORE
<b>Borehole ID:</b>	637649			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	610970			<b>Northing:</b>	4829778
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	148
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	148
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Stratum ID:</b>	218481334			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481335			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481336			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	SOIL,SILT,CLAY. GREY.
<b>Stratum ID:</b>	218481337			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.4			<b>Stratum Desc:</b>	TILL,SAND,SILT. GREY,GLACIAL,AGE GLACIAL.
<b>Stratum ID:</b>	218481338			<b>Top Depth(m):</b>	0.4
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SAND,SILT,CLAY.BROWN,GLACIAL,AGE GLACIAL. 013

<b>52</b>	1 of 1	NW/11.9	146.8 / 15.00	ON	BORE
<b>Borehole ID:</b>	637727			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611130			<b>Northing:</b>	4829618
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	145
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	146
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481592			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218481593			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN.
<b>Stratum ID:</b>	218481594			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	SOIL. BLACK.
<b>Stratum ID:</b>	218481595			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SAND(35), SILT(34),CLAY. BROWN,GLACIAL,AGE GLACIAL. 012

<b>53</b>	1 of 2	NW/12.2	145.8 / 14.00	PETRO-CANADA CAWTHRA AND RATHBORN RDS. SERVICE STATION MISSISSAUGA CITY ON	SPL
<b>Ref No:</b>	9379			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	9/15/1988			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	UNDERGROUND TANK LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				<b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
				<b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 9/15/1988 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> PETROCANADA -UNDERGROUND TANK LEAK AT SERVICE STN.QTY YET UNKNOWN.	
<a href="#">53</a>	2 of 2	NW/12.2	145.8 / 14.00	Ne corner of Cawthra Rd and Rathburn Rd Mississauga ON	SPL
				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Motor Vehicle <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> TT Diesel Spill<UNOFFICIAL> <b>Site Address:</b> Ne corner of Cawthra Rd and Rathburn Rd <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
				<b>Ref No:</b> 5572-8HPL2Y <b>Site No:</b> <b>Incident Dt:</b> 6/10/2011 <b>Year:</b> <b>Incident Cause:</b> Discharge Or Bypass To A Watercourse <b>Incident Event:</b> <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 250 L <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/10/2011 <b>Dt Document Closed:</b> 6/29/2011 <b>Agency Involved:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Incident Reason:</b> Spill <b>Incident Summary:</b> M&B Haulage: 250L diesel to rdway/cb; cont&clng.	
<a href="#">54</a>	1 of 1	NW/12.4	148.8 / 17.00	DR. KINGSLEY RATNANATHER CAWTHRA RD./MEADOWS BLVD. MISSISSAUGA CITY ON	CA
				<b>Certificate #:</b> 3-0093-99- <b>Application Year:</b> 99 <b>Issue Date:</b> 2/25/1999 <b>Approval Type:</b> Municipal sewage <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">55</a>	1 of 1	NW/12.5	148.8 / 17.00	ON	BORE
<b>Borehole ID:</b>	637650			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	610850			<b>Northing:</b>	4829903
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	148
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	148
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481339			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT,SAND,GRAVEL.
<b>Stratum ID:</b>	218481340			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	FILL,SAND,GRAVEL. BROWN,MOIST.
<b>Stratum ID:</b>	218481341			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	0.3			<b>Stratum Desc:</b>	SOIL,SILT,CLAY. GREY.
<b>Stratum ID:</b>	218481342			<b>Top Depth(m):</b>	0.3
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	TILL,SAND,SILT,CLAY.BROWN,GLACIAL,AGE GLACIAL.
<b>Stratum ID:</b>	218481343			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	TILL,SILT,SAND. BROWN,GLACIAL,AGE GLACIAL. 013
<a href="#">56</a>	1 of 1	NW/12.6	144.8 / 13.00	ON	WWIS
<b>Well ID:</b>	7183444			<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	12/29/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>				<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6809
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M07951			<b>Owner:</b>	
<b>Tag:</b>	A100812			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	1004195584			<b>Elevation:</b>	143.8
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611434
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829245
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-OCT-10			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<u>57</u>	1 of 1	SE/12.7	108.9 / -22.95	ON	BORE
<b>Borehole ID:</b>	649204			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Diamond Drill			<b>UTM Zone:</b>	17
<b>Easting:</b>	613720			<b>Northing:</b>	4827138
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	107
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	108
<b>Total Depth m:</b>	4.3			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	JUN-1957			<b>Static Water Level:</b>	.5
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218526148			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	1.5			<b>Stratum Desc:</b>	SAND,SILT. BROWN,GREY,VERY LOOSE, AGE GLACIAL, WATER STABLE AT 352.5 FEET.
<b>Stratum ID:</b>	218526149			<b>Top Depth(m):</b>	1.5
<b>Bottom Depth(m):</b>	4.3			<b>Stratum Desc:</b>	CLAY,SHALE. GREY,HARD,LAYERED,AGE GLACIAL.000190020004837300008R
<b>Stratum ID:</b>	218526147			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	SOIL,LOAM. BROWN,AGE POST-GLACIAL.

<u>58</u>	1 of 1	NW/13.2	145.8 / 14.00	ON	BORE
<b>Borehole ID:</b>	637724			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611215			<b>Northing:</b>	4829543
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	145
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	145
<b>Total Depth m:</b>	1.5			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	OCT-1970			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218481583			<b>Top Depth(m):</b>	0.3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bottom Depth(m):	1.5			Stratum Desc:	TILL,SILT,SAND,CLAY.BROWN,GLACIAL,AGE GLACIAL. 019 T, AGE GLACIAL
Stratum ID:	218481580			Top Depth(m):	0.0
Bottom Depth(m):	0.1			Stratum Desc:	ASPHALT.
Stratum ID:	218481581			Top Depth(m):	0.1
Bottom Depth(m):	0.1			Stratum Desc:	FILL,SAND,GRAVEL. BROWN.
Stratum ID:	218481582			Top Depth(m):	0.1
Bottom Depth(m):	0.3			Stratum Desc:	SOIL,SILT,CLAY. GREY,MOIST.

<a href="#">59</a>	1 of 1	SE/13.7	119.8 / -12.00	PRIMO ARGO BRICK DUNDAS ST EAST/CAWTHRA RD. 375 DUNDAS ST EAST ABANDONED SITE MISSISSAUGA CITY ON	SPL
Ref No:	107748			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	11/27/1994			Client Type:	
Year:				Sector Type:	
Incident Cause:	OTHER CAUSE (N.O.S.)			Source Type:	
Incident Event:				Nearest Watercourse:	
Contaminant Code:				Site Name:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site County/District:	
Contaminant UN No 1:				Site Postal Code:	
Contaminant Qty:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	21102
Nature of Impact:	Multi Media Pollution			Site Lot:	
Receiving Medium:	AIR			Site Conc:	
Receiving Env:				Northing:	
Health/Env Conseq:				Easting:	REGION,FD,PD.
MOE Response:				Site Geo Ref Accu:	
Dt MOE Arvl on Scn:				Site Geo Ref Meth:	
MOE Reported Dt:	11/27/1994			Site Map Datum:	
Dt Document Closed:					
Agency Involved:					
SAC Action Class:					
Incident Reason:	FIRE/EXPLOSION				
Incident Summary:	PRIMO ARGO BRICK-UKN QTY ASBESTOS BURNED IN FIRE, PCB'S SECURE,FD,PD,REGION				

<a href="#">60</a>	1 of 1	SE/14.0	109.9 / -21.99	ON	BORE
Borehole ID:	833846			Type:	Borehole
Use:	Geotechnical/Geological Investigation			Status:	Decommissioned
Drill Method:	Not known			UTM Zone:	17
Easting:	614386			Northing:	4826559
Location Accuracy:				Orig. Ground Elev m:	103
Elev. Reliability Note:				DEM Ground Elev m:	106
Total Depth m:	5.3			Primary Name:	
Township:				Concession:	
Lot:				Municipality:	
Completion Date:	18-JUL-1955			Static Water Level:	1.6
Primary Water Use:				Sec. Water Use:	
--Details--					
Stratum ID:	6014619			Top Depth(m):	0.0
Bottom Depth(m):	2.7			Stratum Desc:	Loose sand, brown; dense, brownish-grey

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					sand; very dense, fine, grey, sand
<b>Stratum ID:</b>	6014620			<b>Top Depth(m):</b>	2.7
<b>Bottom Depth(m):</b>	3.5			<b>Stratum Desc:</b>	Glacial till - extremely stiff, grey, clay with gravel
<b>Stratum ID:</b>	6014621			<b>Top Depth(m):</b>	3.5
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	Alternating slabs of shale and hard clay with gravel, apparently glacial till
<a href="#">61</a>	1 of 2	SE/14.4	119.8 / -12.00	MISSISSAUGA HYDRO ON CAWTHRA RD. JUST SOUTH OF DUNDAS TRANSFORMER MISSISSAUGA CITY ON	SPL
<b>Ref No:</b>	107043			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	11/4/1994			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	POLICE, REGION OF PEEL
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	11/4/1994			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	ERROR				
<b>Incident Summary:</b>	MISSISSAUGA HYDRO - 765 L OF TRANSFORMER OIL TO SEWER FROM TRANSFORMERS.				
<a href="#">61</a>	2 of 2	SE/14.4	119.8 / -12.00	PEEL, REGIONAL MUNICIPALITY OF CAWTHRA RD JUST N. OF DUNDAS RD FORCEMAIN MISSISSAUGA CITY ON	SPL
<b>Ref No:</b>	146847			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	9/22/1997			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 9/22/1997 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ERROR <b>Incident Summary:</b> REG. OF PEEL-SEWAGE MAIN RUPTURED. WORKS REPAIRING CONTRACTOR'S ERROR.				<b>Easting:</b> WORKS <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">62</a>	1 of 1	SE/14.5	116.9 / -14.94	2526 Cawthra Rd Mississauga ON L5A2W7	EHS
<b>Order No:</b> 20140925001 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 01-OCT-14 <b>Date Received:</b> 25-SEP-14 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> 0.45 Hectares <b>Additional Info Ordered:</b> Title Searches				<b>Nearest Intersection:</b> <b>Municipality:</b> Peel Region - Mississauga <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.597052 <b>Y:</b> 43.592622	
<a href="#">63</a>	1 of 1	NW/14.9	140.8 / 9.00	Mississauga Hydro (Enersource) 3460 Cawthra rd.<UNOFFICIAL> Mississauga ON L5A 2X7	SPL
<b>Ref No:</b> 8658-6D2UDW <b>Site No:</b> <b>Incident Dt:</b> 6/4/2005 <b>Year:</b> <b>Incident Cause:</b> Other Discharges <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> TRANSFORMER OIL (N.O.S.) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 4 L <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> Land <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/4/2005 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> Spills to Land <b>Incident Reason:</b> Unknown - Reason not determined <b>Incident Summary:</b> Mississauga Hydro-Small X-former oil leak to grnd				<b>Discharger Report:</b> 0 <b>Material Group:</b> Oil <b>Client Type:</b> <b>Sector Type:</b> Transformer <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> 3460 Cawthra rd.<UNOFFICIAL> <b>Site Address:</b> <b>Site District Office:</b> Halton-Peel <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">64</a>	1 of 3	SE/15.2	129.8 / -2.00	3071 CAWTHRA RD, MISSISSAUGA ON	PINC
<b>Incident ID:</b> <b>Incident No:</b> 1463842 <b>Type:</b> FS-Pipeline Incident <b>Status Code:</b> Pipeline Damage Reason Est <b>Fuel Occurrence Tp:</b>				<b>Health Impact:</b> <b>Environment Impact:</b> <b>Property Damage:</b> Yes <b>Service Interupt:</b> <b>Enforce Policy:</b> Yes	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fuel Type:</b>				<b>Public Relation:</b>	
<b>Tank Status:</b>	RC Established			<b>Pipeline System:</b>	
<b>Task No:</b>	5148796			<b>Depth:</b>	
<b>Spills Action Centre:</b>				<b>Pipe Material:</b>	
<b>Method Details:</b>	E-mail			<b>PSIG:</b>	
<b>Fuel Category:</b>	Natural Gas			<b>Attribute Category:</b>	FS-Perform P-line Inc Invest
<b>Date of Occurrence:</b>				<b>Regulator Location:</b>	
<b>Occurrence Start Date:</b>	2014/08/21				
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>		3071 CAWTHRA RD, MISSISSAUGA - PIPELINE HIT - 2"			
<b>Reported By:</b>		Norman Li - Enbridge			
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>		No notification made to the one call center			
<b>Notes:</b>					

<a href="#">64</a>	2 of 3	SE/15.2	129.8 / -2.00	3071 CAWTHRA ROAD, MISSISSAUGA ON	PINC
<b>Incident ID:</b>				<b>Health Impact:</b>	
<b>Incident No:</b>	1456654			<b>Environment Impact:</b>	
<b>Type:</b>	FS-Pipeline Incident			<b>Property Damage:</b>	Yes
<b>Status Code:</b>	Pipeline Damage Reason Est			<b>Service Interupt:</b>	
<b>Fuel Occurrence Tp:</b>				<b>Enforce Policy:</b>	Yes
<b>Fuel Type:</b>				<b>Public Relation:</b>	
<b>Tank Status:</b>	RC Established			<b>Pipeline System:</b>	
<b>Task No:</b>	5135378			<b>Depth:</b>	
<b>Spills Action Centre:</b>				<b>Pipe Material:</b>	
<b>Method Details:</b>	E-mail			<b>PSIG:</b>	
<b>Fuel Category:</b>	Natural Gas			<b>Attribute Category:</b>	FS-Perform P-line Inc Invest
<b>Date of Occurrence:</b>				<b>Regulator Location:</b>	
<b>Occurrence Start Date:</b>	2014/08/21				
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>		3071 CAWTHRA ROAD, MISSISSAUGA - PIPELINE HIT - 1"			
<b>Reported By:</b>		Peter Bettiol - Enbridge			
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>		No notification made to the one call center			
<b>Notes:</b>					

<a href="#">64</a>	3 of 3	SE/15.2	129.8 / -2.00	Waste Connections of Canada Inc. 3071 Cawthra Road Mississauga ON	SPL
<b>Ref No:</b>	4137-B2SPAE			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2018/07/18			<b>Client Type:</b>	Corporation
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	Truck - Transport/Hauling
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	spill site<UNOFFICIAL>
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	3071 Cawthra Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	Regional Municipality of Peel
<b>Contaminant UN No 1:</b>	n/a			<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	45 L			<b>Site Region:</b>	Central

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>Health/Env Conseq:</b> 2 - Minor Environment <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2018/07/18 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> Land Spills <b>Incident Reason:</b> Equipment Failure <b>Incident Summary:</b> ~ 45 L hydraulic oil to road, 2cbs, cntd & clng				<b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> 4828024 <b>Easting:</b> 612851 <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">65</a>	1 of 1	SE/15.8	105.8 / -26.00	671 TEDWYN DRIVE, MISSISSAUGA ON L5A 1K4	INC
<b>Incident No:</b> 248296 <b>Incident ID:</b> 2399656 <b>Attribute Category:</b> FS-Incident <b>Status Code:</b> Causal Analysis Complete <b>Incident Location:</b> 671 TEDWYN DRIVE, MISSISSAUGA - 1/2" PIPELINE HIT <b>Drainage System:</b> <b>Sub Surface Contam.:</b> <b>Aff. Prop. Use Water:</b> <b>Contam. Migrated:</b> <b>Contact Natural Env.:</b> <b>Near Body of Water:</b> <b>Approx. Quant. Rel.:</b> <b>Equipment Model:</b> <b>Serial No:</b> <b>Residential App. Type:</b> <b>Commercial App. Type:</b> <b>Industrial App. Type:</b> <b>Institutional App. Type:</b> <b>Venting Type:</b> <b>Vent Connector Mater:</b> <b>Vent Chimney Mater:</b> <b>Pipeline Type:</b> Service / Riser Distribution Pipeline <b>Pipeline Involved:</b> <b>Pipe Material:</b> Plastic <b>Depth Ground Cover:</b> <b>Regulator Location:</b> Outside <b>Regulator Type:</b> Service Regulator (up to 60 psi intake) <b>Operation Pressure:</b> IP <b>Liquid Prop Make:</b> <b>Liquid Prop Model:</b> <b>Liquid Prop Serial No:</b> <b>Equipment Type:</b> <b>Cylinder Capacity:</b> <b>Cylinder Capac. Units:</b> <b>Cylinder Material Type:</b> <b>Tank Capacity:</b> <b>Fuels Occurrence Type:</b> <b>Fuel Type Involved:</b> <b>Date of Occurrence:</b> <b>Time of Occurrence:</b> <b>Occur Insp Start Date:</b> <b>Any Health Impact:</b> <b>Any Environmental Impact:</b> <b>Was Service Interrupted:</b> <b>Was Property Damaged:</b> <b>Operation Type Involved:</b> <b>Enforcement Policy:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Prc Escalation Required:</b> <b>Task No:</b> <b>Notes:</b> <b>Occurrence Narrative:</b> <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Capac:</b> <b>Liquid Prop Notes:</b>					
<a href="#">66</a>	1 of 1	NW/16.1	149.8 / 18.00	<b>TRANSPORT TRUCK  HWY 403 AT EASTGATE PARKWAY,  MISSISSAUGA MOTOR VEHICLE (OPERATING  FLUID)  MISSISSAUGA CITY ON</b>	<a href="#">SPL</a>
<b>Ref No:</b> 180257 <b>Site No:</b> <b>Incident Dt:</b> 5/2/2000 <b>Year:</b> <b>Incident Cause:</b> OTHER TRANSPORTATION ACCIDENT <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/2/2000 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> ADVERSE ROAD CONDITION <b>Incident Summary:</b> TRANSPORT TRUCK-SPILL OF 300 L OF DIESEL FROM FUEL TANKS INTO DITCH.					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> REGION OF PEEL <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>					

<a href="#">67</a>	1 of 1	NW/16.5	143.8 / 12.00	<b>Mississauga ON</b>	<a href="#">WWIS</a>
<b>Well ID:</b> 7116449 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring <b>Sec. Water Use:</b> <b>Final Well Status:</b> Abandoned-Other <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> M03979 <b>Tag:</b> A043894 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b>					
<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 12/11/2008 <b>Selected Flag:</b> Yes <b>Abandonment Rec:</b> Yes <b>Contractor:</b> 6607 <b>Form Version:</b> 5 <b>Owner:</b> <b>Street Name:</b> 3670 CAWTHRA RD. <b>County:</b> PEEL <b>Municipality:</b> MISSISSAUGA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001909708			<b>Elevation:</b>	142.66
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611502
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>	N			<b>North83:</b>	4829159
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	10-NOV-08			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002786958				
<b>Layer:</b>	1				
<b>Plug From:</b>	0				
<b>Plug To:</b>	4				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002786960				
<b>Method Construction Code:</b>	6				
<b>Method Construction:</b>	Boring				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002786955				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>	1002786956				
<b>Pump Set At:</b>					
<b>Static Level:</b>	2.4				
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>	m				
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>	0				
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>	0				
<b>Pumping Duration HR:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b>Hole Diameter</b>					
Hole ID:		1002786957			
Diameter:		21			
Depth From:		0			
Depth To:		4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<b>68</b>	<b>1 of 1</b>	<b>SE/16.5</b>	<b>129.8 / -2.00</b>	<b>MISSISSAUGA ON</b>	<b>WWIS</b>
<b>Well ID:</b>	4909828			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	7/13/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6607
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z17125			<b>Owner:</b>	
<b>Tag:</b>	A014542			<b>Street Name:</b>	3100 CAWTHRA RD.
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	11323561	<b>Elevation:</b>	130.15
<b>DP2BR:</b>	26	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>	r	<b>East83:</b>	612773
<b>Code OB Desc:</b>	Bedrock	<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4827980
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	16-SEP-04	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	933021550
<b>Layer:</b>	3
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Most Common Material:</b>					
<b>Mat2:</b>		SILT			
<b>Other Materials:</b>		28			
<b>Mat3:</b>		SAND			
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3.4			
<b>Formation End Depth:</b>		3.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933021554			
<b>Layer:</b>		7			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		26			
<b>Other Materials:</b>		ROCK			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		7.9			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933021549			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		3.4			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933021552			
<b>Layer:</b>		5			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		4.6			
<b>Formation End Depth:</b>		6.7			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		933021551			
<b>Layer:</b>		4			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		08			
<b>Most Common Material:</b>		FINE SAND			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3.7			
<b>Formation End Depth:</b>		4.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933021548			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933021553			
<b>Layer:</b>		6			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		91			
<b>Other Materials:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		6.7			
<b>Formation End Depth:</b>		7.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933272506			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933272505			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Layer:</i>	2				
<i>Plug From:</i>	.3				
<i>Plug To:</i>	8.2				
<i>Plug Depth UOM:</i>	m				
 <b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>	964909828				
<i>Method Construction Code:</i>	6				
<i>Method Construction:</i>	Boring				
<i>Other Method Construction:</i>					
 <b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>	11338416				
<i>Casing No:</i>	1				
<i>Comment:</i>					
<i>Alt Name:</i>					
 <b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>	930866617				
<i>Layer:</i>	1				
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>	0				
<i>Depth To:</i>	8.5				
<i>Casing Diameter:</i>	5				
<i>Casing Diameter UOM:</i>	cm				
<i>Casing Depth UOM:</i>	m				
 <b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>	933413538				
<i>Layer:</i>	1				
<i>Slot:</i>	10				
<i>Screen Top Depth:</i>	8.5				
<i>Screen End Depth:</i>	10				
<i>Screen Material:</i>	5				
<i>Screen Depth UOM:</i>	m				
<i>Screen Diameter UOM:</i>	cm				
<i>Screen Diameter:</i>	6.4				
 <b><u>Water Details</u></b>					
<i>Water ID:</i>	934062102				
<i>Layer:</i>	1				
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>	7.6				
<i>Water Found Depth UOM:</i>	m				
 <b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>	11543442				
<i>Diameter:</i>	21				
<i>Depth From:</i>	0				
<i>Depth To:</i>	10				
<i>Hole Depth UOM:</i>	m				
<i>Hole Diameter UOM:</i>	cm				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">69</a>	1 of 1	SE/17.3	129.8 / -2.00	TTR TRANSPORT CAWTHRA BLVD. & SILVER CREEK BLVD. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SPL
<b>Ref No:</b>	89881			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	8/16/1993			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Other			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Eastings:</b>	FIRE, POLICE, REGION
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/16/1993			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	EQUIPMENT FAILURE				
<b>Incident Summary:</b>	TTR TRANSPORT - 180 L OF DIESEL FUEL TO ROAD & SEWER FROM TRUCK.				

<a href="#">70</a>	1 of 1	NW/18.5	149.8 / 18.00	Mississauga ON	WWIS
<b>Well ID:</b>	7140733			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	3/1/2010
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6809
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M05890			<b>Owner:</b>	
<b>Tag:</b>	A089238			<b>Street Name:</b>	EASTGATE PARKWAY AND CAWTHRA RD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Eastings NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002943341			<b>Elevation:</b>	149.82
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	610704

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>	N			<b>North83:</b>	4830099
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-NOV-09			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1003281332  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 34  
**Other Materials:** TILL  
**Mat3:** 11  
**Other Materials:** GRAVEL  
**Formation Top Depth:** 10  
**Formation End Depth:** 26  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1003281331  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 34  
**Other Materials:** TILL  
**Mat3:** 01  
**Other Materials:** FILL  
**Formation Top Depth:** 0  
**Formation End Depth:** 10  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1003281333  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 06  
**Other Materials:** SILT  
**Formation Top Depth:** 26  
**Formation End Depth:** 32  
**Formation End Depth UOM:** ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003281335			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003281337			
<i>Layer:</i>		3			
<i>Plug From:</i>		2			
<i>Plug To:</i>		24.5			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003281338			
<i>Layer:</i>		4			
<i>Plug From:</i>		24.5			
<i>Plug To:</i>		25.5			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003281339			
<i>Layer:</i>		5			
<i>Plug From:</i>		25.5			
<i>Plug To:</i>		32			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003281336			
<i>Layer:</i>		2			
<i>Plug From:</i>		1			
<i>Plug To:</i>		2			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1003281345			
<i>Method Construction Code:</i>		E			
<i>Method Construction:</i>		Auger			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1003281330			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1003281341  
**Layer:** 2  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 27  
**Depth To:** 32  
**Casing Diameter:** 2  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Casing**

**Casing ID:** 1003281340  
**Layer:** 1  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:** 3  
**Depth To:** 27  
**Casing Diameter:** 2  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Construction Record - Screen**

**Screen ID:** 1003281342  
**Layer:** 1  
**Slot:** .01  
**Screen Top Depth:**  
**Screen End Depth:**  
**Screen Material:** 5  
**Screen Depth UOM:** ft  
**Screen Diameter UOM:** inch  
**Screen Diameter:** 2

**Hole Diameter**

**Hole ID:** 1003281334  
**Diameter:** 8  
**Depth From:** 0  
**Depth To:** 32  
**Hole Depth UOM:** ft  
**Hole Diameter UOM:** inch

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003281321	<b>Elevation:</b>	149.79
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	610705
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4830098
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-NOV-09	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003281325			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003281324			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003281326			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003281328			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		22			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003281327			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		19			
<b>Screen End Depth:</b>		24			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003281329			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water State After Test Code:</b> <b>Water State After Test:</b> <b>Pumping Test Method:</b> <b>Pumping Duration HR:</b> <b>Pumping Duration MIN:</b> <b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003281323			
<b>Diameter:</b>		8			
<b>Depth From:</b>					
<b>Depth To:</b>		24			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">71</a>	1 of 1	SE/18.8	109.8 / -22.00	MISSISSAUGA ON	WWIS
<b>Well ID:</b>	7161951			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	4/18/2011
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z129110			<b>Owner:</b>	
<b>Tag:</b>	A111949			<b>Street Name:</b>	2395 -2399 CAWTHRA RD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003497119			<b>Elevation:</b>	110.06
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	613544
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4827351
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	22-MAR-11			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1003874640

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		2			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003874642			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		10			
<b>Formation End Depth:</b>		15			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003874641			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Other Materials:</b>		CLAY			
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		2			
<b>Formation End Depth:</b>		10			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003874651			
<b>Layer:</b>		3			
<b>Plug From:</b>		4			
<b>Plug To:</b>		15			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003874650			
<b>Layer:</b>		2			
<b>Plug From:</b>		1			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug To:</i>		4			
<i>Plug Depth UOM:</i>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003874649			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1003874648			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1003874639			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1003874645			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		5			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1003874646			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		5			
<i>Screen End Depth:</i>		15			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1003874644			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1003874643			
Diameter:		8			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<b><u>72</u></b>	<b>1 of 1</b>	<b>SE/19.1</b>	<b>109.8 / -22.01</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	649464			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Diamond Drill			<b>UTM Zone:</b>	17
<b>Easting:</b>	614355			<b>Northing:</b>	4826583
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	105
<b>Total Depth m:</b>	5.3			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	JUL-1955			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218527063			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.0			<b>Stratum Desc:</b>	SAND. BROWN, LOOSE TO COMPACT.
<b>Stratum ID:</b>	218527064			<b>Top Depth(m):</b>	2.0
<b>Bottom Depth(m):</b>	3.5			<b>Stratum Desc:</b>	TILL, CLAY, GRAVEL. DENSE.
<b>Stratum ID:</b>	218527065			<b>Top Depth(m):</b>	3.5
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	CLAY, SAND, SILT, GRAVEL. 0000001400065033GRAVEL.
<b><u>73</u></b>	<b>1 of 1</b>	<b>NW/19.9</b>	<b>140.8 / 9.00</b>	<b>Quantum Murray LP 3447 Cawthra Road Mississauga ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON6063618			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	All Other Miscellaneous Manufacturing				
<b><u>74</u></b>	<b>1 of 1</b>	<b>SE/20.4</b>	<b>109.9 / -21.99</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	833971			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Boring			<b>UTM Zone:</b>	17
<b>Easting:</b>	614382			<b>Northing:</b>	4826554
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	104
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	105
<b>Total Depth m:</b>	7.9			<b>Primary Name:</b>	
<b>Township:</b>	Mississauga			<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	16-DEC-1974			<b>Static Water Level:</b>	1.3
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Stratum ID:</b>	6014984			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.6			<b>Stratum Desc:</b>	Silty sand, trace of clay, compact
<b>Stratum ID:</b>	6014985			<b>Top Depth(m):</b>	2.6
<b>Bottom Depth(m):</b>	5.9			<b>Stratum Desc:</b>	Heterogeneous mixture of silt, sand and gravel - glacial till, very stiff to hard
<b>Stratum ID:</b>	6014986			<b>Top Depth(m):</b>	5.9
<b>Bottom Depth(m):</b>	7.9			<b>Stratum Desc:</b>	Shale bedrock - weathered to sound
<b>75</b>	<b>1 of 1</b>	<b>SE/20.6</b>	<b>109.8 / -22.01</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	833847			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	Decommissioned
<b>Drill Method:</b>	Not known			<b>UTM Zone:</b>	17
<b>Easting:</b>	614363			<b>Northing:</b>	4826577
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	106
<b>Total Depth m:</b>	5.9			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	18-JUL-1955			<b>Static Water Level:</b>	1.5
<b>Primary Water Use:</b>				<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	6014624			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.6			<b>Stratum Desc:</b>	Loose, brown, sand, compact sand, dense sandy gravel
<b>Stratum ID:</b>	6014625			<b>Top Depth(m):</b>	2.6
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	Glacial till - extremely stiff, grey, clay with gravel
<b>Stratum ID:</b>	6014626			<b>Top Depth(m):</b>	5.3
<b>Bottom Depth(m):</b>	5.9			<b>Stratum Desc:</b>	Coarse gravel
<b>76</b>	<b>1 of 1</b>	<b>SE/20.6</b>	<b>109.8 / -22.00</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	649462			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Diamond Drill			<b>UTM Zone:</b>	17
<b>Easting:</b>	614375			<b>Northing:</b>	4826563
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	103
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	106
<b>Total Depth m:</b>	5.3			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	JUL-1955			<b>Static Water Level:</b>	.2
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218527055			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	2.7			<b>Stratum Desc:</b>	SAND. BROWN,VERY DENSE.
<b>Stratum ID:</b>	218527056			<b>Top Depth(m):</b>	2.7
<b>Bottom Depth(m):</b>	3.5			<b>Stratum Desc:</b>	TILL,CLAY,GRAVEL. GREY,DENSE, WATER

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
					STABLE AT 338.8 FEET.
<b>Stratum ID:</b>	218527057			<b>Top Depth(m):</b>	3.5
<b>Bottom Depth(m):</b>	5.3			<b>Stratum Desc:</b>	TILL,CLAY,GRAVEL, SHALE. 000000900090040.

<u>77</u>	1 of 2	NW/20.6	140.8 / 9.00	3453 Cawthra Road, Mississauga ON	INC
<b>Incident No:</b>		742312			
<b>Incident ID:</b>		2899368			
<b>Attribute Category:</b>		FS-Perform L1 Incident Insp			
<b>Status Code:</b>		Causal Analysis Complete			
<b>Incident Location:</b>		3453 Cawthra Road, Mississauga - Vapour Release			
<b>Drainage System:</b>					
<b>Sub Surface Contam.:</b>					
<b>Aff. Prop. Use Water:</b>					
<b>Contam. Migrated:</b>					
<b>Contact Natural Env.:</b>					
<b>Near Body of Water:</b>					
<b>Approx. Quant. Rel.:</b>					
<b>Equipment Model:</b>					
<b>Serial No:</b>					
<b>Residential App. Type:</b>					
<b>Commercial App. Type:</b>					
<b>Industrial App. Type:</b>					
<b>Institutional App. Type:</b>					
<b>Venting Type:</b>					
<b>Vent Connector Mater:</b>					
<b>Vent Chimney Mater:</b>					
<b>Pipeline Type:</b>		Service / Riser Distribution Pipeline			
<b>Pipeline Involved:</b>					
<b>Pipe Material:</b>		Copper			
<b>Depth Ground Cover:</b>		n/a			
<b>Regulator Location:</b>		Outside			
<b>Regulator Type:</b>		Service Regulator (up to 60 psi intake)			
<b>Operation Pressure:</b>		inc			
<b>Liquid Prop Make:</b>					
<b>Liquid Prop Model:</b>					
<b>Liquid Prop Serial No:</b>					
<b>Equipment Type:</b>					
<b>Cylinder Capacity:</b>					
<b>Cylinder Capac. Units:</b>					
<b>Cylinder Material Type:</b>					
<b>Tank Capacity:</b>					
<b>Fuels Occurrence Type:</b>		Vapour Release			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Date of Occurrence:</b>		2012/02/22 00:00:00			
<b>Time of Occurrence:</b>		10:00:00			
<b>Occur Insp Start Date:</b>		2012/02/22 00:00:00			
<b>Any Health Impact:</b>		No			
<b>Any Environmental Impact:</b>		No			
<b>Was Service Interrupted:</b>		Yes			
<b>Was Property Damaged:</b>		No			
<b>Operation Type Involved:</b>		Private Dwelling			
<b>Enforcement Policy:</b>		NULL			
<b>Prc Escalation Required:</b>		NULL			
<b>Task No:</b>		3724557			
<b>Notes:</b>					
<b>Occurrence Narrative:</b>		home collapse damage gas line			
<b>Tank Material Type:</b>					
<b>Tank Storage Type:</b>					
<b>Tank Location Type:</b>					
<b>Pump Flow Rate Capac:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Liquid Prop Notes:</i>					
<a href="#">77</a>	2 of 2	NW/20.6	140.8 / 9.00	Enbridge Gas Distribution Inc. 3453 Cawthra Road Mississauga ON L5A 2X9	SPL
<b>Ref No:</b>	2523-8RQK4G			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	22-FEB-12			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Discharge or Emission to Air			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	35			<b>Site Name:</b>	House <UNOFFICIAL>
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b>	3453 Cawthra Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Air Pollution; Human Health/Safety			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Sewage - Municipal/Private and Commercial			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	No Further Response (PR-PIR Table A)			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	22-FEB-12			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	28-MAY-12				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch				
<b>Incident Reason:</b>	Spill				
<b>Incident Summary:</b>	TSSA: 3/4 inch service damaged due to house collapse				
<a href="#">78</a>	1 of 1	NW/20.9	137.8 / 6.00	TSSC 2020 3351 Cawthra Road Mississauga ON	GEN
<b>Generator No.:</b>	ON4331689			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	REAL ESTATE PROPERTY MANAGERS				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">79</a>	1 of 31	NW/22.6	143.8 / 12.00	3670 Cawthra Road Mississauga ON L5A 2Y6	EHS
<b>Order No:</b>	20081110013			<b>Nearest Intersection:</b>	Burnhamthorpe and Cawthra
<b>Status:</b>	C			<b>Municipality:</b>	Peel
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	11/19/2008			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/10/2008			<b>X:</b>	-79.618648
<b>Previous Site Name:</b>				<b>Y:</b>	43.607215

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>		Fire Insur. Maps and/or Site Plans			
<a href="#">79</a>	2 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b>		10379811			
<b>Instance ID:</b>		17382			
<b>Instance Type:</b>		FS Facility			
<b>Description:</b>		FS Cylinder Exchange			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">79</a>	3 of 31	NW/22.6	143.8 / 12.00	ERIC LEWIS SHELL 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<b>Instance No:</b>		9804633			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Facility			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		4/1/1991			
<a href="#">79</a>	4 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b>		10853164			
<b>Instance ID:</b>		45810			
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Liquid Fuel Tank			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">79</a>	5 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b>		10853180			
<b>Instance ID:</b>		45760			
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Liquid Fuel Tank			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">79</a>	6 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853147 46209 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED        			
<a href="#">79</a>	7 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853130 46287 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED        			
<a href="#">79</a>	8 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853213 46291 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED        			
<a href="#">79</a>	9 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853196 46309 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED        			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">79</a>	10 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<p>Instance No: 10853189  Instance ID: 45279  Instance Type: FS Piping  Description: FS Piping  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">79</a>	11 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<p>Instance No: 10853156  Instance ID: 46134  Instance Type: FS Piping  Description: FS Piping  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">79</a>	12 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<p>Instance No: 10853140  Instance ID: 46270  Instance Type: FS Piping  Description: FS Piping  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">79</a>	13 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<p>Instance No: 10853220  Instance ID: 46284  Instance Type: FS Piping  Description: FS Piping  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">79</a>	14 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Instance No:</b> 10853204  <b>Instance ID:</b> 46298  <b>Instance Type:</b> FS Piping  <b>Description:</b> FS Piping  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b></p>					
<a href="#">79</a>	15 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON	EXP
<p><b>Instance No:</b> 10853171  <b>Instance ID:</b> 47217  <b>Instance Type:</b> FS Piping  <b>Description:</b> FS Piping  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b></p>					
<a href="#">79</a>	16 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<p><b>Instance No:</b> 10853180  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b> FS Gasoline Station - Self Serve  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b> FS Liquid Fuel Tank  <b>Expired Date:</b> 7/28/2009 6:04:44 AM</p>					
<a href="#">79</a>	17 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<p><b>Instance No:</b> 10853164  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b> FS Gasoline Station - Self Serve  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b> FS Liquid Fuel Tank  <b>Expired Date:</b> 11/30/2009 8:40:18 AM</p>					
<a href="#">79</a>	18 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<p><b>Instance No:</b> 10853147  <b>Instance ID:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">79</a>	19 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853130 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">79</a>	20 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853213 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">79</a>	21 of 31	NW/22.6	143.8 / 12.00	1680378 ONTARIO INC O/A SHELL GAS STN 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853196 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">79</a>	22 of 31	NW/22.6	143.8 / 12.00	FRC ENTERPRISES INC 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	FSTH
<b>License Issue Date:</b> <b>Tank Status:</b> <b>Tank Status As Of:</b> <b>Operation Type:</b> <b>Facility Type:</b>		3/22/2006 Licensed August 2007 Retail Fuel Outlet Gasoline Station - Self Serve			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
Status:		Active			
Year of Installation:		1992			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1992			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
Status:		Active			
Year of Installation:		1992			
Corrosion Protection:					
Capacity:		45400			
Tank Fuel Type:		Liquid Fuel Single Wall UST - Gasoline			
<a href="#">79</a>	23 of 31	NW/22.6	143.8 / 12.00	Shell Canada Products 3670 Cawthra Road Mississauga ON L5A 2Y6	GEN
Generator No.:	ON6354326			PO Box No.:	
Status:				Country:	
Approval Years:	06			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No. Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<b>--Details--</b>					
Waste Code:		221			
Waste Description:		LIGHT FUELS			
<a href="#">79</a>	24 of 31	NW/22.6	143.8 / 12.00	ERIC LEWIS SHELL 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	PRT
Location ID:	9000				
Type:	retail				
Expiry Date:	1991-03-31				
Capacity (L):	136200				
Licence #:	0055051001				
<a href="#">79</a>	25 of 31	NW/22.6	143.8 / 12.00	SHELL CIRCLE K L THOMPSON 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	PRT
Location ID:	9000				
Type:	retail				
Expiry Date:	1995-03-31				
Capacity (L):	136200				
Licence #:	0076360486				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">79</a>	26 of 31	NW/22.6	143.8 / 12.00	SHEHATA MAGDY 3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	PRT
<b>Location ID:</b>		9000			
<b>Type:</b>		retail			
<b>Expiry Date:</b>		1996-03-31			
<b>Capacity (L):</b>		136200			
<b>Licence #:</b>		0076440916			
<a href="#">79</a>	27 of 31	NW/22.6	143.8 / 12.00	3670 CAWTHRA RD. MISSISSAUGA ON	PRT
<b>Location ID:</b>		18517			
<b>Type:</b>		retail			
<b>Expiry Date:</b>					
<b>Capacity (L):</b>					
<b>Licence #:</b>					
<a href="#">79</a>	28 of 31	NW/22.6	143.8 / 12.00	CYC SHELL SELECT 3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	RST
<b>Headcode:</b>		1186800			
<b>Headcode Desc:</b>		Service Stations-Gasoline, Oil & Natural Gas			
<b>Phone:</b>		9052778180			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">79</a>	29 of 31	NW/22.6	143.8 / 12.00	SHELL CAWTHRA 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	RST
<b>Headcode:</b>		1186800			
<b>Headcode Desc:</b>		Service Stations-Gasoline, Oil & Natural Gas			
<b>Phone:</b>		9052778180			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">79</a>	30 of 31	NW/22.6	143.8 / 12.00	SHELL CANADA PRODUCTS 3670 CAWTHRA RD MISSISSAUGA ON L5A 2Y6	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
<b>Phone:</b>					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">79</a>	31 of 31	NW/22.6	143.8 / 12.00	SHELL CANADA PRODUCTS 3670 CAWTHRA RD MISSISSAUGA ON L5A2Y6	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
<b>Phone:</b>		9052778180			
<b>List Name:</b>		INFO-DIRECT(TM) BUSINESS FILE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Description:

<a href="#">80</a>	1 of 1	SE/25.3	124.5 / -7.40	Cawthra And Dundas St.E. Mississauga ON	EHS
<b>Order No:</b>	20140422013			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	30-APR-14			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	22-APR-14			<b>X:</b>	-79.6014
<b>Previous Site Name:</b>				<b>Y:</b>	43.594921
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Title Searches; Topographic Maps; Aerial Photos				

<a href="#">81</a>	1 of 1	SE/25.6	107.8 / -24.06	Mississauga ON	WWIS
<b>Well ID:</b>	7141979			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	3/24/2010
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6607
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M06500			<b>Owner:</b>	
<b>Tag:</b>	A094834			<b>Street Name:</b>	655 QUEENS WAY E
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1002952371			<b>Elevation:</b>	108.73
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	613599
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>	N			<b>North83:</b>	4827215
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	18-FEB-10			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock Materials Interval**

<b>Formation ID:</b>	1003285665
<b>Layer:</b>	3

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2.1			
<b>Formation End Depth:</b>		4.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003285664			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		2.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1003285663			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		79			
<b>Other Materials:</b>		PACKED			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003285668			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.2			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003285667			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003285674			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003285662			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003285670			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		.1			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003285671			
<b>Layer:</b>		2			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		1.5			
<b>Depth To:</b>		4.5			
<b>Casing Diameter:</b>		5.1			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003285672			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.4			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003285669			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		3			
<b>Water Found Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Hole Diameter**

**Hole ID:** 1003285666  
**Diameter:** 21  
**Depth From:** 0  
**Depth To:** 4.5  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003285653	<b>Elevation:</b>	109.26
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	613578
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4827218
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b>	19-FEB-10	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1003285657  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:**

**Method of Construction & Well Use**

**Method Construction ID:** 1003285656  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:** BORING

**Pipe Information**

**Pipe ID:** 1003285658  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 1003285660  
**Layer:**  
**Material:** 5  
**Open Hole or Material:** PLASTIC  
**Depth From:**  
**Depth To:** 1.5  
**Casing Diameter:**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003285659			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003285661			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003285655			
<b>Diameter:</b>		21			
<b>Depth From:</b>					
<b>Depth To:</b>		4.5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">82</a>	1 of 1	SE/26.1	109.8 / -22.09	Intersection of The Queen's Way and Cowthra Road Mississauga ON	SPL
<b>Ref No:</b>	4183-9RWS44	<b>Discharger Report:</b>			
<b>Site No:</b>	NA	<b>Material Group:</b>			
<b>Incident Dt:</b>	2014/12/18	<b>Client Type:</b>			
<b>Year:</b>		<b>Sector Type:</b> Unknown / N/A			
<b>Incident Cause:</b>	Unknown / N/A	<b>Source Type:</b>			
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>			
<b>Contaminant Code:</b>	43	<b>Site Name:</b> Storm CB <UNOFFICIAL>			
<b>Contaminant Name:</b>	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)	<b>Site Address:</b> Intersection of The Queen's Way and Cowthra Road			
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>			
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>			
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>			
<b>Contaminant Qty:</b>	0 other - see incident description	<b>Site Region:</b>			
<b>Environment Impact:</b>		<b>Site Municipality:</b> Mississauga			
<b>Nature of Impact:</b>	Land	<b>Site Lot:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> N <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2014/12/18 <b>Dt Document Closed:</b> 2015/01/03 <b>Agency Involved:</b> <b>SAC Action Class:</b> Primary Assessment of Spills <b>Incident Reason:</b> Unknown / N/A <b>Incident Summary:</b> Sediment blockage in Sani - released, vac'ing				<b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">83</a>	1 of 1	SE/26.4	105.0 / -26.80	722 Abana Road, Mississauga ON	PINC
<b>Incident ID:</b> 2876936 <b>Incident No:</b> 719932 <b>Type:</b> FS-Pipeline Incident <b>Status Code:</b> Pipeline Damage Reason Est <b>Fuel Occurrence Tp:</b> Pipeline Strike <b>Fuel Type:</b> Natural Gas <b>Tank Status:</b> RC Established <b>Task No:</b> 3683708 <b>Spills Action Centre:</b> <b>Method Details:</b> E-mail <b>Fuel Category:</b> Natural Gas <b>Date of Occurrence:</b> 1/11/2012 0:00 <b>Occurrence Start Date:</b> 2012/01/30 <b>Operation Type:</b> Private Dwelling <b>Pipeline Type:</b> <b>Regulator Type:</b> <b>Summary:</b> 722 Abana Road, Mississauga - 1 ¼" Pipeline Hit <b>Reported By:</b> Jeff.Stephens@enbridge.com <b>Affiliation:</b> Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.) <b>Occurrence Desc:</b> Subcontractor damaged 1/2" PE IP gas service <b>Damage Reason:</b> No notification made to the one call center <b>Notes:</b>					
<b>Health Impact:</b> No <b>Environment Impact:</b> No <b>Property Damage:</b> No <b>Service Interrupt:</b> Yes <b>Enforce Policy:</b> Yes <b>Public Relation:</b> No <b>Pipeline System:</b> <b>Depth:</b> <b>Pipe Material:</b> <b>PSIG:</b> <b>Attribute Category:</b> FS-Perform P-line Inc Invest <b>Regualtor Location:</b>					

<a href="#">84</a>	1 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> 9215014 <b>Instance ID:</b> 381883 <b>Instance Type:</b> FS Facility <b>Description:</b> Fuels Safety Private Fuel Outlet - Self Serve <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>					

<a href="#">84</a>	2 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	EXP
<b>Instance No:</b> 10853092 <b>Instance ID:</b> <b>Instance Type:</b> FS Liquid Fuel Tank					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b> <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b> 7/14/2003					
<a href="#">84</a>	3 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> 10853101 <b>Instance ID:</b> 45275 <b>Instance Type:</b> FS Piping <b>Description:</b> FS Piping <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>					
<a href="#">84</a>	4 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	EXP
<b>Instance No:</b> 10853092 <b>Instance ID:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Description:</b> Fuels Safety Private Fuel Outlet - Self Serve <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> FS Liquid Fuel Tank <b>Expired Date:</b> 7/14/2003					
<a href="#">84</a>	5 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	FST
<b>Instance No:</b> 10853110 <b>Cont Name:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Fuel Type:</b> Diesel <b>Status:</b> Active <b>Capacity:</b> 9092 <b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protection:</b> Fiberglass <b>Tank Type:</b> Single Wall UST <b>Install Year:</b> 1989 <b>Parent Facility Type:</b> Fuels Safety Private Fuel Outlet - Self Serve <b>Facility Type:</b> FS Liquid Fuel Tank					
<a href="#">84</a>	6 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	FSTH
<b>License Issue Date:</b> 11/8/1990 <b>Tank Status:</b> Licensed <b>Tank Status As Of:</b> August 2007					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1989			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		9092			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<a href="#">84</a>	7 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	FSTH
<b>License Issue Date:</b>		11/8/1990			
<b>Tank Status:</b>		Licensed			
<b>Tank Status As Of:</b>		December 2008			
<b>Operation Type:</b>		Private Fuel Outlet			
<b>Facility Type:</b>		Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1989			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		9092			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<a href="#">84</a>	8 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES LTD. 2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		86,87,88		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0821			
<b>SIC Description:</b>		SAND & GRAVEL PITS			
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">84</a>	9 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES LTD. 2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		89,90		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0821			
<b>SIC Description:</b>		SAND & GRAVEL PITS			
<b>--Details--</b>					
<b>Waste Code:</b>		221			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">84</a>	10 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES LTD.15-157 2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,94,95,96		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0821			
<b>SIC Description:</b>		SAND & GRAVEL PITS			
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">84</a>	11 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LTD 2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		97		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0821			
<b>SIC Description:</b>		SAND & GRAVEL PITS			
<b>--Details--</b>					
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">84</a>	12 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LTD. 2531 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		98,99,00,01		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		0821			
<b>SIC Description:</b>		SAND & GRAVEL PITS			
<b>--Details--</b>					
<b>Waste Code:</b>		212			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">84</a>	13 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		02,03,04,05,06,07,08		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

<a href="#">84</a>	14 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		2009		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		339990			
<b>SIC Description:</b>		All Other Miscellaneous Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">84</a>	15 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	All Other Miscellaneous Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">84</a>	16 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	All Other Miscellaneous Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	212				
<b>Waste Description:</b>	ALIPHATIC SOLVENTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">84</a>	17 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>		All Other Miscellaneous Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>	212				
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>84</b>	<b>18 of 46</b>	<b>SE/27.8</b>	<b>119.6 / -12.27</b>	<b>Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>		ALL OTHER MISCELLANEOUS MANUFACTURING			
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	251				
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>	221				
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>	212				
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>84</b>	<b>19 of 46</b>	<b>SE/27.8</b>	<b>119.6 / -12.27</b>	<b>Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7</b>	<b>GEN</b>
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Amanda Kiu
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-738-2997 Ext.
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>		ALL OTHER MISCELLANEOUS MANUFACTURING			
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		212			
<b>Waste Description:</b>		ALIPHATIC SOLVENTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			

<a href="#">84</a>	20 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Angelo Sorce
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-738-7070 Ext.
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS MANUFACTURING				

**--Details--**

<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	221
<b>Waste Description:</b>	LIGHT FUELS
<b>Waste Code:</b>	252
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS
<b>Waste Code:</b>	213
<b>Waste Description:</b>	PETROLEUM DISTILLATES
<b>Waste Code:</b>	251
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES

<a href="#">84</a>	21 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0570600			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Angelo Sorce
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-738-7070 Ext.
<b>SIC Code:</b>	339990				
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS MANUFACTURING				

**--Details--**

<b>Waste Code:</b>	212
<b>Waste Description:</b>	ALIPHATIC SOLVENTS
<b>Waste Code:</b>	213
<b>Waste Description:</b>	PETROLEUM DISTILLATES
<b>Waste Code:</b>	251
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		221			
<b>Waste Description:</b>		LIGHT FUELS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">84</a>	22 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON L5A 2W7	GEN
<b>Generator No.:</b>		ON0570600		<b>PO Box No.:</b>	
<b>Status:</b>		Registered		<b>Country:</b>	Canada
<b>Approval Years:</b>		As of Jun 2018		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		251 L			
<b>Waste Description:</b>		Waste oils/sludges (petroleum based)			
<b>Waste Code:</b>		212 L			
<b>Waste Description:</b>		Aliphatic solvents and residues			
<b>Waste Code:</b>		213 I			
<b>Waste Description:</b>		Petroleum distillates			
<b>Waste Code:</b>		221 I			
<b>Waste Description:</b>		Light fuels			
<b>Waste Code:</b>		252 L			
<b>Waste Description:</b>		Waste crankcase oils and lubricants			
<a href="#">84</a>	23 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b>		11406		<b>Org ID:</b>	48891
<b>Other ID:</b>		N		<b>Submit Date:</b>	4/26/2007
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>		42737		<b>Contact ID:</b>	221739
<b>Report ID:</b>		103580		<b>Cont Type:</b>	MED
<b>Report Type:</b>		NPRI		<b>Contact Title:</b>	
<b>Rpt Type ID:</b>		1		<b>Cont First Name:</b>	TOM
<b>Report Year:</b>		2006		<b>Cont Last Name:</b>	BAUMGARTEN
<b>Not-Current Rpt?:</b>		No		<b>Contact Position:</b>	DIRECTOR, ENVIRONMENT AND PUBLIC AFFAIRS
<b>Yr of Last Filed Rpt:</b>		2009		<b>Contact Fax:</b>	
<b>Fac ID:</b>		158343		<b>Contact Ph.:</b>	9057387070
<b>Fac Name:</b>		PIT NO. 2 (SMITH)		<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>		2531 CAWTHRA ROAD		<b>Contact Tel.:</b>	57387070
<b>Fac Address2:</b>		NOT AVAILABLE		<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>		L5A2W7		<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>		43.8126		<b>Contact Fax:</b>	
<b>Facility Long:</b>		-80.0431		<b>Contact Email:</b>	TOM.BAUMGARTEN@LAFARGE-NA.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.8126
<b>Facility DLS:</b>				<b>Longitude:</b>	-80.0431
<b>Datum:</b>		1983		<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>		Fals		<b>UTM Northing:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>URL:</b></p> <p><b>No of Empl.:</b> 2</p> <p><b>Parent Co.:</b> N</p> <p><b>No Parent Co.:</b></p> <p><b>Pollut Prev Cmnts:</b> False</p> <p><b>Stacks:</b> True</p> <p><b>No of Stacks:</b></p> <p><b>Canadian SIC Code (2 digit):</b></p> <p><b>Canadian SIC Code:</b></p> <p><b>SIC Code Description:</b></p> <p><b>American SIC Code:</b></p> <p><b>NAICS Code (2 digit):</b> 21</p> <p><b>NAICS 2 Description:</b> Mining and Oil and Gas Extraction</p> <p><b>NAICS Code (4 digit):</b> 2123</p> <p><b>NAICS 4 Description:</b> Non-metallic mineral mining and quarrying</p> <p><b>NAICS Code (6 digit):</b> 212323</p> <p><b>NAICS 6 Description:</b> Sand and gravel mining and quarrying</p>					
<p><b>UTM Easting:</b></p> <p><b>Waste Streams:</b> True?</p> <p><b>No Streams:</b></p> <p><b>Waste Off Sites:</b> False</p> <p><b>No Off Sites:</b></p> <p><b>Shutdown:</b></p> <p><b>No of Shutdown:</b></p>					
<b>Substance Release Report</b>					
<p><b>Category Type ID:</b> 13</p> <p><b>Category Type Desc:</b> All Media</p> <p><b>Category Type Desc (fr):</b> Rejets à tous les médias</p> <p><b>Grouping:</b> Total All Media&lt;1t</p> <p><b>Trans Code:</b></p> <p><b>Chem:</b> PM10 - Particulate Matter &lt;= 10 Microns</p> <p><b>Chem (fr):</b> PM10 - Matière particulaire &lt;= 10 microns</p> <p><b>Quantity:</b> .453</p> <p><b>Unit:</b> tonnes</p> <p><b>Basis of Estimate Cd:</b></p> <p><b>Basis of Estimate Desc:</b></p>					
<p><b>Category Type ID:</b> 13</p> <p><b>Category Type Desc:</b> All Media</p> <p><b>Category Type Desc (fr):</b> Rejets à tous les médias</p> <p><b>Grouping:</b> Total All Media&lt;1t</p> <p><b>Trans Code:</b></p> <p><b>Chem:</b> PM2.5 - Particulate Matter &lt;= 2.5 Microns</p> <p><b>Chem (fr):</b> PM2,5 - Matière particulaire &lt;= 2,5 microns</p> <p><b>Quantity:</b> .424</p> <p><b>Unit:</b> tonnes</p> <p><b>Basis of Estimate Cd:</b></p> <p><b>Basis of Estimate Desc:</b></p>					
<a href="#">84</a>	24 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	NPRI
<p><b>NPRI ID:</b> 11406</p> <p><b>Other ID:</b> *</p> <p><b>No Other ID:</b></p> <p><b>Track ID:</b> 58616</p> <p><b>Report ID:</b> 82412</p> <p><b>Report Type:</b> DNMC</p> <p><b>Rpt Type ID:</b> 2</p> <p><b>Report Year:</b> 2007</p> <p><b>Not-Current Rpt?:</b> No</p> <p><b>Yr of Last Filed Rpt:</b> 2009</p> <p><b>Fac ID:</b> 158343</p> <p><b>Fac Name:</b> PIT NO. 2 (SMITH)</p> <p><b>Fac Address1:</b> 2531 CAWTHRA ROAD</p> <p><b>Fac Address2:</b> NOT AVAILABLE</p> <p><b>Fac Postal Zip:</b> L5A2W7</p> <p><b>Facility Lat:</b> 43.8126</p>					
<p><b>Org ID:</b> 48891</p> <p><b>Submit Date:</b> 5/31/2008</p> <p><b>Last Modified:</b> 5/29/2015 3:28:24 PM</p> <p><b>Contact ID:</b></p> <p><b>Cont Type:</b></p> <p><b>Contact Title:</b></p> <p><b>Cont First Name:</b></p> <p><b>Cont Last Name:</b></p> <p><b>Contact Position:</b></p> <p><b>Contact Fax:</b></p> <p><b>Contact Ph.:</b></p> <p><b>Cont Area Code:</b></p> <p><b>Contact Tel.:</b></p> <p><b>Contact Ext.:</b></p> <p><b>Cont Fax Area Cde:</b></p> <p><b>Contact Fax:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Long:</b>	-80.0431			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.8126
<b>Facility DLS:</b>				<b>Longitude:</b>	-80.0431
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	0			<b>Waste Streams:</b>	True?
<b>Parent Co.:</b>	*			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	True?
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	21				
<b>NAICS 2 Description:</b>	Mining, quarrying, and oil and gas extraction				
<b>NAICS Code (4 digit):</b>	2123				
<b>NAICS 4 Description:</b>	Non-metallic mineral mining and quarrying				
<b>NAICS Code (6 digit):</b>	212323				
<b>NAICS 6 Description:</b>	Sand and gravel mining and quarrying				

<b>84</b>	<b>25 of 46</b>	<b>SE/27.8</b>	<b>119.6 / -12.27</b>	<b>FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7</b>	<b>NPRI</b>
<b>NPRI ID:</b>	11406			<b>Org ID:</b>	48891
<b>Other ID:</b>	*			<b>Submit Date:</b>	5/26/2009
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	63999			<b>Contact ID:</b>	
<b>Report ID:</b>	124662			<b>Cont Type:</b>	
<b>Report Type:</b>	DNMC			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	2			<b>Cont First Name:</b>	
<b>Report Year:</b>	2008			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2009			<b>Contact Fax:</b>	
<b>Fac ID:</b>	158343			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	PIT NO. 2 (SMITH)			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	2531 CAWTHRA ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L5A2W7			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.8126			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-80.0431			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.8126
<b>Facility DLS:</b>				<b>Longitude:</b>	-80.0431
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	0			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	*			<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	No
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	
<b>Stacks:</b>	No			<b>Shutdown:</b>	No
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	21				
<b>NAICS 2 Description:</b>	Mining, quarrying, and oil and gas extraction				
<b>NAICS Code (4 digit):</b>	2123				
<b>NAICS 4 Description:</b>	Non-metallic mineral mining and quarrying				
<b>NAICS Code (6 digit):</b>	212323				
<b>NAICS 6 Description:</b>	Sand and gravel mining and quarrying				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">84</a>	26 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b> 11406 <b>Other ID:</b> * <b>No Other ID:</b> <b>Track ID:</b> 87171 <b>Report ID:</b> 141142 <b>Report Type:</b> DNMC <b>Rpt Type ID:</b> 2 <b>Report Year:</b> 2009 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2009 <b>Fac ID:</b> 158343 <b>Fac Name:</b> PIT NO. 2 (SMITH) <b>Fac Address1:</b> 2531 CAWTHRA ROAD <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> L5A2W7 <b>Facility Lat:</b> 43.8126 <b>Facility Long:</b> -80.0431 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> No <b>URL:</b> <b>No of Empl.:</b> 0 <b>Parent Co.:</b> * <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> No <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 21 <b>NAICS 2 Description:</b> Mining, quarrying, and oil and gas extraction <b>NAICS Code (4 digit):</b> 2123 <b>NAICS 4 Description:</b> Non-metallic mineral mining and quarrying <b>NAICS Code (6 digit):</b> 212323 <b>NAICS 6 Description:</b> Sand and gravel mining and quarrying		<b>Org ID:</b> 48891 <b>Submit Date:</b> 5/25/2010 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> 43.8126 <b>Longitude:</b> -80.0431 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> No <b>No Off Sites:</b> <b>Shutdown:</b> No <b>No of Shutdown:</b>			

<a href="#">84</a>	27 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA Road MISSISSAUGA ON L5A 2W7	NPRI
<b>NPRI ID:</b> 8800000114 <b>Other ID:</b> * <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> 2009 <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> PIT NO. 1 (DODDS) AGG SITE <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b>		<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> No <b>URL:</b> <b>No of Empl.:</b> 0 <b>Parent Co.:</b> * <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> No <b>Stacks:</b> No <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> <b>NAICS 2 Description:</b> <b>NAICS Code (4 digit):</b> <b>NAICS 4 Description:</b> <b>NAICS Code (6 digit):</b> <b>NAICS 6 Description:</b>				<b>Contact Email:</b> <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> No <b>No Streams:</b> <b>Waste Off Sites:</b> No <b>No Off Sites:</b> <b>Shutdown:</b> No <b>No of Shutdown:</b>	
<a href="#">84</a>	28 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L7K3L3	NPRI
<b>NPRI ID:</b> 25236 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> 103060 <b>Report ID:</b> 8315 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2011 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2012 <b>Fac ID:</b> 207265 <b>Fac Name:</b> PIT NO. 1 (DODDS) AGG SITE <b>Fac Address1:</b> 2531 CAWTHRA ROAD <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> L7K3L3 <b>Facility Lat:</b> 0 <b>Facility Long:</b> 0 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 21 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 21 <b>NAICS 2 Description:</b> Mining, quarrying, and oil and gas extraction <b>NAICS Code (4 digit):</b> 2123 <b>NAICS 4 Description:</b> Non-metallic mineral mining and quarrying <b>NAICS Code (6 digit):</b> 212315 <b>NAICS 6 Description:</b> Limestone mining and quarrying				<b>Org ID:</b> 48893 <b>Submit Date:</b> 6/29/2012 <b>Last Modified:</b> 5/29/2015 3:28:24 PM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> 43.593718 <b>Longitude:</b> -79.596612 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	6				
<b>Category Type Desc:</b>	Road dust				
<b>Category Type Desc (fr):</b>	Poussières de routes				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>					
<b>Chem:</b>	PM10 - Particulate Matter <= 10 Microns				
<b>Chem (fr):</b>	PM10 - Matière particulaire <= 10 microns				
<b>Quantity:</b>	29.4498				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	PM2.5 - Particulate Matter <= 2.5 Microns				
<b>Chem (fr):</b>	PM2,5 - Matière particulaire <= 2,5 microns				
<b>Quantity:</b>	1.7592				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	PM - Total Particulate Matter				
<b>Chem (fr):</b>	PM - Particules totales				
<b>Quantity:</b>	16.4783				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	PM10 - Particulate Matter <= 10 Microns				
<b>Chem (fr):</b>	PM10 - Matière particulaire <= 10 microns				
<b>Quantity:</b>	8.0909				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	6				
<b>Category Type Desc:</b>	Road dust				
<b>Category Type Desc (fr):</b>	Poussières de routes				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>					
<b>Chem:</b>	PM2.5 - Particulate Matter <= 2.5 Microns				
<b>Chem (fr):</b>	PM2,5 - Matière particulaire <= 2,5 microns				
<b>Quantity:</b>	2.945				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	E2				
<b>Basis of Estimate Desc:</b>	E2- Published Emission Factors - In use from 2003 and onward				
<b>Category Type ID:</b>	6				
<b>Category Type Desc:</b>	Road dust				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type Desc (fr):</b>		Poussières de routes			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>					
<b>Chem:</b>		PM - Total Particulate Matter			
<b>Chem (fr):</b>		PM - Particules totales			
<b>Quantity:</b>		103.5639			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		E2			
<b>Basis of Estimate Desc:</b>		E2- Published Emission Factors - In use from 2003 and onward			
<a href="#">84</a>	29 of 46	SE/27.8	119.6 / -12.27	<b>FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA ROAD NOT AVAILABLE MISSISSAUGA ON L7K3L3</b>	<b>NPRI</b>
<b>NPRI ID:</b>		25236	<b>Org ID:</b> 48893		
<b>Other ID:</b>			<b>Submit Date:</b> 5/1/2013		
<b>No Other ID:</b>			<b>Last Modified:</b> 5/29/2015 3:28:24 PM		
<b>Track ID:</b>		110090	<b>Contact ID:</b>		
<b>Report ID:</b>		14664	<b>Cont Type:</b>		
<b>Report Type:</b>		DNMC	<b>Contact Title:</b>		
<b>Rpt Type ID:</b>		2	<b>Cont First Name:</b>		
<b>Report Year:</b>		2012	<b>Cont Last Name:</b>		
<b>Not-Current Rpt?:</b>		No	<b>Contact Position:</b>		
<b>Yr of Last Filed Rpt:</b>		2012	<b>Contact Fax:</b>		
<b>Fac ID:</b>		207265	<b>Contact Ph.:</b>		
<b>Fac Name:</b>		PIT NO. 1 (DODDS) AGG SITE	<b>Cont Area Code:</b>		
<b>Fac Address1:</b>		2531 CAWTHRA ROAD	<b>Contact Tel.:</b>		
<b>Fac Address2:</b>		NOT AVAILABLE	<b>Contact Ext.:</b>		
<b>Fac Postal Zip:</b>		L7K3L3	<b>Cont Fax Area Cde:</b>		
<b>Facility Lat:</b>		0	<b>Contact Fax:</b>		
<b>Facility Long:</b>		0	<b>Contact Email:</b>		
<b>DLS (Last Filed Rpt):</b>			<b>Latitude:</b> 43.593718		
<b>Facility DLS:</b>			<b>Longitude:</b> -79.596612		
<b>Datum:</b>		1983	<b>UTM Zone:</b>		
<b>Facility Cmnts:</b>			<b>UTM Northing:</b>		
<b>URL:</b>			<b>UTM Easting:</b>		
<b>No of Empl.:</b>			<b>Waste Streams:</b>		
<b>Parent Co.:</b>			<b>No Streams:</b>		
<b>No Parent Co.:</b>			<b>Waste Off Sites:</b>		
<b>Pollut Prev Cmnts:</b>			<b>No Off Sites:</b>		
<b>Stacks:</b>			<b>Shutdown:</b>		
<b>No of Stacks:</b>			<b>No of Shutdown:</b>		
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		21			
<b>NAICS 2 Description:</b>		Mining, quarrying, and oil and gas extraction			
<b>NAICS Code (4 digit):</b>		2123			
<b>NAICS 4 Description:</b>		Non-metallic mineral mining and quarrying			
<b>NAICS Code (6 digit):</b>		212315			
<b>NAICS 6 Description:</b>		Limestone mining and quarrying			
<a href="#">84</a>	30 of 46	SE/27.8	119.6 / -12.27	<b>FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA Road MISSISSAUGA ON L5A2W7</b>	<b>NPRI</b>
<b>NPRI ID:</b>		8800000190	<b>Org ID:</b>		
<b>Other ID:</b>			<b>Submit Date:</b>		
<b>No Other ID:</b>			<b>Last Modified:</b>		
<b>Track ID:</b>			<b>Contact ID:</b>		
<b>Report ID:</b>			<b>Cont Type:</b> MED		
<b>Report Type:</b>			<b>Contact Title:</b> Mr.		
<b>Rpt Type ID:</b>			<b>Cont First Name:</b> TOM		



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Year:</b>	2005			<b>Cont Last Name:</b>	BAUMGARTEN
<b>Not-Current Rpt?:</b>				<b>Contact Position:</b>	Environmental Compliance Manager
<b>Yr of Last Filed Rpt:</b>				<b>Contact Fax:</b>	
<b>Fac ID:</b>				<b>Contact Ph.:</b>	
<b>Fac Name:</b>	PIT NO. 2 (SMITH)			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>				<b>Contact Tel.:</b>	7387070
<b>Fac Address2:</b>				<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>				<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>				<b>Contact Fax:</b>	7387080
<b>Facility Long:</b>				<b>Contact Email:</b>	tom.baumgarten@lafarge-na.com
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	
<b>Facility DLS:</b>				<b>Longitude:</b>	
<b>Datum:</b>				<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	2			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	21				
<b>NAICS 2 Description:</b>	Mining, Quarrying, and Oil and Gas Extraction				
<b>NAICS Code (4 digit):</b>	2123				
<b>NAICS 4 Description:</b>	Non-Metallic Mineral Mining and Quarrying				
<b>NAICS Code (6 digit):</b>	212323				
<b>NAICS 6 Description:</b>	Sand and Gravel Mining and Quarrying				

**Substance Release Report**

<b>CAS No:</b>	NA - M09
<b>Report ID:</b>	
<b>Rpt Period:</b>	2005
<b>Subst Released:</b>	PM10 - Particulate Matter <= 10 Microns
<b>Air:</b>	
<b>Water:</b>	
<b>Land:</b>	
<b>Total Releases:</b>	0
<b>Units:</b>	tonnes

<b>84</b>	<b>31 of 46</b>	<b>SE/27.8</b>	<b>119.6 / -12.27</b>	<b>FRANCESCHINI BROS. AGGREGATES</b> <b>2531 CAWTHRA Road</b> <b>MISSISSAUGA ON L5A2W7</b>	<b>NPRI</b>
<b>NPRI ID:</b>	8800000042			<b>Org ID:</b>	
<b>Other ID:</b>				<b>Submit Date:</b>	
<b>No Other ID:</b>				<b>Last Modified:</b>	
<b>Track ID:</b>				<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>				<b>Contact Title:</b>	Mr.
<b>Rpt Type ID:</b>				<b>Cont First Name:</b>	TOM
<b>Report Year:</b>	2006			<b>Cont Last Name:</b>	BAUMGARTEN
<b>Not-Current Rpt?:</b>				<b>Contact Position:</b>	Environmental Compliance Manager
<b>Yr of Last Filed Rpt:</b>				<b>Contact Fax:</b>	
<b>Fac ID:</b>				<b>Contact Ph.:</b>	
<b>Fac Name:</b>	PIT NO. 1 (DODDS) AGG SITE			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>				<b>Contact Tel.:</b>	7387070
<b>Fac Address2:</b>				<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>				<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>				<b>Contact Fax:</b>	7387080

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 2 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 21 <b>NAICS 2 Description:</b> Mining, Quarrying, and Oil and Gas Extraction <b>NAICS Code (4 digit):</b> 2123 <b>NAICS 4 Description:</b> Non-Metallic Mineral Mining and Quarrying <b>NAICS Code (6 digit):</b> 212323 <b>NAICS 6 Description:</b> Sand and Gravel Mining and Quarrying				<b>Contact Email:</b> tom.baumgarten@lafarge-na.com <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	
<b>Substance Release Report</b>					
<b>CAS No:</b> NA - M09 <b>Report ID:</b> <b>Rpt Period:</b> 2006 <b>Subst Released:</b> PM10 - Particulate Matter <= 10 Microns <b>Air:</b> <b>Water:</b> <b>Land:</b> <b>Total Releases:</b> 0 <b>Units:</b> tonnes					
<a href="#">84</a>	32 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b> 8800001101 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> 2004 <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> PRESSWOOD PIT <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 2 <b>Parent Co.:</b> <b>No Parent Co.:</b>				<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> MED <b>Contact Title:</b> Mr. <b>Cont First Name:</b> TOM <b>Cont Last Name:</b> BAUMGARTEN <b>Contact Position:</b> Environmental Compliance Manager <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> 905 <b>Contact Tel.:</b> 7387070 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 905 <b>Contact Fax:</b> 7387080 <b>Contact Email:</b> tom.baumgarten@lafarge-na.com <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>				21	
<b>NAICS 2 Description:</b>				Mining, Quarrying, and Oil and Gas Extraction	
<b>NAICS Code (4 digit):</b>				2123	
<b>NAICS 4 Description:</b>				Non-Metallic Mineral Mining and Quarrying	
<b>NAICS Code (6 digit):</b>				212323	
<b>NAICS 6 Description:</b>				Sand and Gravel Mining and Quarrying	

**Substance Release Report**

**CAS No:** 10024-97-2

**Report ID:**

**Rpt Period:** 2004

**Subst Released:** Nitrous oxide

**Air:**

**Water:**

**Land:**

**Total Releases:**

**Units:** tonnes

**CAS No:** 11104-93-1

**Report ID:**

**Rpt Period:** 2004

**Subst Released:** Nitrogen oxides (expressed as NO2)

**Air:**

**Water:**

**Land:**

**Total Releases:**

**Units:** tonnes

**CAS No:** 7446-09-5

**Report ID:**

**Rpt Period:** 2004

**Subst Released:** Sulphur dioxide

**Air:**

**Water:**

**Land:**

**Total Releases:**

**Units:** tonnes

**CAS No:** 124-38-9

**Report ID:**

**Rpt Period:** 2004

**Subst Released:** Carbon dioxide

**Air:**

**Water:**

**Land:**

**Total Releases:**

**Units:** tonnes

**CAS No:** 74-82-8

**Report ID:**

**Rpt Period:** 2004

**Subst Released:** Methane

**Air:**

**Water:**

**Land:**

**Total Releases:**

**Units:** tonnes

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>CAS No:</b>		NA - M09			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Air:</b>		.091			
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		.091			
<b>Units:</b>		tonnes			
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M08			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM - Total Particulate Matter			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		630-08-0			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon monoxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M16			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Volatile Organic Compounds (VOCs)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>84</b>	<b>33 of 46</b>	<b>SE/27.8</b>	<b>119.6 / -12.27</b>	<b>FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA Road MISSISSAUGA ON L5A2W7</b>	<b>NPRI</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

<b>NPRI ID:</b>	8800000052	<b>Org ID:</b>	
<b>Other ID:</b>		<b>Submit Date:</b>	
<b>No Other ID:</b>		<b>Last Modified:</b>	
<b>Track ID:</b>		<b>Contact ID:</b>	
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>		<b>Contact Title:</b>	Mr.
<b>Rpt Type ID:</b>		<b>Cont First Name:</b>	TOM
<b>Report Year:</b>	2006	<b>Cont Last Name:</b>	BAUMGARTEN
<b>Not-Current Rpt?:</b>		<b>Contact Position:</b>	Environmental Compliance Manager
<b>Yr of Last Filed Rpt:</b>		<b>Contact Fax:</b>	
<b>Fac ID:</b>		<b>Contact Ph.:</b>	
<b>Fac Name:</b>	PRESSWOOD PIT	<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>		<b>Contact Tel.:</b>	7387070
<b>Fac Address2:</b>		<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>		<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>		<b>Contact Fax:</b>	7387080
<b>Facility Long:</b>		<b>Contact Email:</b>	tom.baumgarten@lafarge-na.com
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	
<b>Facility DLS:</b>		<b>Longitude:</b>	
<b>Datum:</b>		<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>		<b>UTM Northing:</b>	
<b>URL:</b>		<b>UTM Easting:</b>	
<b>No of Empl.:</b>	0	<b>Waste Streams:</b>	
<b>Parent Co.:</b>		<b>No Streams:</b>	
<b>No Parent Co.:</b>		<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>		<b>No Off Sites:</b>	
<b>Stacks:</b>		<b>Shutdown:</b>	
<b>No of Stacks:</b>		<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>			
<b>Canadian SIC Code:</b>			
<b>SIC Code Description:</b>			
<b>American SIC Code:</b>			
<b>NAICS Code (2 digit):</b>	21		
<b>NAICS 2 Description:</b>	Mining, Quarrying, and Oil and Gas Extraction		
<b>NAICS Code (4 digit):</b>	2123		
<b>NAICS 4 Description:</b>	Non-Metallic Mineral Mining and Quarrying		
<b>NAICS Code (6 digit):</b>	212323		
<b>NAICS 6 Description:</b>	Sand and Gravel Mining and Quarrying		

**Substance Release Report**

<b>CAS No:</b>	NA - M08
<b>Report ID:</b>	
<b>Rpt Period:</b>	2006
<b>Subst Released:</b>	PM - Total Particulate Matter
<b>Air:</b>	
<b>Water:</b>	
<b>Land:</b>	
<b>Total Releases:</b>	
<b>Units:</b>	tonnes

<a href="#">84</a>	34 of 46	SE/27.8	119.6 / -12.27	<b>FRANCESCHINI BROS. AGGREGATES</b> 2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	..... <b>NPRI</b>
--------------------	----------	---------	----------------	--	----------------------

<b>NPRI ID:</b>	8800000189	<b>Org ID:</b>	
<b>Other ID:</b>		<b>Submit Date:</b>	
<b>No Other ID:</b>		<b>Last Modified:</b>	
<b>Track ID:</b>		<b>Contact ID:</b>	
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>		<b>Contact Title:</b>	Mr.
<b>Rpt Type ID:</b>		<b>Cont First Name:</b>	TOM
<b>Report Year:</b>	2005	<b>Cont Last Name:</b>	BAUMGARTEN
<b>Not-Current Rpt?:</b>		<b>Contact Position:</b>	Environmental Compliance Manager

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> PIT NO. 1 (DODDS) AGG SITE <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 2 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 21 <b>NAICS 2 Description:</b> Mining, Quarrying, and Oil and Gas Extraction <b>NAICS Code (4 digit):</b> 2123 <b>NAICS 4 Description:</b> Non-Metallic Mineral Mining and Quarrying <b>NAICS Code (6 digit):</b> 212323 <b>NAICS 6 Description:</b> Sand and Gravel Mining and Quarrying		<b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> 905 <b>Contact Tel.:</b> 7387070 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 905 <b>Contact Fax:</b> 7387080 <b>Contact Email:</b> tom.baumgarten@lafarge-na.com <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>			
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b> NA - M09 <b>Report ID:</b> <b>Rpt Period:</b> 2005 <b>Subst Released:</b> PM10 - Particulate Matter <= 10 Microns <b>Air:</b> <b>Water:</b> <b>Land:</b> <b>Total Releases:</b> 0 <b>Units:</b> tonnes					
<a href="#">84</a>	35 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b> 8800001098 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> 2004 <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> PIT NO. 1 (DODDS) AGG SITE <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b>		<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> MED <b>Contact Title:</b> Mr. <b>Cont First Name:</b> TOM <b>Cont Last Name:</b> BAUMGARTEN <b>Contact Position:</b> Environmental Compliance Manager <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> 905 <b>Contact Tel.:</b> 7387070 <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> 905 <b>Contact Fax:</b> 7387080 <b>Contact Email:</b> tom.baumgarten@lafarge-na.com <b>Latitude:</b>			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 2 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> <b>NAICS 2 Description:</b> <b>NAICS Code (4 digit):</b> <b>NAICS 4 Description:</b> <b>NAICS Code (6 digit):</b> <b>NAICS 6 Description:</b>				<b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>	
		21		Mining, Quarrying, and Oil and Gas Extraction	
		2123		Non-Metallic Mineral Mining and Quarrying	
		212323		Sand and Gravel Mining and Quarrying	
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>		74-82-8			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Methane			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		124-38-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		10024-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrous oxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		11104-93-1			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrogen oxides (expressed as NO2)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		630-08-0			
<b>Report ID:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Carbon monoxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M08			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM - Total Particulate Matter			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M16			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Volatile Organic Compounds (VOCs)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M09			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM10 - Particulate Matter <= 10 Microns			
<b>Air:</b>		.028			
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>		.028			
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Units:</b>		tonnes			
<a href="#">84</a>	36 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS. AGGREGATES 2531 CAWTHRA Road MISSISSAUGA ON L5A2W7	NPRI
<b>NPRI ID:</b>	8800001100			<b>Org ID:</b>	
<b>Other ID:</b>				<b>Submit Date:</b>	
<b>No Other ID:</b>				<b>Last Modified:</b>	
<b>Track ID:</b>				<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>				<b>Contact Title:</b>	Mr.
<b>Rpt Type ID:</b>				<b>Cont First Name:</b>	TOM
<b>Report Year:</b>	2004			<b>Cont Last Name:</b>	BAUMGARTEN
<b>Not-Current Rpt?:</b>				<b>Contact Position:</b>	Environmental Compliance Manager
<b>Yr of Last Filed Rpt:</b>				<b>Contact Fax:</b>	
<b>Fac ID:</b>				<b>Contact Ph.:</b>	
<b>Fac Name:</b>	PIT NO. 2 (SMITH)			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>				<b>Contact Tel.:</b>	7387070
<b>Fac Address2:</b>				<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>				<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>				<b>Contact Fax:</b>	7387080
<b>Facility Long:</b>				<b>Contact Email:</b>	tom.baumgarten@lafarge-na.com
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	
<b>Facility DLS:</b>				<b>Longitude:</b>	
<b>Datum:</b>				<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	2			<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	21				
<b>NAICS 2 Description:</b>	Mining, Quarrying, and Oil and Gas Extraction				
<b>NAICS Code (4 digit):</b>	2123				
<b>NAICS 4 Description:</b>	Non-Metallic Mineral Mining and Quarrying				
<b>NAICS Code (6 digit):</b>	212323				
<b>NAICS 6 Description:</b>	Sand and Gravel Mining and Quarrying				
<b>Substance Release Report</b>					
<b>CAS No:</b>	630-08-0				
<b>Report ID:</b>					
<b>Rpt Period:</b>	2004				
<b>Subst Released:</b>	Carbon monoxide				
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>	tonnes				
<b>CAS No:</b>	74-82-8				
<b>Report ID:</b>					
<b>Rpt Period:</b>	2004				
<b>Subst Released:</b>	Methane				
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		10024-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrous oxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		11104-93-1			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Nitrogen oxides (expressed as NO2)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		NA - M10			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Air:</b>		.301			
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		.301 tonnes			
<b>CAS No:</b>		NA - M16			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Volatile Organic Compounds (VOCs)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		124-38-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Subst Released:</b> Carbon dioxide <b>Air:</b> <b>Water:</b> <b>Land:</b> <b>Total Releases:</b> <b>Units:</b> tonnes  <b>CAS No:</b> NA - M08 <b>Report ID:</b> <b>Rpt Period:</b> 2004 <b>Subst Released:</b> PM - Total Particulate Matter <b>Air:</b> <b>Water:</b> <b>Land:</b> <b>Total Releases:</b> <b>Units:</b> tonnes  <b>CAS No:</b> NA - M09 <b>Report ID:</b> <b>Rpt Period:</b> 2004 <b>Subst Released:</b> PM10 - Particulate Matter <= 10 Microns <b>Air:</b> .941 <b>Water:</b> <b>Land:</b> <b>Total Releases:</b> .941 <b>Units:</b> tonnes					
<a href="#">84</a>	37 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	PRT
<b>Location ID:</b> 8998 <b>Type:</b> private <b>Expiry Date:</b> <b>Capacity (L):</b> 10000.00 <b>Licence #:</b> 0001002652					
<a href="#">84</a>	38 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES LIMITED 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	PRT
<b>Location ID:</b> 8998 <b>Type:</b> retail <b>Expiry Date:</b> <b>Capacity (L):</b> 9092 <b>Licence #:</b> 0001039845					
<a href="#">84</a>	39 of 46	SE/27.8	119.6 / -12.27	Franceschini Bros. Aggregates Ltd. 2531 Cawthra Road, Mississauga, Ontario, L5A 2W7 ON	PTTW
<b>EBR Registry No.:</b> IA8E0291 <b>Ministry Ref. No.:</b> 98P3006 <b>Notice Type:</b> Instrument Decision <b>Company Name:</b> Franceschini Bros. Aggregates Ltd. <b>Proponent Name:</b> <b>Proposal Address:</b> Lot 15, conc.5 W.H.S., 593 Charleston Sideroad, 2535 Cawthra Road, Mississauga Ontario, L5A 2W7 <b>Instrument Type:</b> (OWRA s. 34) - Permit to Take Water <b>Location Other:</b> <b>URL:</b>  <b>Proposal Date:</b> March 03, 1998 <b>Notice Date:</b> August 09, 2001 <b>Year:</b> 1998					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Location:</b>					
2531 Cawthra Road, Mississauga, Ontario, L5A 2W7					
<a href="#">84</a>	40 of 46	SE/27.8	119.6 / -12.27	FRANCESCHINI BROS AGGREGATES 2531 CAWTHRA RD MISSISSAUGA ON L5A 2W7	SCT
<b>Established:</b>		1946			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		28			
<b>--Details--</b>					
<b>Description:</b>		MINERALS AND EARTHS, GROUND OR OTHERWISE TREATED			
<b>SIC/NAICS Code:</b>		3295			
<b>Description:</b>		BRICK, STONE, AND RELATED CONSTRUCTION MATERIALS			
<b>SIC/NAICS Code:</b>		5032			
<a href="#">84</a>	41 of 46	SE/27.8	119.6 / -12.27	Franceschini Bros. Aggregates Ltd. 2531 Cawthra Rd Mississauga ON L5A 2W7	SCT
<b>Established:</b>		1946			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>		33			
<b>--Details--</b>					
<b>Description:</b>		Other Specialty-Line Building Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416390			
<b>Description:</b>		Agricultural Chemical and Other Farm Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		418390			
<b>Description:</b>		Other Concrete Product Manufacturing			
<b>SIC/NAICS Code:</b>		327390			
<a href="#">84</a>	42 of 46	SE/27.8	119.6 / -12.27	Franceschini Bros. Aggregates 2531 Cawthra Rd Mississauga ON L5A 2W7	SCT
<b>Established:</b>		01-JUN-46			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Concrete Product Manufacturing			
<b>SIC/NAICS Code:</b>		327390			
<b>Description:</b>		Other Specialty-Line Building Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416390			
<b>Description:</b>		Agricultural Chemical and Other Farm Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		418390			
<b>Description:</b>		Other Specialty-Line Building Supplies Wholesaler-Distributors			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		416390			
<a href="#">84</a>	43 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Rd Mississauga ON L5A 2W7	SPL
<b>Ref No:</b>	8738-8EK9N2			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	3/1/2011			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13			<b>Site Name:</b>	2531 Cawthra Road
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	2531 Cawthra Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	150 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Soil Contamination; Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	3/2/2011			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Watercourse Spills				
<b>Incident Reason:</b>	Spill				
<b>Incident Summary:</b>	LaFarge Cnd: 150L Diesel to grave/cb; cont.				
<a href="#">84</a>	44 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON	SPL
<b>Ref No:</b>	4214-AE9Q6V			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	9/29/2016			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Industrial Minerals
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	Franceschini Brothers Aggregates<UNOFFICIAL> 2531 Cawthra Road
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	200 L			<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	4827681
<b>Health/Env Conseq:</b>				<b>Easting:</b>	613209
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/29/2016			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	Franceschini Bros: ~ 200 L of hydraulic oil to land, cntd & clnd				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">84</a>	45 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Rd Mississauga ON NA	SPL
<b>Ref No:</b>	8108-ADYR4F			<b>Discharger Report:</b>	
<b>Site No:</b>	2698-6U8LQ6			<b>Material Group:</b>	
<b>Incident Dt:</b>	9/20/2016			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	2531 Cawthra Road
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	2531 Cawthra Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	NA
<b>Contaminant Qty:</b>	200 L			<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	4827567
<b>Health/Env Conseq:</b>				<b>Easting:</b>	613302
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	NA
<b>MOE Reported Dt:</b>	9/20/2016			<b>Site Map Datum:</b>	NA
<b>Dt Document Closed:</b>	10/3/2016				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	LaFarge: 200L hydraulic oil to grnd, cnted, clned.				

<a href="#">84</a>	46 of 46	SE/27.8	119.6 / -12.27	Lafarge Canada Inc. 2531 Cawthra Road Mississauga ON	SPL
<b>Ref No:</b>	3158-AXNW5A			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2018/04/09			<b>Client Type:</b>	Corporation
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	Valve/Fitting/Piping
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	France Schini Brother Aggregates Depot <UNOFFICIAL>
<b>Contaminant Name:</b>	HYDRAULIC OIL			<b>Site Address:</b>	2531 Cawthra Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	Regional Municipality of Peel
<b>Contaminant UN No 1:</b>	n/a			<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	120 L			<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	4827795
<b>Health/Env Conseq:</b>	2 - Minor Environment			<b>Easting:</b>	613025
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2018/04/09			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Land Spills				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	LaFarge Canada: 120L hydraulic oil to grnd, cnted, clned.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">85</a>	1 of 2	NW/28.0	144.8 / 13.00	691 Burnhamthorpe Road East Mississauga ON	EHS
<b>Order No:</b>	20180816072			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	22-AUG-18			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-AUG-18			<b>X:</b>	-79.619367
<b>Previous Site Name:</b>				<b>Y:</b>	43.607805
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory				
<a href="#">85</a>	2 of 2	NW/28.0	144.8 / 13.00	691 Burnhamthorpe Road East Mississauga ON	EHS
<b>Order No:</b>	20180816072			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	22-AUG-18			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	16-AUG-18			<b>X:</b>	-79.619367
<b>Previous Site Name:</b>				<b>Y:</b>	43.607805
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory				
<a href="#">86</a>	1 of 2	SE/28.3	106.8 / -25.00	2361 HARCOURT CRESCENT, MISSISSAUGA ON	INC
<b>Incident No:</b>	1305888				
<b>Incident ID:</b>					
<b>Attribute Category:</b>	FS-Perform L1 Incident Insp				
<b>Status Code:</b>					
<b>Incident Location:</b>	2361 HARCOURT CRESCENT, MISSISSAUGA - FIRE				
<b>Drainage System:</b>					
<b>Sub Surface Contam.:</b>					
<b>Aff. Prop. Use Water:</b>					
<b>Contam. Migrated:</b>					
<b>Contact Natural Env.:</b>					
<b>Near Body of Water:</b>					
<b>Approx. Quant. Rel.:</b>					
<b>Equipment Model:</b>					
<b>Serial No:</b>					
<b>Residential App. Type:</b>					
<b>Commercial App. Type:</b>					
<b>Industrial App. Type:</b>					
<b>Institutional App. Type:</b>					
<b>Venting Type:</b>					
<b>Vent Connector Mater:</b>					
<b>Vent Chimney Mater:</b>					
<b>Pipeline Type:</b>					
<b>Pipeline Involved:</b>					
<b>Pipe Material:</b>					
<b>Depth Ground Cover:</b>					
<b>Regulator Location:</b>					
<b>Regulator Type:</b>					
<b>Operation Pressure:</b>					
<b>Liquid Prop Make:</b>					
<b>Liquid Prop Model:</b>					
<b>Liquid Prop Serial No:</b>					
<b>Equipment Type:</b>					
<b>Cylinder Capacity:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cylinder Capac. Units:</b> <b>Cylinder Material Type:</b> <b>Tank Capacity:</b> <b>Fuels Occurrence Type:</b> Fire <b>Fuel Type Involved:</b> Natural Gas <b>Date of Occurrence:</b> 2013/12/25 00:00:00 <b>Time of Occurrence:</b> 17:00:00 <b>Occur Insp Start Date:</b> 2013/12/26 00:00:00 <b>Any Health Impact:</b> No <b>Any Environmental Impact:</b> No <b>Was Service Interrupted:</b> Yes <b>Was Property Damaged:</b> Yes <b>Operation Type Involved:</b> Private Dwelling <b>Enforcement Policy:</b> NULL <b>Prc Escalation Required:</b> NULL <b>Task No:</b> 4754229 <b>Notes:</b> <b>Occurrence Narrative:</b> Electrical fire on Carrier circuit board <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Capac:</b> <b>Liquid Prop Notes:</b>					

<a href="#">86</a>	2 of 2	SE/28.3	106.8 / -25.00	2361 HARCOURT CRESCENT, MISSISSAUGA ON	INC
<b>Incident No:</b> 1305888 <b>Incident ID:</b> <b>Attribute Category:</b> FS-Perform L1 Incident Insp <b>Status Code:</b> <b>Incident Location:</b> 2361 HARCOURT CRESCENT, MISSISSAUGA - FIRE <b>Drainage System:</b> <b>Sub Surface Contam.:</b> <b>Aff. Prop. Use Water:</b> <b>Contam. Migrated:</b> <b>Contact Natural Env.:</b> <b>Near Body of Water:</b> <b>Approx. Quant. Rel.:</b> <b>Equipment Model:</b> <b>Serial No:</b> <b>Residential App. Type:</b> <b>Commercial App. Type:</b> <b>Industrial App. Type:</b> <b>Institutional App. Type:</b> <b>Venting Type:</b> <b>Vent Connector Mater:</b> <b>Vent Chimney Mater:</b> <b>Pipeline Type:</b> <b>Pipeline Involved:</b> <b>Pipe Material:</b> <b>Depth Ground Cover:</b> <b>Regulator Location:</b> <b>Regulator Type:</b> <b>Operation Pressure:</b> <b>Liquid Prop Make:</b> <b>Liquid Prop Model:</b> <b>Liquid Prop Serial No:</b> <b>Equipment Type:</b> <b>Cylinder Capacity:</b> <b>Cylinder Capac. Units:</b> <b>Cylinder Material Type:</b> <b>Tank Capacity:</b> <b>Fuels Occurrence Type:</b> Fire					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Fuel Type Involved:</b> <b>Date of Occurrence:</b> <b>Time of Occurrence:</b> <b>Occur Insp Start Date:</b> <b>Any Health Impact:</b> <b>Any Environmental Impact:</b> <b>Was Service Interrupted:</b> <b>Was Property Damaged:</b> <b>Operation Type Involved:</b> <b>Enforcement Policy:</b> <b>Prc Escalation Required:</b> <b>Task No:</b> <b>Notes:</b> <b>Occurrence Narrative:</b> <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Capac:</b> <b>Liquid Prop Notes:</b>		Natural Gas 2013/12/25 00:00:00 17:00:00 2013/12/26 00:00:00 No No Yes Yes Private Dwelling NULL NULL 4900617 Electrical fire on carrier circuit board			
<a href="#">87</a>	1 of 22	SE/28.4	110.9 / -20.99	LIDLAW CARRIERS INC 2421 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		9414886 385159 FS Facility Fuels Safety Private Fuel Outlet - Self Serve EXPIRED         			
<a href="#">87</a>	2 of 22	SE/28.4	110.9 / -20.99	LIDLAW CARRIERS INC 2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11306671  FS Liquid Fuel Tank  EXPIRED       1/7/1995			
<a href="#">87</a>	3 of 22	SE/28.4	110.9 / -20.99	LIDLAW CARRIERS INC 2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b>		11306671  FS Liquid Fuel Tank Fuels Safety Private Fuel Outlet - Self Serve EXPIRED   FS Liquid Fuel Tank			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Expired Date:</b>		1/7/1995			
<a href="#">87</a>	4 of 22	SE/28.4	110.9 / -20.99	LAILAW(SEE&USE ON0470602 LAILAW) 2421 CAWTHRA RD. MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0111604			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0005				
<b>SIC Description:</b>	REGISTERED				
<a href="#">87</a>	5 of 22	SE/28.4	110.9 / -20.99	LAILAW(SEE&USE ON0470602 LAILAW)24- 042 2421 CAWTHRA RD. MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0111604			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0005				
<b>SIC Description:</b>	REGISTERED				
<a href="#">87</a>	6 of 22	SE/28.4	110.9 / -20.99	LAILAW CARRIERS INC. DIVISION OF THE CONTRANS GROUP 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON0470602			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6351				
<b>SIC Description:</b>	GARAGES(GEN. REPAIR)				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">87</a>	7 of 22	SE/28.4	110.9 / -20.99	LAILAW CARRIERS INC. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON0470602			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	6351			<b>Phone No. Admin:</b>	
		GARAGES(GEN. REPAIR)			
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		213 PETROLEUM DISTILLATES			
<b>Waste Code:</b> <b>Waste Description:</b>		251 OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b> <b>Waste Description:</b>		252 WASTE OILS & LUBRICANTS			
<a href="#"><u>87</u></a>	8 of 22	SE/28.4	110.9 / -20.99	<b>LIDLAW CARRIERS INC. 24-042 DIVISION OF THE CONTRANS GROUP 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7</b>	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON0470602  94,95,96   6351	GARAGES(GEN. REPAIR)		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		213 PETROLEUM DISTILLATES			
<b>Waste Code:</b> <b>Waste Description:</b>		251 OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b> <b>Waste Description:</b>		252 WASTE OILS & LUBRICANTS			
<a href="#"><u>87</u></a>	9 of 22	SE/28.4	110.9 / -20.99	<b>MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9</b>	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2465000  99,00,01,02,03,04,05,06,07,08   4569	OTHER TRUCK./TRANS.		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>		251 OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b> <b>Waste Description:</b>		252 WASTE OILS & LUBRICANTS			
<b>Waste Code:</b> <b>Waste Description:</b>		213 PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">87</a>	10 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484121				
<b>SIC Description:</b>	General Freight Trucking Long Distance Truck-Load				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">87</a>	11 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484121				
<b>SIC Description:</b>	General Freight Trucking Long Distance Truck-Load				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">87</a>	12 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484121				
<b>SIC Description:</b>	General Freight Trucking Long Distance Truck-Load				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">87</a>	13 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484121				
<b>SIC Description:</b>	General Freight Trucking Long Distance Truck-Load				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">87</a>	14 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	484121				
<b>SIC Description:</b>	GENERAL FREIGHT TRUCKING, LONG DISTANCE, TRUCK-LOAD				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">87</a>	15 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Wojtek Swiercz

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	No 484121			<b>Phone No. Admin:</b> 905-275-4545 Ext.248 GENERAL FREIGHT TRUCKING, LONG DISTANCE, TRUCK-LOAD	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	252 WASTE OILS & LUBRICANTS				
<b>Waste Code:</b> <b>Waste Description:</b>	251 OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b> <b>Waste Description:</b>	213 PETROLEUM DISTILLATES				
<a href="#"><u>87</u></a>	16 of 22	SE/28.4	110.9 / -20.99	<b>MUSKET TRANSPORT LTD.</b> 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2465000  2015 No No 484121			<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Wojtek Swiercz <b>Phone No. Admin:</b> 905-275-4545 Ext.248 GENERAL FREIGHT TRUCKING, LONG DISTANCE, TRUCK-LOAD	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	213 PETROLEUM DISTILLATES				
<b>Waste Code:</b> <b>Waste Description:</b>	252 WASTE OILS & LUBRICANTS				
<b>Waste Code:</b> <b>Waste Description:</b>	251 OIL SKIMMINGS & SLUDGES				
<a href="#"><u>87</u></a>	17 of 22	SE/28.4	110.9 / -20.99	<b>MUSKET TRANSPORT LTD.</b> 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2465000  2014 No No 484121			<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Wojtek Swiercz <b>Phone No. Admin:</b> 905-275-4545 Ext.248 GENERAL FREIGHT TRUCKING, LONG DISTANCE, TRUCK-LOAD	
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	251 OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b> <b>Waste Description:</b>	252 WASTE OILS & LUBRICANTS				
<b>Waste Code:</b> <b>Waste Description:</b>	213 PETROLEUM DISTILLATES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">87</a>	18 of 22	SE/28.4	110.9 / -20.99	MUSKET TRANSPORT LTD. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	GEN
<b>Generator No.:</b>	ON2465000			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>	Waste crankcase oils and lubricants				
<b>Waste Code:</b>	213 T				
<b>Waste Description:</b>	Petroleum distillates				
<b>Waste Code:</b>	251 L				
<b>Waste Description:</b>	Waste oils/sludges (petroleum based)				
<b>Waste Code:</b>	213 I				
<b>Waste Description:</b>	Petroleum distillates				
<a href="#">87</a>	19 of 22	SE/28.4	110.9 / -20.99	LIDLAW CARRIERS INC 2421 CAWTHRA RD MISSISSAUGA ON L5A 2W7	PRT
<b>Location ID:</b>	8997				
<b>Type:</b>	private				
<b>Expiry Date:</b>					
<b>Capacity (L):</b>	0.00				
<b>Licence #:</b>	0001059354				
<a href="#">87</a>	20 of 22	SE/28.4	110.9 / -20.99	The Regional Municipality of Peel 2421 Cawthra Road Mississauga ON L5A 2W7	SPL
<b>Ref No:</b>	6423-69EUBU			<b>Discharger Report:</b>	0
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	2/8/2005			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other Motor Vehicle
<b>Incident Cause:</b>	Discharge Or Bypass To A Watercourse			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	Musket Transport Ltd<UNOFFICIAL>
<b>Contaminant Name:</b>	ENGINE OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	45.5 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Multi-Media Pollution; Other Impact(s); Soil Contamination; Surface Water Pollution; Vegetation Damage			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land & Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2/8/2005			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>		Spill to Inland Watercourses; Spill to Land			
<b>Incident Reason:</b>		Unknown - Reason not determined			
<b>Incident Summary:</b>		Musket Transport Ltd: Engine Oil to Ditch			

<a href="#">87</a>	21 of 22	SE/28.4	110.9 / -20.99	LCI ENVIRONMENTAL INC. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	WDS
<b>Certificate No:</b>	A220321			<b>Total Area (ha):</b>	0
<b>Mob Unit Cert No:</b>				<b>Landfill Cap (m³):</b>	0
<b>EBR Registry No:</b>				<b>Transfer Area (ha):</b>	0
<b>Status:</b>	Application In Progress			<b>Transfer Cap (m³):</b>	0
<b>Facility Type:</b>				<b>Transfer Cert No:</b>	
<b>Record Type:</b>				<b>Inciner. Area (ha):</b>	0
<b>Link Source:</b>				<b>Inciner. Cap (t):</b>	0
<b>Project Type:</b>				<b>Process Area (m³):</b>	0
<b>Application Status:</b>				<b>Process Cap (m³/d):</b>	0
<b>Issue Date:</b>	11/11/1111			<b>Process Vol (m³):</b>	0
<b>Input Date:</b>	3/8/93			<b>Process Feed (m³):</b>	0
<b>Date Received:</b>	8/1/91			<b>Serial Link:</b>	220321
<b>Est Closure Date:</b>				<b>Site Concession:</b>	1, SOUTH OF DUNDAS ST.
<b>Mobile Capacity:</b>	0			<b>Site Region/County:</b>	PEEL
<b>Mobile Units:</b>				<b>SWP Area Name:</b>	
<b>Mobile Description:</b>				<b>MOE District:</b>	
<b>Prop City:</b>	Mississauga, Ontario			<b>District Office:</b>	
<b>Prop Postal:</b>	L5A-2W9			<b>Latitude:</b>	
<b>Prop Phone:</b>	416-615-0935			<b>Longitude:</b>	
<b>Approval Type:</b>					
<b>Proponent:</b>	LAILAW CARRIERS INC.				
<b>Prop Address:</b>	2421 Cawthra Road				
<b>Proponent County/District:</b>					
<b>Full Address:</b>					
<b>Site Lot:</b>	10				
<b>Waste Class Code:</b>					
<b>Waste Class:</b>					
<b>Waste Type:</b>					
<b>Waste Type Other:</b>	No				
<b>Waste Description:</b>					
<b>Landfill Monitoring:</b>					
<b>Landfill Ctrl Type:</b>					
<b>Site Closing Description:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>					
<b>Approval Description:</b>					
<b>Other Approvals/Permits:</b>					
<b>PDF URL:</b>					

<a href="#">87</a>	22 of 22	SE/28.4	110.9 / -20.99	LCI ENVIRONMENTAL INC. 2421 CAWTHRA ROAD MISSISSAUGA ON L5A 2W7	WDS
<b>Certificate No:</b>	A220321			<b>Total Area (ha):</b>	0
<b>Mob Unit Cert No:</b>				<b>Landfill Cap (m³):</b>	0
<b>EBR Registry No:</b>				<b>Transfer Area (ha):</b>	2.46
<b>Status:</b>	Denied			<b>Transfer Cap (m³):</b>	410
<b>Facility Type:</b>	Transfer Station			<b>Transfer Cert No:</b>	
<b>Record Type:</b>				<b>Inciner. Area (ha):</b>	0
<b>Link Source:</b>				<b>Inciner. Cap (t):</b>	0
<b>Project Type:</b>				<b>Process Area (m³):</b>	0
<b>Application Status:</b>				<b>Process Cap (m³/d):</b>	0
<b>Issue Date:</b>	01/21/1994			<b>Process Vol (m³):</b>	0



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Input Date:</b>	2/21/94			<b>Process Feed (m³):</b>	0
<b>Date Received:</b>	3/8/93			<b>Serial Link:</b>	220321
<b>Est Closure Date:</b>				<b>Site Concession:</b>	1, SOUTH OF DUNDAS ST.
<b>Mobile Capacity:</b>	0			<b>Site Region/County:</b>	PEEL, REGION OF
<b>Mobile Units:</b>				<b>SWP Area Name:</b>	
<b>Mobile Description:</b>				<b>MOE District:</b>	
<b>Prop City:</b>	MISSISSAUGA, ONTARIO			<b>District Office:</b>	Halton-Peel
<b>Prop Postal:</b>	L5A-2W9			<b>Latitude:</b>	
<b>Prop Phone:</b>	416-615-0935			<b>Longitude:</b>	
<b>Approval Type:</b>					
<b>Proponent:</b>	LAILAW CARRIERS INC.				
<b>Prop Address:</b>	2421 CAWTHRA ROAD				
<b>Proponent County/District:</b>					
<b>Full Address:</b>					
<b>Site Lot:</b>	10				
<b>Waste Class Code:</b>	111,112,113,114,121,122,123,131,132,133,134,135,141,142,143,144,145,146,147,148,149,150,211,212,213,221,222,231,232,233,241,251,252,253,254,261,262,263,264,265,266,267,268,270,281,282,311,				
<b>Waste Class:</b>	Spent pickle liquor,Acid solutions - containing heavy metals,Acid solutions - containing other metals and non-metals,Other inorganic acid wastes,Alkaline solutions - containing heavy metals,Alkaline solutions - containing other metals and non-metals (not cyanide),Alkaline phosphates,Neutralized solutions - containing heavy metals,Neutralized solutions - containing other metals,Brine, chlor-alkali sludges,Wastes containing sulphides,Wastes containing other reactive anions,Inorganic wastes from pigment manufacturing,Primary lead, zinc, and copper smelting wastes,Residues from steel making,Liquid tannery waste sludges,Wastes from the use of pigments, coatings and paints,Other specified inorganic sludges, slurries or solids,Chemical fertilizer wastes,Misc. wastes and inorganic chemicals,Landfill leachate,Inert organic wastes,Aromatic solvents and residues,Aliphatic solvents and residues,Petroleum distillates,Light fuels,Heavy fuels,Latex wastes,Polymeric resins,Other polymeric wastes,Halogenated solvents and residues,Waste oils/sludges (petroleum based),Waste crankcase oils and lubricants,Emulsified oils,Oily water/waste oil from waste transfer/processing sites,Pharmaceuticals,Detergents and soaps,26				
<b>Waste Type:</b>	liquid industrial, liquid hazardous				
<b>Waste Type Other:</b>	Yes				
<b>Waste Description:</b>	Asbestos Waste in bulk				
<b>Landfill Monitoring:</b>					
<b>Landfill Ctrl Type:</b>					
<b>Site Closing Description:</b>					
<b>Project Description:</b>					
<b>Municipalities Served:</b>	Province of Ontario				
<b>Approval Description:</b>					
<b>Other Approvals/Permits:</b>	Waste Management System No. A 820157				
<b>PDF URL:</b>					
<b>88</b>	1 of 1	<b>SE/28.7</b>	<b>129.8 / -2.00</b>	<b>LONDON PROPERTY CORP. SWM - 3095 CAWTHRA ROAD MISSISSAUGA CITY ON L5A 2X4</b>	<b>CA</b>
<b>Certificate #:</b>	3-1603-97-				
<b>Application Year:</b>	97				
<b>Issue Date:</b>	12/3/1997				
<b>Approval Type:</b>	Municipal sewage				
<b>Status:</b>	Approved				
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<b>89</b>	1 of 2	<b>SE/28.9</b>	<b>116.9 / -14.98</b>	<b>The Regional Municipality of Peel 2500 Cawthra Rd Mississauga ON L5A 2X3</b>	<b>CA</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Certificate #:</b>		7915-7X2R33			
<b>Application Year:</b>		2009			
<b>Issue Date:</b>		10/22/2009			
<b>Approval Type:</b>		Air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					

<a href="#">89</a>	2 of 2	SE/28.9	116.9 / -14.98	<b>The Regional Municipality of Peel 2500 Cawthra Rd Mississauga ON L6T 4B9</b>	<b>ECA</b>
<b>Approval No:</b>	7915-7X2R33			<b>SWP Area Name:</b> Credit Valley	
<b>Approval Date:</b>	2009-10-22			<b>MOE District:</b> Halton-Peel	
<b>Status:</b>	Approved			<b>City:</b> Mississauga	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.597855	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.592644	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	2500 Cawthra Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2673-7UZLBQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2673-7UZLBQ-14.pdf</a>				

<a href="#">90</a>	1 of 2	NW/29.4	136.8 / 5.00	<b>The Natural Path Integrated Health Care Centre 3313 Cawthra Road Mississauga ON L5A2X4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2951360			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>	No			<b>Co Admin:</b> Anna Finelli	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b> 9052060732 Ext.	
<b>SIC Code:</b>	621390				
<b>SIC Description:</b>	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
<b>--Details--</b>					
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				

<a href="#">90</a>	2 of 2	NW/29.4	136.8 / 5.00	<b>The Natural Path Integrated Health Care Centre 3313 Cawthra Road Mississauga ON L5A2X4</b>	<b>GEN</b>
<b>Generator No.:</b>	ON2951360			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b> Canada	
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b> CO_ADMIN	
<b>Contam. Facility:</b>	No			<b>Co Admin:</b> Anna Finelli	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b> 9052060732 Ext.	
<b>SIC Code:</b>	621390				
<b>SIC Description:</b>	OFFICES OF ALL OTHER HEALTH PRACTITIONERS				
<b>--Details--</b>					
<b>Waste Code:</b>	312				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">91</a>	1 of 1	NW/29.4	145.8 / 14.00	4138 SUNSET VALLEY COURT MISSISSAUGA ON L4W 3L5	HINC
<b>External File Num:</b>		FS INC 0809-05398			
<b>Date of Occurrence:</b>		9/17/2008			
<b>Fuel Occurrence Type:</b>		Vapour Release			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Private Dwelling			
<b>Service Interruptions:</b>		No			
<b>Property Damage:</b>		No			
<b>Fuel Life Cycle Stage:</b>		Utilization			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:Yes Design:No Training:No Management:No Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Near-miss			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Peel			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					
<a href="#">92</a>	1 of 1	NW/30.3	141.8 / 10.00	WEED AWAY 3580 CAWTHRA RD MISSISSAUGA CITY ON L5A 2Y3	SPL
<b>Ref No:</b>		99740		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>		5/11/1994		<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>		VALVE/FITTING LEAK OR FAILURE		<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		NOT ANTICIPATED		<b>Site Municipality:</b> 21102	
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>		LAND		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b> PEEL R.M.	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>		5/11/1994		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		ERROR			
<b>Incident Summary:</b>		WEED-A-WAY- 45L FERTILI- ZER/HERBICIDE MIX ONTO ROAD, CLEANING UP.			
<a href="#">93</a>	1 of 1	SE/30.9	116.9 / -14.90	Hawley Pontiac Buick Cadillac (1983) Ltd. 2526 Cawthra Road	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Mississauga ON L5A 2X3</b>					
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		9925-6EWRH8 2005 8/11/2005 Air Approved			
<a href="#">94</a>	1 of 5	SE/31.2	116.9 / -14.90	<b>HAWLEY COLLISION CENTRE INC. 2526 CAWTHRA RD MISSISSAUGA ON L5A 2X3</b>	<b>EASR</b>
<b>Approval No:</b> <b>Status:</b> <b>Date:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Full Address:</b> <b>Project Type:</b> <b>Approval Type:</b> <b>Full PDF Link:</b>		R-001-6260393326 REGISTERED 2012-10-27 EASR MOFA		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Latitude:</b> <b>Longitude:</b>	
				Credit Valley Halton-Peel MISSISSAUGA 43.593086 -79.598564	
				Automotive Refinishing Facility EASR-Automotive Refinishing Facility <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2443">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2443</a>	
<a href="#">94</a>	2 of 5	SE/31.2	116.9 / -14.90	<b>HAWLEY COLLISION CENTRE INC. 2526 CAWTHRA RD MISSISSAUGA ON L5A 2X3</b>	<b>EASR</b>
<b>Approval No:</b> <b>Status:</b> <b>Date:</b> <b>Record Type:</b> <b>Link Source:</b> <b>Full Address:</b> <b>Project Type:</b> <b>Approval Type:</b> <b>Full PDF Link:</b>		R-001-2260405981 REGISTERED 2012-10-27 EASR MOFA		<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> <b>Latitude:</b> <b>Longitude:</b>	
				Credit Valley Halton-Peel MISSISSAUGA 43.593086 -79.598564	
				Automotive Refinishing Facility EASR-Automotive Refinishing Facility <a href="http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2444">http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2444</a>	
<a href="#">94</a>	3 of 5	SE/31.2	116.9 / -14.90	<b>Hawley Pontiac Buick Cadillac (1983) Ltd. 2526 Cawthra Road CITY OF MISSISSAUGA ON</b>	<b>EBR</b>
<b>EBR Registry No.:</b> <b>Ministry Ref. No.:</b> <b>Notice Type:</b> <b>Company Name:</b> <b>Proponent Name:</b> <b>Proposal Address:</b> <b>Instrument Type:</b> <b>Location Other:</b> <b>URL:</b>		IA9E1727 8339599 Instrument Decision Hawley Pontiac Buick Cadillac (1983) Ltd.		<b>Proposal Date:</b> <b>Notice Pub Date:</b> <b>Year:</b>	
				November 09, 1999 April 04, 2000 1999	
				225 Dundas Highway, East, Mississauga Ontario, L5A 1E8 (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)	
				<b>Location:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
2526 Cawthra Road CITY OF MISSISSAUGA					
<a href="#">94</a>	4 of 5	SE/31.2	116.9 / -14.90	<b>Hawley Pontiac Buick Cadillac (1983) Ltd. 2526 Cawthra Road Mississauga Ontario L5A 2X3 Mississauga ON</b>	<b>EBR</b>
<b>EBR Registry No.:</b>	IA05E0085			<b>Proposal Date:</b> January 20, 2005	
<b>Ministry Ref. No.:</b>	5057-68RRMB			<b>Notice Pub Date:</b> October 24, 2006	
<b>Notice Type:</b>	Instrument Decision			<b>Year:</b> 2005	
<b>Company Name:</b>	Hawley Pontiac Buick Cadillac (1983) Ltd.				
<b>Proponent Name:</b>					
<b>Proposal Address:</b>	225 Dundas Street East, Mississauga Ontario, L5A 1W8				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Location Other:</b>					
<b>URL:</b>					
<b>Location:</b>					
2526 Cawthra Road Mississauga Ontario L5A 2X3 Mississauga					
<a href="#">94</a>	5 of 5	SE/31.2	116.9 / -14.90	<b>Hawley Pontiac Buick Cadillac (1983) Ltd. 2526 Cawthra Road Mississauga ON L5A 2X3</b>	<b>ECA</b>
<b>Approval No:</b>	9925-6EWRH8			<b>SWP Area Name:</b> Credit Valley	
<b>Approval Date:</b>	2005-08-11			<b>MOE District:</b> Halton-Peel	
<b>Status:</b>	Approved			<b>City:</b> Mississauga	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.598564	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.593086	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	2526 Cawthra Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5057-68RRMB-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5057-68RRMB-14.pdf</a>				
<a href="#">95</a>	1 of 1	SE/31.5	106.2 / -25.62	<b>676 Abana Rd Mississauga ON</b>	<b>SPL</b>
<b>Ref No:</b>	0632-AQS4VS			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	8/31/2017			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b> Other	
<b>Incident Cause:</b>				<b>Source Type:</b> Pipeline/Components	
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	35			<b>Site Name:</b> Residential<UNOFFICIAL>	
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b> 676 Abana Rd	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b> Halton-Peel	
<b>Contam Limit Freq 1:</b>	any			<b>Site County/District:</b> Regional Municipality of Peel	
<b>Contaminant UN No 1:</b>	1075			<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	1 other - see incident description			<b>Site Region:</b> Central	
<b>Environment Impact:</b>				<b>Site Municipality:</b> Mississauga	
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	
<b>Health/Env Conseq:</b>	2 - Minor Environment			<b>Easting:</b>	
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/31/2017			<b>Site Map Datum:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Dt Document Closed:</b> 9/6/2017					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b> TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill					
<b>Incident Reason:</b> Operator/Human Error					
<b>Incident Summary:</b> TSSA Spill 1/2" plastic line Damage Made Safe					
<a href="#">96</a>	1 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	EXP
<b>Instance No:</b> 9594641					
<b>Instance ID:</b>					
<b>Instance Type:</b> FS Facility					
<b>Description:</b>					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b> 7/9/2005 21:09					
<a href="#">96</a>	2 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	EXP
<b>Instance No:</b> 10852808					
<b>Instance ID:</b>					
<b>Instance Type:</b> FS Liquid Fuel Tank					
<b>Description:</b>					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b> 7/9/2005 21:09					
<a href="#">96</a>	3 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b> 10852859					
<b>Instance ID:</b> 46104					
<b>Instance Type:</b> FS Liquid Fuel Tank					
<b>Description:</b> FS Liquid Fuel Tank					
<b>Status:</b> EXPIRED					
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">96</a>	4 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b> 10852842					
<b>Instance ID:</b> 46216					
<b>Instance Type:</b> FS Liquid Fuel Tank					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		FS Liquid Fuel Tank			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">96</a>	5 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b>		10852826			
<b>Instance ID:</b>		46223			
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Liquid Fuel Tank			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">96</a>	6 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b>		10852868			
<b>Instance ID:</b>		45789			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">96</a>	7 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b>		10852835			
<b>Instance ID:</b>		46254			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">96</a>	8 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b>		10852850			
<b>Instance ID:</b>		46190			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		FS Piping FS Piping EXPIRED			
<a href="#">96</a>	9 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10852817 46276 FS Piping FS Piping EXPIRED			
<a href="#">96</a>	10 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10852808 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">96</a>	11 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10852859 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">96</a>	12 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	EXP
<b>Instance No:</b>		10852842			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance ID:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Description:</b> FS Gasoline Station - Self Serve <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> FS Liquid Fuel Tank <b>Expired Date:</b> 7/9/2005 9:09:38 PM					
<a href="#">96</a>	13 of 13	NW/33.2	144.8 / 13.00	2068179 ONTARIO INC O/A AIRPORT HWY 427 ESSO GAS STN 691 BURNHAMTHORPE RD E MISSISSAUGA ON L5A 3K5	EXP
<b>Instance No:</b> 10852826 <b>Instance ID:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Description:</b> FS Gasoline Station - Self Serve <b>Status:</b> EXPIRED <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> FS Liquid Fuel Tank <b>Expired Date:</b> 7/9/2005 9:09:38 PM					
<a href="#">97</a>	1 of 2	NW/33.7	144.8 / 13.00	Cawthra Rd. & Burnhamthorpe Rd. E. Mississauga ON	EHS
<b>Order No:</b> 20180307023 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 16-MAR-18 <b>Date Received:</b> 07-MAR-18 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; City Directory					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.619438 <b>Y:</b> 43.607796					
<a href="#">97</a>	2 of 2	NW/33.7	144.8 / 13.00	Cawthra Rd. & Burnhamthorpe Rd. E. Mississauga ON	EHS
<b>Order No:</b> 20180307023 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 16-MAR-18 <b>Date Received:</b> 07-MAR-18 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; City Directory					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.619438 <b>Y:</b> 43.607796					
<a href="#">98</a>	1 of 6	SSE/34.7	129.8 / -2.00	3100 Cawthra Rd Mississauga ON L5A 2X5	EHS
<b>Order No:</b> 20001212004 <b>Status:</b> C <b>Report Type:</b> Complete Report <b>Report Date:</b> 12/15/00 <b>Date Received:</b> 12/12/00 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> Silver Creek and Cawthra <b>Municipality:</b> Peel <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.603249 <b>Y:</b> 43.59671					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">98</a>	2 of 6	SSE/34.7	129.8 / -2.00	Imperial Oil Limited 3100 Cawthra Road Mississauga ON L5A 2X5	GEN
<b>Generator No.:</b>	ON5624027			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<a href="#">98</a>	3 of 6	SSE/34.7	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A2X5	PRT
<b>Location ID:</b>	23701				
<b>Type:</b>	retail				
<b>Expiry Date:</b>	1995-10-31				
<b>Capacity (L):</b>	19974				
<b>Licence #:</b>	0028790001				
<a href="#">98</a>	4 of 6	SSE/34.7	129.8 / -2.00	3100 CAWTHRA RD. MISSISSAUGA ON	PRT
<b>Location ID:</b>	8999				
<b>Type:</b>	retail				
<b>Expiry Date:</b>					
<b>Capacity (L):</b>					
<b>Licence #:</b>					
<a href="#">98</a>	5 of 6	SSE/34.7	129.8 / -2.00	Febau (Canada) Limited 3100 CAWTHRA RD, MISSISSAUGA, ON, L5A 2X5 ON	RSC
<b>Reg No:</b>	34707			<b>Cert Date:</b>	30-May-05
<b>RA No:</b>				<b>Cert Prop Use No:</b>	No CPU
<b>RSC Type:</b>				<b>Intended Prop Use:</b>	Commercial
<b>Curr Property Use:</b>	Commercial			<b>Nm of Qual. Person:</b>	John Gregory, General Manager
<b>District Office:</b>	MISSISSAUGA			<b>Stratified (Y/N):</b>	
<b>Date Submitted:</b>	2-Oct-07			<b>Audit (Y/N):</b>	
<b>Date Ack:</b>				<b>Entire Leg Prop. (Y/N):</b>	Yes
<b>Date Returned:</b>				<b>Accuracy Estimate:</b>	6 to 10 meters
<b>Restoration Type:</b>				<b>Telephone:</b>	905-8551603
<b>Soil Type:</b>				<b>Fax:</b>	905-8551853
<b>Criteria:</b>				<b>Email:</b>	
<b>CPU Issued Sect 1686:</b>	No				
<b>Asmt Roll No:</b>					
<b>Prop. ID No:</b>	13155-0375 LT				
<b>Property Municipal Address:</b>	3100 CAWTHRA RD, MISSISSAUGA, ON, L5A 2X5				
<b>Mailing Address:</b>	2680 ROYAL WINDSOR DR, MISSISSAUGA, ON, L5J 1K7				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Latitude &amp; Longitude:</b>		43.59638890N 79.60305560W			
<b>UTM Coordinates:</b>		NAD83 17-612756-4827994 (converted from Latitude & Longitude)			
<b>Consultant:</b>					
<b>Filing Owner:</b>					
<b>Legal Desc:</b>		BLK A PL 903 MISSISSAUGA EXCEPT PTS 1 & 2, 43R385; T/W VS224163; S/T VS159822 MISSISSAUGA			
<b>Measurement Method:</b>		Digitized from a satellite image			
<b>Applicable Standards:</b>		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Coarse Textured Soil, for Industrial/Commercial/Community property use			
<b>RSC PDF:</b>					
<a href="#">98</a>	6 of 6	SSE/34.7	129.8 / -2.00	<b>ESSO PETROLEUM 3100 CAWTHRA RD SERVICE STATION MISSISSAUGA CITY ON L5A 2X5</b>	SPL
<b>Ref No:</b>	29443			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	1/3/1990			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CAUSE (N.O.S.)			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Water course or lake			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	PEEL REGION
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	1/3/1990			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>	NEGLIGENCE (APPARENT)				
<b>Incident Summary:</b>	ESSO PETROLEUM - 4000L HEATING OIL TO STORM SEWER				
<a href="#">99</a>	1 of 13	NW/34.8	144.8 / 13.00	<b>691 Burnhamthorpe Rd E Mississauga ON L5A 3K5</b>	EHS
<b>Order No:</b>	20050908008			<b>Nearest Intersection:</b>	Burnhamthorpe Rd E & Cawthra Rd
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	9/16/2005			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	9/8/2005			<b>X:</b>	-79.619512
<b>Previous Site Name:</b>				<b>Y:</b>	43.607712
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">99</a>	2 of 13	NW/34.8	144.8 / 13.00	<b>691 Burnhamthorpe Rd E Mississauga ON L5A 3K5</b>	EHS
<b>Order No:</b>	20090302005			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	3/10/2009			<b>Search Radius (km):</b>	0.5
<b>Date Received:</b>	3/2/2009			<b>X:</b>	-79.619282

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Previous Site Name:</i>				Y:	43.607727
<i>Lot/Building Size:</i>					
<i>Additional Info Ordered:</i>					
<a href="#">99</a>	3 of 13	NW/34.8	144.8 / 13.00	691 Burnhamthorpe Rd E Mississauga ON L5A 3K5	EHS
<i>Order No:</i>	20101001019			<i>Nearest Intersection:</i>	
<i>Status:</i>	C			<i>Municipality:</i>	
<i>Report Type:</i>	Custom Report			<i>Client Prov/State:</i>	ON
<i>Report Date:</i>	10/5/2010			<i>Search Radius (km):</i>	0.25
<i>Date Received:</i>	10/1/2010 2:19:16 PM			<i>X:</i>	-79.619547
<i>Previous Site Name:</i>				<i>Y:</i>	43.606671
<i>Lot/Building Size:</i>					
<i>Additional Info Ordered:</i>	Aerial Photos; City Directory				
<a href="#">99</a>	4 of 13	NW/34.8	144.8 / 13.00	IMPERIAL OIL 691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	GEN
<i>Generator No.:</i>	ON9285295			<i>PO Box No.:</i>	
<i>Status:</i>				<i>Country:</i>	
<i>Approval Years:</i>	05,06			<i>Choice of Contact:</i>	
<i>Contam. Facility:</i>				<i>Co Admin:</i>	
<i>MHSW Facility:</i>				<i>Phone No. Admin:</i>	
<i>SIC Code:</i>	447190				
<i>SIC Description:</i>	Other Gasoline Stations				
<i>--Details--</i>					
<i>Waste Code:</i>	221				
<i>Waste Description:</i>	LIGHT FUELS				
<i>Waste Code:</i>	251				
<i>Waste Description:</i>	OIL SKIMMINGS & SLUDGES				
<a href="#">99</a>	5 of 13	NW/34.8	144.8 / 13.00	Imperial Oil Limited (c/o Sara Yonson) 691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	GEN
<i>Generator No.:</i>	ON9285295			<i>PO Box No.:</i>	
<i>Status:</i>				<i>Country:</i>	
<i>Approval Years:</i>	07,08			<i>Choice of Contact:</i>	
<i>Contam. Facility:</i>				<i>Co Admin:</i>	
<i>MHSW Facility:</i>				<i>Phone No. Admin:</i>	
<i>SIC Code:</i>	447190				
<i>SIC Description:</i>	Other Gasoline Stations				
<i>--Details--</i>					
<i>Waste Code:</i>	251				
<i>Waste Description:</i>	OIL SKIMMINGS & SLUDGES				
<i>Waste Code:</i>	221				
<i>Waste Description:</i>	LIGHT FUELS				
<a href="#">99</a>	6 of 13	NW/34.8	144.8 / 13.00	Imperial Oil Limited 691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON9285295			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	447190				
<b>SIC Description:</b>	Other Gasoline Stations				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">99</a>	7 of 13	NW/34.8	144.8 / 13.00	Imperial Oil Limited 691 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L5A 3K5	GEN
<b>Generator No.:</b>	ON9285295			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	447190				
<b>SIC Description:</b>	Other Gasoline Stations				
<b>--Details--</b>					
<b>Waste Code:</b>	221				
<b>Waste Description:</b>	LIGHT FUELS				
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">99</a>	8 of 13	NW/34.8	144.8 / 13.00	MT SERVICES ATTN GUS THOMAS 691 BURNHAMTHORPE RD MISSISSAUGA ON L5A 3K5	PRT
<b>Location ID:</b>	8983				
<b>Type:</b>	retail				
<b>Expiry Date:</b>	1994-05-31				
<b>Capacity (L):</b>	32996				
<b>Licence #:</b>	0076389352				
<a href="#">99</a>	9 of 13	NW/34.8	144.8 / 13.00	PACZAY & SONS LTD 691 BURNHAMTHORPE RD MISSISSAUGA ON L5A3K5	PRT
<b>Location ID:</b>	8983				
<b>Type:</b>	retail				
<b>Expiry Date:</b>	1996-03-31				
<b>Capacity (L):</b>	32996				
<b>Licence #:</b>	0076440676				
<a href="#">99</a>	10 of 13	NW/34.8	144.8 / 13.00	172965 Canada Limited 691 Burnhamthorpe Road East, Mississauga,	RSC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ontario, L5A 3K5</b> <b>Mississauga ON L5A 3K5</b>					
<b>Reg No:</b>	67514			<b>Cert Date:</b>	15-Jul-09
<b>RA No:</b>				<b>Cert Prop Use No:</b>	No CPU
<b>RSC Type:</b>				<b>Intended Prop Use:</b>	Commercial
<b>Curr Property Use:</b>	Commercial			<b>Nm of Qual. Person:</b>	Ed Charlton
<b>District Office:</b>	MISSISSAUGA			<b>Stratified (Y/N):</b>	
<b>Date Submitted:</b>	7-Jan-10			<b>Audit (Y/N):</b>	
<b>Date Ack:</b>				<b>Entire Leg Prop. (Y/N):</b>	Yes
<b>Date Returned:</b>				<b>Accuracy Estimate:</b>	6 to 10 meters
<b>Restoration Type:</b>				<b>Telephone:</b>	416-4417389
<b>Soil Type:</b>				<b>Fax:</b>	416-4417400
<b>Criteria:</b>				<b>Email:</b>	ed.m.charlton@esso.ca
<b>CPU Issued Sect 1686:</b>	No				
<b>Asmt Roll No:</b>		21-05-040-092-07100-0000			
<b>Prop. ID No:</b>		13170-0241 (LT)			
<b>Property Municipal Address:</b>		691 Burnhamthorpe Road East, Mississauga, Ontario, L5A 3K5			
<b>Mailing Address:</b>		90 Wynford Drive, Toronto, Ontario, M3C 1K5			
<b>Latitude &amp; Longitude:</b>		43.60780550N 79.61946740W (converted from UTM)			
<b>UTM Coordinates:</b>		NAD83 17-611410-4829240			
<b>Consultant:</b>					
<b>Filing Owner:</b>					
<b>Legal Desc:</b>		PCL 5-1, SEC 43-A-24; PT LT 5, PL A24, PART 2, 43R10037; MISSISSAUGA			
<b>Measurement Method:</b>		Global Positioning System			
<b>Applicable Standards:</b>		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Industrial/Commercial/Community property use			
<b>RSC PDF:</b>					
<a href="#">99</a>	11 of 13	NW/34.8	144.8 / 13.00	<b>KARTEX AUTO</b> <b>691 BURNHAMTHORPE RD E</b> <b>MISSISSAUGA ON L5A3K5</b>	<b>RST</b>
<b>Headcode:</b>		1186800			
<b>Headcode Desc:</b>		Service Stations-Gasoline, Oil & Natural Gas			
<b>Phone:</b>		9052759732			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">99</a>	12 of 13	NW/34.8	144.8 / 13.00	<b>ROYAL ESSO</b> <b>691 BURNHAMTHORPE RD E</b> <b>MISSISSAUGA ON L5A 3K5</b>	<b>RST</b>
<b>Headcode:</b>		1186800			
<b>Headcode Desc:</b>		Service Stations-Gasoline, Oil & Natural Gas			
<b>Phone:</b>		9058482338			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">99</a>	13 of 13	NW/34.8	144.8 / 13.00	<b>TEXACO</b> <b>691 BURNHAMTHORPE RD. SERVICE STATION</b> <b>MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b>	29692			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	1/10/1990			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	UNDERGROUND TANK LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/10/1990 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> TEXACO - GASOLINE SEEPING TO SURFACE AT SERVICE STN				<b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	

<a href="#">100</a>	1 of 1	NW/35.5	143.8 / 12.00	UGOFAN DIAGNOSTIC INC. 39-448 702 BURNAMTHORDE ROAD EAST UNIT 5 MISSISSAUGA ON L4Y 2X3	GEN
<b>Generator No.:</b> ON1579100 <b>Status:</b> <b>Approval Years:</b> 92,93,94,95,96,97,98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 8683 <b>SIC Description:</b> COMB. MED./RAD. LAB.				<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b> <b>Waste Code:</b> 264 <b>Waste Description:</b> PHOTOPROCESSING WASTES					

<a href="#">101</a>	1 of 21	NW/35.6	145.8 / 14.00	4106 Cawthra Road at Rathburn Road Mississauga ON L4Z 1A1	CA
<b>Certificate #:</b> 8887-4PQP3U <b>Application Year:</b> 00 <b>Issue Date:</b> 10/4/00 <b>Approval Type:</b> Industrial sewage <b>Status:</b> Approved <b>Application Type:</b> New Certificate of Approval <b>Client Name:</b> Petro-Canada <b>Client Address:</b> 3275 Rebecca Street <b>Client City:</b> Oakville <b>Client Postal Code:</b> L6L 6N5 <b>Project Description:</b> A privately owned stormwater management facility located within the limits of the proposed site. The facility consists of one in-ground partitioned sediment/oil separator chamber sized to provide quality control functions. The inlet pipe has a 85 mm diameter orifice restricting incoming flows to 23 L/s. The on-site storage of 1450 m3 is contained in depressions outletting into catchbasins and catchbasin manholes within the site.					
<b>Contaminants:</b> <b>Emission Control:</b>					

<a href="#">101</a>	2 of 21	NW/35.6	145.8 / 14.00	Petro-Canada 4106 Cawthra Rd at Rathburn Rd, Part of Lot 7 Mississauga ON L6L 6N5	ECA
<b>Approval No:</b> 8887-4PQP3U				<b>SWP Area Name:</b> Credit Valley	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Approval Date:</b> 2000-10-04  <b>Status:</b> Approved  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>Approval Type:</b> ECA-INDUSTRIAL SEWAGE WORKS  <b>Project Type:</b> INDUSTRIAL SEWAGE WORKS  <b>Address:</b> 4106 Cawthra Rd at Rathburn Rd, Part of Lot 7  <b>Full Address:</b>  <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0274-4NWKGN-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0274-4NWKGN-14.pdf</a></p>					
<a href="#">101</a>	3 of 21	NW/35.6	145.8 / 14.00	<b>KANEV MANAGEMENT PETRO GAS BAR 4106 CAWTHRA RD MISSISSAUGA ON</b>	<b>EXP</b>
<p><b>Instance No:</b> 10110785  <b>Instance ID:</b> 12173  <b>Instance Type:</b> FS Facility  <b>Description:</b> FS Propane Cylr Handling Facility  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b></p>					
<a href="#">101</a>	4 of 21	NW/35.6	145.8 / 14.00	<b>1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1</b>	<b>EXP</b>
<p><b>Instance No:</b> 11264798  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b>  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b> 10/3/1989</p>					
<a href="#">101</a>	5 of 21	NW/35.6	145.8 / 14.00	<b>1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1</b>	<b>EXP</b>
<p><b>Instance No:</b> 11264761  <b>Instance ID:</b>  <b>Instance Type:</b> FS Liquid Fuel Tank  <b>Description:</b>  <b>Status:</b> EXPIRED  <b>TSSA Program Area:</b>  <b>Maximum Hazard Rank:</b>  <b>Facility Type:</b>  <b>Expired Date:</b> 10/3/1989</p>					
<a href="#">101</a>	6 of 21	NW/35.6	145.8 / 14.00	<b>1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON</b>	<b>EXP</b>
<p><b>Instance No:</b> 11264782  <b>Instance ID:</b> 75969  <b>Instance Type:</b> FS Liquid Fuel Tank</p>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		FS Liquid Fuel Tank EXPIRED			
<a href="#">101</a>	7 of 21	NW/35.6	145.8 / 14.00	1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		10853228 46215 FS Liquid Fuel Tank FS Liquid Fuel Tank EXPIRED			
<a href="#">101</a>	8 of 21	NW/35.6	145.8 / 14.00	1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11427728 84283 FS Piping FS Piping EXPIRED			
<a href="#">101</a>	9 of 21	NW/35.6	145.8 / 14.00	1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b> <b>Maximum Hazard Rank:</b> <b>Facility Type:</b> <b>Expired Date:</b>		11264761 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			
<a href="#">101</a>	10 of 21	NW/35.6	145.8 / 14.00	1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	EXP
<b>Instance No:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Description:</b> <b>Status:</b> <b>TSSA Program Area:</b>		11264782 FS Liquid Fuel Tank FS Gasoline Station - Self Serve EXPIRED			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		10/3/1989			
<a href="#">101</a>	11 of 21	NW/35.6	145.8 / 14.00	1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	EXP
<b>Instance No:</b>		10853228			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Gasoline Station - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		10/3/1989			
<a href="#">101</a>	12 of 21	NW/35.6	145.8 / 14.00	1467738 ONTARIO INC O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	EXP
<b>Instance No:</b>		11264798			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>		FS Gasoline Station - Self Serve			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Expired Date:</b>		10/3/1989			
<a href="#">101</a>	13 of 21	NW/35.6	145.8 / 14.00	SUNCOR ENERGY PRODUCTS PARTNERSHIP 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	FST
<b>Instance No:</b>		11621864			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		50000			
<b>Tank Material:</b>		Fiberglass (FRP)			
<b>Corrosion Protection:</b>		Fiberglass			
<b>Tank Type:</b>		Double Wall UST			
<b>Install Year:</b>		2000			
<b>Parent Facility Type:</b>		FS Gasoline Station - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">101</a>	14 of 21	NW/35.6	145.8 / 14.00	SUNCOR ENERGY PRODUCTS PARTNERSHIP 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	FST
<b>Instance No:</b>		11621854			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		50000			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Tank Material:</b> <b>Corrosion Protection:</b> <b>Tank Type:</b> <b>Install Year:</b> <b>Parent Facility Type:</b> <b>Facility Type:</b>		Fiberglass (FRP) Fiberglass Double Wall UST 2000 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
<a href="#">101</a>	15 of 21	NW/35.6	145.8 / 14.00	SUNCOR ENERGY PRODUCTS PARTNERSHIP 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	FST
<b>Instance No:</b> <b>Cont Name:</b> <b>Instance Type:</b> <b>Fuel Type:</b> <b>Status:</b> <b>Capacity:</b> <b>Tank Material:</b> <b>Corrosion Protection:</b> <b>Tank Type:</b> <b>Install Year:</b> <b>Parent Facility Type:</b> <b>Facility Type:</b>		11621869 FS Liquid Fuel Tank Gasoline Active 50000 Fiberglass (FRP) Fiberglass Double Wall UST 2000 FS Gasoline Station - Self Serve FS Liquid Fuel Tank			
<a href="#">101</a>	16 of 21	NW/35.6	145.8 / 14.00	1390901 ONTARIO LTD O/A GAS STN 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	FSTH
<b>License Issue Date:</b> <b>Tank Status:</b> <b>Tank Status As Of:</b> <b>Operation Type:</b> <b>Facility Type:</b>		11/4/2005 Pending Renewal August 2007 Retail Fuel Outlet Gasoline Station - Self Serve			
<b>--Details--</b>					
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Removed 1985 Fiberglass 27000 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Removed 1985 Fiberglass 27000 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Removed 1993 Fiberglass 36365 Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b> <b>Year of Installation:</b> <b>Corrosion Protection:</b> <b>Capacity:</b> <b>Tank Fuel Type:</b>		Removed 1993 Fiberglass 36365 Liquid Fuel Single Wall UST - Gasoline			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">101</a>	17 of 21	NW/35.6	145.8 / 14.00	KANEV MANAGEMENT 4106 CAWTHRA RD E MISSISSAUGA ON L4Z 1A1	PRT
<b>Location ID:</b>		9001			
<b>Type:</b>		retail			
<b>Expiry Date:</b>		1995-05-31			
<b>Capacity (L):</b>		128000			
<b>Licence #:</b>		0076398346			
<a href="#">101</a>	18 of 21	NW/35.6	145.8 / 14.00	KATZ FAINA 4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	RST
<b>Headcode:</b>		1186800			
<b>Headcode Desc:</b>		Service Stations-Gasoline, Oil & Natural Gas			
<b>Phone:</b>		9052707380			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">101</a>	19 of 21	NW/35.6	145.8 / 14.00	PETRO CANADA 4106 CAWTHRA RD MISSISSAUGA ON L4Z 1A1	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
<b>Phone:</b>					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">101</a>	20 of 21	NW/35.6	145.8 / 14.00	PETRO CANADA 4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
<b>Phone:</b>		9052707380			
<b>List Name:</b>		INFO-DIRECT(TM) BUSINESS FILE			
<b>Description:</b>					
<a href="#">101</a>	21 of 21	NW/35.6	145.8 / 14.00	PETRO CANADA 481 4106 CAWTHRA RD MISSISSAUGA ON L4Z1A1	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
<b>Phone:</b>		9052707380			
<b>List Name:</b>		INFO-DIRECT(TM) BUSINESS FILE			
<b>Description:</b>					
<a href="#">102</a>	1 of 8	NW/35.7	143.8 / 12.00	SHOPPERS DRUG MART 700 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L4Y 2X3	GEN
<b>Generator No.:</b>		ON2588432		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		01		<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 6031 <b>SIC Description:</b> PHARMACIES  <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 312 <b>Waste Description:</b> PATHOLOGICAL WASTES					
<a href="#">102</a>	2 of 8	NW/35.7	143.8 / 12.00	London Excavators and Trucking Ltd 700 Burnhamthorpe Road East Mississauga ON L4Y 2X3	GEN
<b>Generator No.:</b> ON6271451 <b>Status:</b> <b>Approval Years:</b> 07,08 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>  <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 221 <b>Waste Description:</b> LIGHT FUELS					
<a href="#">102</a>	3 of 8	NW/35.7	143.8 / 12.00	Ksenia Jankovic Pharmacy Ltd. 700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	GEN
<b>Generator No.:</b> ON3186190 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 446110 <b>SIC Description:</b> 446110  <b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Nastran Najafi-Fard <b>Phone No. Admin:</b> 416-493-1220 Ext.3218					
<b>--Details--</b> <b>Waste Code:</b> 261 <b>Waste Description:</b> PHARMACEUTICALS  <b>Waste Code:</b> 312 <b>Waste Description:</b> PATHOLOGICAL WASTES					
<a href="#">102</a>	4 of 8	NW/35.7	143.8 / 12.00	Ksenia Jankovic Pharmacy Ltd. 700 BURNHAMTHORPE RD. E. Mississauga ON L4Y 2X3	GEN
<b>Generator No.:</b> ON3186190 <b>Status:</b> <b>Approval Years:</b> 2016 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 446110 <b>SIC Description:</b> 446110  <b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Nastran Najafi-Fard <b>Phone No. Admin:</b> 416-493-1220 Ext.3218					
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">102</a>	5 of 8	NW/35.7	143.8 / 12.00	<b>Ksenia Jankovic Pharmacy Ltd.</b> 700 BURNHAMTHORPE RD. E. MISSISSAUGA ON L4Y 2X3	GEN
<b>Generator No.:</b>	ON3186190			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	312 P				
<b>Waste Description:</b>	Pathological wastes				
<b>Waste Code:</b>	261 A				
<b>Waste Description:</b>	Pharmaceuticals				
<a href="#">102</a>	6 of 8	NW/35.7	143.8 / 12.00	<b>SHOPPERS DRUG MART</b> 700 BURNHAMTHORPE ROAD EAST MISSISSAUGA ON L4Y 2X3	PES
<b>Licence No:</b>				<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>	23			<b>Operator No:</b>	
<b>Licence Type:</b>	Limited Vendor			<b>Operator Type:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	
<b>County:</b>				<b>Proponent Ext:</b>	
<a href="#">102</a>	7 of 8	NW/35.7	143.8 / 12.00	<b>KSENIA JANKOVIC PHARMACY LTD. O/A</b> <b>SHOPPERS DRUG MART #774</b> 700 BURNHAMTHORPE RD E MISSISSAUGA ON L4Y 2X3	PES
<b>Licence No:</b>				<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>				<b>Operator No:</b>	
<b>Licence Type:</b>	Vendor			<b>Operator Type:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>County:</b>				<b>Proponent Ext:</b>	
<a href="#">102</a>	8 of 8	NW/35.7	143.8 / 12.00	KSENIA JANKOVIC PHARMACY LTD. O/A SHOPPERS DRUG MART #774 700 BURNHAMTHORPE RD E MISSISSAUGA ON L4Y2X3	PES
<b>Licence No:</b>	15024			<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>	23			<b>Operator No:</b>	
<b>Licence Type:</b>	Active Limited Vendors			<b>Operator Type:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	905
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	2791812
<b>County:</b>				<b>Proponent Ext:</b>	
<a href="#">103</a>	1 of 1	NW/36.0	143.8 / 12.00	Mississauga ON	WWIS
<b>Well ID:</b>	7149162			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	7/29/2010
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7320
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M07042			<b>Owner:</b>	
<b>Tag:</b>	A098872			<b>Street Name:</b>	3640 CAWTHA RD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004560173			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611470
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829190
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-MAY-10			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	WWR
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004560177			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004560176			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		BORING			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004560178			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004560180			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.2			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004560179			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.2			
<b>Screen End Depth:</b>		4.3			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1004560181			
<b>Pump Set At:</b>					
<b>Static Level:</b>		1.8			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			



**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1004560175  
**Diameter:** 20  
**Depth From:**  
**Depth To:** 4.3  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004560200	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	611494
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4829140
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-MAY-10	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	WWR
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1004560204  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:** m

**Method of Construction & Well Use**

**Method Construction ID:** 1004560203  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:** BORING

**Pipe Information**

**Pipe ID:** 1004560205  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing ID:</b>		1004560207			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.9			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004560206			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.9			
<b>Screen End Depth:</b>		5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1004560208			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.2			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004560202			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		5			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003251863		<b>Elevation:</b>	143.16	
<b>DP2BR:</b>			<b>Elevrc:</b>		
<b>Spatial Status:</b>			<b>Zone:</b>	17	
<b>Code OB:</b>			<b>East83:</b>	611476	
<b>Code OB Desc:</b>			<b>Org CS:</b>	UTM83	
<b>Open Hole:</b>	N		<b>North83:</b>	4829192	
<b>Cluster Kind:</b>			<b>UTMRC:</b>	4	
<b>Date Completed:</b>	14-MAY-10		<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m	
<b>Remarks:</b>			<b>Location Method:</b>	wwr	
<b>Elevrc Desc:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004560164			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>		11			
<b>Other Materials:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3.8			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004560166			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004560167			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.7			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004560172			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004560162			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004560169			
<b>Layer:</b>		1			
<b>Material:</b>		5			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.3			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004560170			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6			
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1004560163			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>		0			
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>		0			
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004560168			
<b>Layer:</b>		1			
<b>Kind Code:</b>		1			
<b>Kind:</b>		FRESH			
<b>Water Found Depth:</b>		2			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004560165			
<b>Diameter:</b>		20			
<b>Depth From:</b>		0			
<b>Depth To:</b>		3.8			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004560191			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611497

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829177
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-MAY-10			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	WWR
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004560195			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004560194			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		BORING			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004560196			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004560198			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004560197			
<b>Layer:</b>		1			
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.6			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Test ID:</b>		1004560199			
<b>Pump Set At:</b>					
<b>Static Level:</b>		2.7			
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>		m			
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004560193			
<b>Diameter:</b>		20			
<b>Depth From:</b>					
<b>Depth To:</b>		4.6			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004560182			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611471
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829169
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-MAY-10			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	WWR
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004560186			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004560185			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		BORING			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Pipe Information</u></b>					
Pipe ID:		1004560187			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1004560189			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.2			
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004560188			
Layer:		1			
Slot:					
Screen Top Depth:		1.2			
Screen End Depth:		4.3			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<b><u>Results of Well Yield Testing</u></b>					
Pump Test ID:		1004560190			
Pump Set At:					
Static Level:		1.8			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<b><u>Hole Diameter</u></b>					
Hole ID:		1004560184			
Diameter:		20			
Depth From:					
Depth To:		4.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>104</u></b>	<b>1 of 1</b>	<b>NW/36.3</b>	<b>147.8 / 16.00</b>	<b>4216 CAWTHRA ROAD MISSISSAUGA ON L4Z 1A1</b>	<b>HINC</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>External File Num:</b>		FS INC 0612-04451			
<b>Date of Occurrence:</b>		11/8/2006			
<b>Fuel Occurrence Type:</b>		Vapour Release			
<b>Fuel Type Involved:</b>		Natural Gas			
<b>Status Desc:</b>		Completed - Causal Analysis(End)			
<b>Job Type Desc:</b>		Incident/Near-Miss Occurrence (FS)			
<b>Oper. Type Involved:</b>		Commercial (e.g. restaurant, business unit, etc)			
<b>Service Interruptions:</b>		No			
<b>Property Damage:</b>		No			
<b>Fuel Life Cycle Stage:</b>		Utilization			
<b>Root Cause:</b>		Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training:No Management:Yes Human Factors:Yes			
<b>Reported Details:</b>					
<b>Fuel Category:</b>		Gaseous Fuel			
<b>Occurrence Type:</b>		Incident			
<b>Affiliation:</b>		Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)			
<b>County Name:</b>		Peel			
<b>Approx. Quant. Rel:</b>					
<b>Nearby body of water:</b>					
<b>Enter Drainage Syst.:</b>					
<b>Approx. Quant. Unit:</b>					
<b>Environmental Impact:</b>					

<a href="#">105</a>	1 of 1	NW/36.6	143.8 / 12.00	ON	BORE
<b>Borehole ID:</b>	645564			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611535			<b>Northing:</b>	4829253
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	142
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	143
<b>Total Depth m:</b>	4.8			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	SEP-1966			<b>Static Water Level:</b>	.5
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218511792			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.2			<b>Stratum Desc:</b>	SOIL.
<b>Stratum ID:</b>	218511793			<b>Top Depth(m):</b>	0.2
<b>Bottom Depth(m):</b>	2.1			<b>Stratum Desc:</b>	SILT,SAND,CLAY. BROWN,LACUSTRINE,WEATHERED, AGE POST-GLACIAL.
<b>Stratum ID:</b>	218511794			<b>Top Depth(m):</b>	2.1
<b>Bottom Depth(m):</b>	4.8			<b>Stratum Desc:</b>	SILT,SAND,CLAY,SHALEBROWN,HARD, WATER STABLE AT 466.6 FEET.00009

<a href="#">107</a>	1 of 1	NW/36.9	141.8 / 10.00	Mississauga ON	WWIS
<b>Well ID:</b>	7202010			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/27/2013
<b>Sec. Water Use:</b>	Test Hole			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z167596			<b>Owner:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A145855			Street Name:	71 KING STREET WEST
Construction Method:				County:	PEEL
Elevation (m):				Municipality:	MISSISSAUGA CITY
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

**Bore Hole Information**

Bore Hole ID:	1004311105	Elevation:	141.84
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	611691
Code OB Desc:		Org CS:	UTM83
Open Hole:		North83:	4828962
Cluster Kind:		UTMRC:	4
Date Completed:	28-MAR-13	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID:	1004922572
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Other Materials:	
Mat3:	
Other Materials:	
Formation Top Depth:	0
Formation End Depth:	10
Formation End Depth UOM:	ft

**Annular Space/Abandonment**

**Sealing Record**

Plug ID:	1004922581
Layer:	2
Plug From:	4
Plug To:	1
Plug Depth UOM:	ft

**Annular Space/Abandonment**

**Sealing Record**

Plug ID:	1004922580
Layer:	1

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug From:</b>		10			
<b>Plug To:</b>		4			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004922582			
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004922579			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004922571			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004922575			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004922576			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		5			
<b>Screen End Depth:</b>		10			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004922574			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1004922573			
Diameter:		12			
Depth From:		0			
Depth To:		10			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<a href="#">108</a>	1 of 1	SE/37.4	120.9 / -10.91	EL MUNDO LATINO NEWS 700 DUNDAS ST E UNIT 5 MISSISSAUGA ON L4Y 3Y5	SCT
Established:		1991			
Plant Size (ft²):		0			
Employment:		4			
<b>--Details--</b>					
Description:		Newspaper Publishers			
SIC/NAICS Code:		511110			
<a href="#">109</a>	1 of 1	NW/37.9	143.8 / 12.00	3635 & 3643 Cawthra Rd Mississauga ON L5A 2Y4	EHS
Order No:		20050328026		Nearest Intersection:	Cawthra Rd and Burnhamthorpe Rd E
Status:		C		Municipality:	
Report Type:				Client Prov/State:	ON
Report Date:		3/31/2005		Search Radius (km):	0.25
Date Received:		3/28/2005		X:	-79.617602
Previous Site Name:				Y:	43.607233
Lot/Building Size:					
Additional Info Ordered:					
<a href="#">110</a>	1 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
Instance No:		10025351			
Instance ID:					
Instance Type:		FS Facility			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					
Facility Type:					
Expired Date:		10/16/1999			
<a href="#">110</a>	2 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
Instance No:		11187845			
Instance ID:					
Instance Type:		FS Liquid Fuel Tank			
Description:					
Status:		EXPIRED			
TSSA Program Area:					
Maximum Hazard Rank:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Type:</b>					
<b>Expired Date:</b>		10/3/1989			
<a href="#">110</a>	3 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
<b>Instance No:</b>		11187887			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		10/3/1989			
<a href="#">110</a>	4 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
<b>Instance No:</b>		11187803			
<b>Instance ID:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Description:</b>					
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		10/3/1989			
<a href="#">110</a>	5 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b>		11187907			
<b>Instance ID:</b>		72330			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">110</a>	6 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON	EXP
<b>Instance No:</b>		11187866			
<b>Instance ID:</b>		72516			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">110</a>	7 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON	EXP
<p>Instance No: 11187825  Instance ID: 73732  Instance Type: FS Piping  Description: FS Piping  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type:  Expired Date:</p>					
<a href="#">110</a>	8 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
<p>Instance No: 11187845  Instance ID:  Instance Type: FS Liquid Fuel Tank  Description: FS Gasoline Station - Full Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type: FS Liquid Fuel Tank  Expired Date: 10/3/1989</p>					
<a href="#">110</a>	9 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
<p>Instance No: 11187803  Instance ID:  Instance Type: FS Liquid Fuel Tank  Description: FS Gasoline Station - Full Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type: FS Liquid Fuel Tank  Expired Date: 10/3/1989</p>					
<a href="#">110</a>	10 of 10	SSE/37.9	129.8 / -2.00	JOHN VICTOR 3100 CAWTHRA RD MISSISSAUGA ON L5A 2X5	EXP
<p>Instance No: 11187887  Instance ID:  Instance Type: FS Liquid Fuel Tank  Description: FS Gasoline Station - Full Serve  Status: EXPIRED  TSSA Program Area:  Maximum Hazard Rank:  Facility Type: FS Liquid Fuel Tank  Expired Date: 10/3/1989</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">111</a>	1 of 3	ESE/38.9	130.8 / -1.00	3153 Cawthra Rd Mississauga ON L5A2X4	EHS
<b>Order No:</b>	20170714208			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-JUL-17			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	14-JUL-17			<b>X:</b>	-79.603792
<b>Previous Site Name:</b>				<b>Y:</b>	43.598039
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">111</a>	2 of 3	ESE/38.9	130.8 / -1.00	3153 Cawthra Rd Mississauga ON L5A2X4	EHS
<b>Order No:</b>	20170714208			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-JUL-17			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	14-JUL-17			<b>X:</b>	-79.603792
<b>Previous Site Name:</b>				<b>Y:</b>	43.598039
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">111</a>	3 of 3	ESE/38.9	130.8 / -1.00	3153 Cawthra Rd Mississauga ON L5A2X4	EHS
<b>Order No:</b>	20170714208			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	21-JUL-17			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	14-JUL-17			<b>X:</b>	-79.603792
<b>Previous Site Name:</b>				<b>Y:</b>	43.598039
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">112</a>	1 of 1	NW/39.6	144.8 / 13.00	MISSISSAUGA ON	WWIS
<b>Well ID:</b>	7116422			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	12/15/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6032
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z82222			<b>Owner:</b>	
<b>Tag:</b>	A062186			<b>Street Name:</b>	691 BURNHAMTHORPE
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001909417	<b>Elevation:</b>	143.97
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	611404
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4829253
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	07-OCT-08	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002020760
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	77
<b>Other Materials:</b>	LOOSE
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	1
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002020762
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	26
<b>Most Common Material:</b>	ROCK
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	4.5
<b>Formation End Depth:</b>	4.6
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1002020761
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	
<b>Other Materials:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		1			
<b>Formation End Depth:</b>		4.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002020764			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1002020765			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002020770			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002020759			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002020767			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		1.6			
<b>Casing Diameter:</b>		5			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002020768			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
Water ID:		1002020766			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1002020763			
Diameter:		20			
Depth From:		0			
Depth To:		4.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<b>113</b>	<b>1 of 1</b>	<b>NW/39.6</b>	<b>144.8 / 13.00</b>	<b>MISSISSAUGA ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7139581			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	2/8/2010
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6032
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z108646			<b>Owner:</b>	
<b>Tag:</b>	A062186			<b>Street Name:</b>	691 BYRNHAMTHORPE ROAD
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002935065			<b>Elevation:</b>	143.98
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	611402
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829257
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	22-JAN-10			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1003099751		
<b>Layer:</b>			2		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			4.57		
<b>Formation End Depth:</b>			4.59		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1003099750		
<b>Layer:</b>			1		
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>			0		
<b>Formation End Depth:</b>			4.57		
<b>Formation End Depth UOM:</b>			m		
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>			1003099757		
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>			1003099749		
<b>Casing No:</b>			0		
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1003099755		
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>			cm		
<b>Casing Depth UOM:</b>			m		
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1003099756			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<b><u>Water Details</u></b>					
Water ID:		1003099754			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1003099752			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[114](#) 1 of 1 NW/39.9 144.5 / 12.62 Mississauga ON [WWIS](#)

<b>Well ID:</b>	7110880	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	9/4/2008
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>		<b>Contractor:</b>	6032
<b>Casing Material:</b>		<b>Form Version:</b>	4
<b>Audit No:</b>	Z69156	<b>Owner:</b>	
<b>Tag:</b>	A005369	<b>Street Name:</b>	691 BURNAMTHORPE RD.
<b>Construction Method:</b>		<b>County:</b>	PEEL
<b>Elevation (m):</b>		<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001776657	<b>Elevation:</b>	143.98
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	611410
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4829223
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Completed:</b>	05-AUG-08			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1001784263				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>					
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1001784264				
<b>Layer:</b>	1				
<b>Plug From:</b>	1.5				
<b>Plug To:</b>	.3				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1001784265				
<b>Layer:</b>	2				
<b>Plug From:</b>	.3				
<b>Plug To:</b>	0				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>	1001784268				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1001784262				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen ID:</b> 1001784267 <b>Layer:</b> <b>Slot:</b> <b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>					
<b>Water Details</b>					
<b>Water ID:</b> 1001784266 <b>Layer:</b> 1 <b>Kind Code:</b> <b>Kind:</b> <b>Water Found Depth:</b> <b>Water Found Depth UOM:</b> m					
<a href="#">115</a>	1 of 21	SE/40.7	109.8 / -22.00	CENTRE-STAGE PLASTICS INC. 2395 CAWTHRA RD., UNIT 9, LOT10 MISSISSAUGA ON L5A 2W8	CA
<b>Certificate #:</b> 8-3147-98- <b>Application Year:</b> 98 <b>Issue Date:</b> 6/3/1998 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> EXHAUST FAN WITH TWO HOODS <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">115</a>	2 of 21	SE/40.7	109.8 / -22.00	ELECTROLYTIC HONING & POLISHING CO LTD 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	GEN
<b>Generator No.:</b> ON0377600 <b>Status:</b> <b>Approval Years:</b> 86,87,88,89,90 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3099 <b>SIC Description:</b> OTHER METAL FAB. IND. <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 112 <b>Waste Description:</b> ACID WASTE - HEAVY METALS					
<a href="#">115</a>	3 of 21	SE/40.7	109.8 / -22.00	ELECTROLYTIC (OUT OF BUSINESS) POLISHING COMPANY LIMITED 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	GEN
<b>Generator No.:</b> ON0377600 <b>PO Box No.:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3099 <b>SIC Description:</b> OTHER METAL FAB. IND.					
<b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 111					
<b>Waste Description:</b> SPENT PICKLE LIQUOR					
<b>Waste Code:</b> 112					
<b>Waste Description:</b> ACID WASTE - HEAVY METALS					
<a href="#">115</a>	4 of 21	SE/40.7	109.8 / -22.00	J. HERON REPAIR SVC. 2395 CAWTHRA ROAD, MISSISSAUGA, ON L5A 2W8	GEN
<b>Generator No.:</b> ON0974100					
<b>Status:</b>					
<b>Approval Years:</b> 86,87,88,89,90					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 0000					
<b>SIC Description:</b> *** NOT DEFINED ***					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<a href="#">115</a>	5 of 21	SE/40.7	109.8 / -22.00	ELECTROLYTIC (OUT OF BUSINESS) 14-065 POLISHING CO LTD 2395 CAWTHRA ROAD, UNIT 7 MISSISSAUGA ON L5A 2W8	GEN
<b>Generator No.:</b> ON0377600					
<b>Status:</b>					
<b>Approval Years:</b> 92,93,94,95,96,97					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 3099					
<b>SIC Description:</b> OTHER METAL FAB. IND					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 111					
<b>Waste Description:</b> SPENT PICKLE LIQUOR					
<b>Waste Code:</b> 112					
<b>Waste Description:</b> ACID WASTE - HEAVY METALS					
<a href="#">115</a>	6 of 21	SE/40.7	109.8 / -22.00	J. HERON REPAIR SVC. 22-273 2395 CAWTHRA ROAD, MISSISSAUGA, ON L5A 2W8	GEN
<b>Generator No.:</b> ON0974100					
<b>Status:</b>					
<b>Approval Years:</b> 92,93,94,95,96,97,98					
<b>Contam. Facility:</b>					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9941				
<b>SIC Description:</b>		ELECTRIC MOTOR REPAI			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">115</a>	7 of 21	SE/40.7	109.8 / -22.00	Centre Stage Plastics Inc. 2395 Cawthra Rd Unit 9 Mississauga ON L5A 2W8	SCT
<b>Established:</b>		1997			
<b>Plant Size (ft²):</b>		2400			
<b>Employment:</b>		1			
<b>--Details--</b>					
<b>Description:</b>		All Other Miscellaneous Manufacturing			
<b>SIC/NAICS Code:</b>		339990			
<a href="#">115</a>	8 of 21	SE/40.7	109.8 / -22.00	LOADING DOCK COMPANY 2395 CAWTHRA RD UNIT 12 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1998			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		4			
<b>--Details--</b>					
<b>Description:</b>		Other Rubber Product Manufacturing			
<b>SIC/NAICS Code:</b>		326290			
<b>Description:</b>		All Other Miscellaneous Manufacturing			
<b>SIC/NAICS Code:</b>		339990			
<a href="#">115</a>	9 of 21	SE/40.7	109.8 / -22.00	D S FASHIONS 2395 CAWTHRA RD UNIT 3 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		3000			
<b>Employment:</b>		12			
<b>--Details--</b>					
<b>Description:</b>		MEN'S AND BOYS' SUITS, COATS, AND OVERCOATS			
<b>SIC/NAICS Code:</b>		2311			
<b>Description:</b>		MEN'S AND BOYS' CLOTHING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2329			
<b>Description:</b>		WOMEN'S, MISSES', AND JUNIORS' SUITS, SKIRTS, AND COATS			
<b>SIC/NAICS Code:</b>		2337			
<b>Description:</b>		WOMEN'S, MISSES', AND JUNIORS' OUTERWEAR, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2339			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">115</a>	10 of 21	SE/40.7	109.8 / -22.00	CHINERY'S ADVERTISING LTD. 2395 CAWTHRA RD UNIT 12 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1967			
<b>Plant Size (ft²):</b>		2050			
<b>Employment:</b>		4			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<b>Description:</b>		SIGNS AND ADVERTISING SPECIALTIES			
<b>SIC/NAICS Code:</b>		3993			
<a href="#">115</a>	11 of 21	SE/40.7	109.8 / -22.00	CONTINENTAL MARKING PRODUCTS 2395 CAWTHRA RD UNIT 14 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1983			
<b>Plant Size (ft²):</b>		2200			
<b>Employment:</b>		4			
<b>--Details--</b>					
<b>Description:</b>		MARKING DEVICES			
<b>SIC/NAICS Code:</b>		3953			
<b>Description:</b>		SIGNS AND ADVERTISING SPECIALTIES			
<b>SIC/NAICS Code:</b>		3993			
<a href="#">115</a>	12 of 21	SE/40.7	109.8 / -22.00	EM Graphics Limited 2395 Cawthra Rd Unit 2 Mississauga ON L5A 2W8	SCT
<b>Established:</b>		01-JUN-84			
<b>Plant Size (ft²):</b>		2200			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<a href="#">115</a>	13 of 21	SE/40.7	109.8 / -22.00	AMBER TECHNOLOGY LTD. 2395 CAWTHRA RD UNIT 19 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		8000			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>		17			
<b>--Details--</b>					
<b>Description:</b>		NONFERROUS DIE-CASTINGS, EXCEPT ALUMINUM			
<b>SIC/NAICS Code:</b>		3364			
<a href="#">115</a>	14 of 21	SE/40.7	109.8 / -22.00	Eagle Hill Tool & Die Inc. 2395 Cawthra Rd Unit 7 Mississauga ON L5A 2W8	SCT
<b>Established:</b>		01-AUG-86			
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<b>Description:</b>		Other Ornamental and Architectural Metal Product Manufacturing			
<b>SIC/NAICS Code:</b>		332329			
<b>Description:</b>		Other Metalworking Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333519			
<a href="#">115</a>	15 of 21	SE/40.7	109.8 / -22.00	ROLAND GRAPHICS SCREEN PRINT 2395 CAWTHRA RD UNIT 13 MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1993			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		3			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<b>Description:</b>		Textile and Fabric Finishing			
<b>SIC/NAICS Code:</b>		313310			
<b>Description:</b>		Commercial Screen Printing			
<b>SIC/NAICS Code:</b>		323113			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<a href="#">115</a>	16 of 21	SE/40.7	109.8 / -22.00	M.M. FABRICATING LTD. 2395 CAWTHRA RD MISSISSAUGA ON L5A 2W8	SCT
<b>Established:</b>		1975			
<b>Plant Size (ft²):</b>		6000			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		INDUSTRIAL & COMMERCIAL MACHINERY & EQUIPMENT, N.E.C.			
<b>SIC/NAICS Code:</b>		3599			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">115</a>	17 of 21	SE/40.7	109.8 / -22.00	Rizco Gifts Inc. 2395 Cawthra Rd Unit 16 Mississauga ON L5A 2W8	SCT
<b>Established:</b>	1995				
<b>Plant Size (ft²):</b>					
<b>Employment:</b>	2				
<a href="#">115</a>	18 of 21	SE/40.7	109.8 / -22.00	Nationwide Computers Ltd. 2395 Cawthra Rd Suite 101 Mississauga ON L5A 2W8	SCT
<b>Established:</b>	1980				
<b>Plant Size (ft²):</b>	1000				
<b>Employment:</b>	5				
<b>--Details--</b>					
<b>Description:</b>	Software Publishers				
<b>SIC/NAICS Code:</b>	511210				
<a href="#">115</a>	19 of 21	SE/40.7	109.8 / -22.00	Perfect Defence Inc. 2395 Cawthra Rd Unit 6 Mississauga ON L5A 2W8	SCT
<b>Established:</b>	01-AUG-96				
<b>Plant Size (ft²):</b>	2000				
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	All Other Miscellaneous Fabricated Metal Product Manufacturing				
<b>SIC/NAICS Code:</b>	332999				
<b>Description:</b>	Metal Service Centres				
<b>SIC/NAICS Code:</b>	416210				
<b>Description:</b>	Structural Steel and Precast Concrete Contractors				
<b>SIC/NAICS Code:</b>	238120				
<b>Description:</b>	All Other Building Equipment Contractors				
<b>SIC/NAICS Code:</b>	238299				
<b>Description:</b>	Glass Product Manufacturing from Purchased Glass				
<b>SIC/NAICS Code:</b>	327215				
<b>Description:</b>	Other Specialty-Line Building Supplies Wholesaler-Distributors				
<b>SIC/NAICS Code:</b>	416390				
<a href="#">115</a>	20 of 21	SE/40.7	109.8 / -22.00	Industrial Technical Services 2395 Cawthra Rd Unit 8 Mississauga ON L5A 2W8	SCT
<b>Established:</b>	1982				
<b>Plant Size (ft²):</b>	2500				
<b>Employment:</b>	25				
<b>--Details--</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b> <b>SIC/NAICS Code:</b>		Industrial Building and Structure Construction 236210			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Commercial and Institutional Building Construction 236220			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Electrical Contractors 238210			
<b>Description:</b> <b>SIC/NAICS Code:</b>		All Other Building Equipment Contractors 238299			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Measuring, Medical and Controlling Devices Manufacturing 334512			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors 416110			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Professional Machinery, Equipment and Supplies Wholesaler-Distributors 417930			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Engineering Services 541330			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Testing Laboratories 541380			
<b>Description:</b> <b>SIC/NAICS Code:</b>		Computer Systems Design and Related Services 541510			

<a href="#">115</a>	21 of 21	SE/40.7	109.8 / -22.00	Day and Night Mobile Refrigeration (Bob)<UNOFFICIAL> 2395 Cawthra<UNOFFICIAL> Mississauga ON L5A 2W8	SPL
<b>Ref No:</b>	7740-6CQNHJ			<b>Discharger Report:</b>	0
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	5/25/2005			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Other Motor Vehicle
<b>Incident Cause:</b>	Other Transport Accident			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	2395 Cawthra<UNOFFICIAL>
<b>Contaminant Name:</b>	MOTOR OIL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Groundwater Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	5/25/2005			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Spills to Highways (usually highway accidents)				
<b>Incident Reason:</b>	Other - Reason not otherwise defined				
<b>Incident Summary:</b>	MVA 100L of oil to Hwy.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">116</a>	1 of 38	SE/40.8	109.8 / -22.00	2399 Cawthra Rd Mississauga ON L5A 2W9	EHS
<b>Order No:</b>	20101206044			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	12/30/2010			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	12/6/2010			<b>X:</b>	-79.593643
<b>Previous Site Name:</b>				<b>Y:</b>	43.591242
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">116</a>	2 of 38	SE/40.8	109.8 / -22.00	ZYLSTRA MOLDED PRODUCTS (OUT OF BU 2399 CAWTHRA RD. UNIT 36 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON0194101			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0019				
<b>SIC Description:</b>	OUT OF BUSINESS				
<a href="#">116</a>	3 of 38	SE/40.8	109.8 / -22.00	ZYLSTRA MOLDED PRODUCTS (OUT OF BUS.) 2399 CAWTHRA RD. UNIT 36 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON0194101			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0019				
<b>SIC Description:</b>	OUT OF BUSINESS				
<a href="#">116</a>	4 of 38	SE/40.8	109.8 / -22.00	R.P. PRINTING CO. UNIT 32 2399 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON0492900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	0000				
<b>SIC Description:</b>	*** NOT DEFINED ***				
<a href="#">116</a>	5 of 38	SE/40.8	109.8 / -22.00	R.P. PRINTING CO (OUT OF BUSINESS)33-127 UNIT 32 2399 CAWTHRA ROAD MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON0492900			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">116</a>	6 of 38	SE/40.8	109.8 / -22.00	ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS) 2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	R240001			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	050				
<b>SIC Description:</b>					
<a href="#">116</a>	7 of 38	SE/40.8	109.8 / -22.00	DAB DESKTOP PUBLISHING CENTRE INC.12-732 2399 CAWTHRA ROAD, UNIT 33 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON1606800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2821				
<b>SIC Description:</b>	PLATEMAKING, ETC.				
<b>--Details--</b>					
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<a href="#">116</a>	8 of 38	SE/40.8	109.8 / -22.00	GLENN A. DAVIS & ASSOCIATES LTD. 2399 CAWTHRA ROAD, SUITE 204 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON1678200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9931				
<b>SIC Description:</b>	PHOTOGRAPHERS				
<b>--Details--</b>					
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<a href="#">116</a>	9 of 38	SE/40.8	109.8 / -22.00	2395-2399 CAWTHRA ROAD LIMITED 2395-2399 CAWTHRA ROAD TORONTO ON L5A 2W9	GEN
<b>Generator No.:</b>	ON2558200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	00,01,02,03,04,05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3099				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		OTHER METAL FAB. IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		241			
<b>Waste Description:</b>		HALOGENATED SOLVENTS			
<a href="#">116</a>	10 of 38	SE/40.8	109.8 / -22.00	Golder Associates Innovative Applications Inc. 2399 Cawthra Ave Mississauga ON L5A 2W9	GEN
<b>Generator No.:</b>	ON8624185			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541620				
<b>SIC Description:</b>	Environmental Consulting Services				
<b>--Details--</b>					
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<a href="#">116</a>	11 of 38	SE/40.8	109.8 / -22.00	DAB (OUT OF BUS) 12-732 2399 CAWTHRA ROAD, UNIT 33 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON1606800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2821				
<b>SIC Description:</b>	PLATEMAKING, ETC.				
<b>--Details--</b>					
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<a href="#">116</a>	12 of 38	SE/40.8	109.8 / -22.00	GLENN A. DAVIS & ASSOCIATES LTD. 13-419 2399 CAWTHRA ROAD, SUITE 204 MISSISSAUGA ON L5A 2W9	GEN
<b>Generator No.:</b>	ON1678200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	9931				
<b>SIC Description:</b>	PHOTOGRAPHERS				
<b>--Details--</b>					
<b>Waste Code:</b>		264			
<b>Waste Description:</b>		PHOTOPROCESSING WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">116</a>	13 of 38	SE/40.8	109.8 / -22.00	ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS) 2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #:</b> R240001 <b>Facility Type:</b> RECLAIM <b>Approval Yrs:</b> 86,87,88,89,90,92					
<a href="#">116</a>	14 of 38	SE/40.8	109.8 / -22.00	ZYLSTRA MOLDED PRODUCTS(OUT OF BUSINESS) 2399 CAWTHRA RD., #36 MISSISSAUGA ON L5A 2W9	REC
<b>Rec Op Div:</b> <b>Co Admin:</b> <b>Phone No Admin:</b> <b>Rec Div:</b> <b>Rec Op Name:</b> <b>Choice of Contact:</b> <b>Site Bldg:</b> <b>Site PO Box:</b> <b>Receiver #:</b> R240001 <b>Facility Type:</b> <b>Approval Yrs:</b> 06,07,08					
<a href="#">116</a>	15 of 38	SE/40.8	109.8 / -22.00	Beaver Flagpoles Inc. 2399 Cawthra Rd Unit 39-40 Mississauga ON L5A 2W9	SCT
<b>Established:</b> 01-SEP-90 <b>Plant Size (ft²):</b> 4400 <b>Employment:</b>  <b>--Details--</b> <b>Description:</b> Other Ornamental and Architectural Metal Product Manufacturing <b>SIC/NAICS Code:</b> 332329  <b>Description:</b> Other Ornamental and Architectural Metal Product Manufacturing <b>SIC/NAICS Code:</b> 332329  <b>Description:</b> Other Plate Work and Fabricated Structural Product Manufacturing <b>SIC/NAICS Code:</b> 332319  <b>Description:</b> All Other Textile Product Mills <b>SIC/NAICS Code:</b> 314990					
<a href="#">116</a>	16 of 38	SE/40.8	109.8 / -22.00	POLA MACHINE LTD. 2399 CAWTHRA RD UNIT 31 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b> 1964					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>		3			
<b>--Details--</b>					
<b>Description:</b>		Stamping			
<b>SIC/NAICS Code:</b>		332118			
<b>Description:</b>		Other Metalworking Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333519			
<b>Description:</b>		Motor Vehicle Metal Stamping			
<b>SIC/NAICS Code:</b>		336370			
<a href="#">116</a>	17 of 38	SE/40.8	109.8 / -22.00	A B C L INTERIORS INC. 2399 CAWTHRA RD UNIT 24 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		1975			
<b>Plant Size (ft²):</b>		4000			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		CARPENTRY WORK			
<b>SIC/NAICS Code:</b>		1751			
<b>Description:</b>		OFFICE AND STORE FIXTURES, PARTITIONS, SHELVING, AND LOCKERS, EXCEPT WOOD			
<b>SIC/NAICS Code:</b>		2542			
<a href="#">116</a>	18 of 38	SE/40.8	109.8 / -22.00	DA BINDERY SHOP LTD. 2399 CAWTHRA RD UNIT 27-28 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		1989			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		BOOKBINDING AND RELATED WORK			
<b>SIC/NAICS Code:</b>		2789			
<a href="#">116</a>	19 of 38	SE/40.8	109.8 / -22.00	ROYAL CUSTOM WOOD WORKING 2399 CAWTHRA RD UNIT 30 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		2600			
<b>Employment:</b>		4			
<b>--Details--</b>					
<b>Description:</b>		WOOD KITCHEN CABINETS			
<b>SIC/NAICS Code:</b>		2434			
<b>Description:</b>		WOOD HOUSEHOLD FURNITURE, EXCEPT UPHOLSTERED			
<b>SIC/NAICS Code:</b>		2511			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">116</a>	20 of 38	SE/40.8	109.8 / -22.00	WEBBER PANTS CO. 2399 CAWTHRA RD UNIT 42 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		1968			
<b>Plant Size (ft²):</b>		1400			
<b>Employment:</b>		4			
<b>--Details--</b>					
<b>Description:</b>		MEN'S AND BOYS' SEPARATE TROUSERS AND SLACKS			
<b>SIC/NAICS Code:</b>		2325			
<a href="#">116</a>	21 of 38	SE/40.8	109.8 / -22.00	POLA MACHINE LTD. 2399 CAWTHRA RD UNIT 31 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		1964			
<b>Plant Size (ft²):</b>		7000			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		SPECIAL DIES AND TOOLS, DIE SETS, JIGS AND FIXTURES, AND INDUSTRIAL MOLDS			
<b>SIC/NAICS Code:</b>		3544			
<b>Description:</b>		INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3599			
<b>Description:</b>		WELDING REPAIR			
<b>SIC/NAICS Code:</b>		7692			
<a href="#">116</a>	22 of 38	SE/40.8	109.8 / -22.00	JOBMASTER MAGNETS CANADA INC. 2399 CAWTHRA RD UNIT 37 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		0000			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		9			
<b>--Details--</b>					
<b>Description:</b>		HAND AND EDGE TOOLS, EXCEPT MACHINE TOOLS AND HAND SAWS			
<b>SIC/NAICS Code:</b>		3423			
<b>Description:</b>		FABRICATED METAL PRODUCTS, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3499			
<b>Description:</b>		INDUSTRIAL MACHINERY AND EQUIPMENT			
<b>SIC/NAICS Code:</b>		5084			
<b>Description:</b>		INDUSTRIAL SUPPLIES			
<b>SIC/NAICS Code:</b>		5085			
<a href="#">116</a>	23 of 38	SE/40.8	109.8 / -22.00	ONE DAY PRINTING LTD. 2399 CAWTHRA RD UNIT 23 MISSISSAUGA ON L5A 2W9	SCT
<b>Established:</b>		0000			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
				Graphic Design Services 541430	
				Business Service Centres 561430	
				COMMERCIAL PRINTING, LITHOGRAPHIC 2752	
				COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED 2759	
				Quick Printing 323114	
				Digital Printing 323115	
				Other Printing 323119	
				Support Activities for Printing 323120	
<a href="#">116</a>	24 of 38	SE/40.8	109.8 / -22.00	<b>CHINERY'S ADVERTISING LTD.</b> 2399 CAWTHRA RD MISSISSAUGA ON L5A 2W9	SCT
				Established: 1967 Plant Size (ft²): 2050 Employment: 4	
<b>--Details--</b>					
				COMMERCIAL PRINTING, N.E.C. 2759	
				SIGNS & ADVERTISING SPECIALTIES 3993	
<a href="#">116</a>	25 of 38	SE/40.8	109.8 / -22.00	<b>D S FASHIONS</b> 2399 Cawthra Rd Unit 25 Mississauga ON L5A 2W9	SCT
				Established: 1988 Plant Size (ft²): 4200 Employment: 6	
<b>--Details--</b>					
				Cut and Sew Clothing Contracting 315210	
				Men's and Boys' Cut and Sew Suit, Coat and Overcoat Manufacturing 315222	
				Other Men's and Boys' Cut and Sew Clothing Manufacturing 315229	
				Women's and Girls' Cut and Sew Suit, Coat, Tailored Jacket and Skirt Manufacturing	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC/NAICS Code:</b>		315234			
<b>Description:</b>		Other Women's and Girls' Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315239			
<a href="#">116</a>	26 of 38	SE/40.8	109.8 / -22.00	<b>FRIKON INDUSTRIES LTD</b> 2399 Cawthra Rd Mississauga ON L5A 2W9	SCT
<b>Established:</b>		1965			
<b>Plant Size (ft²):</b>		30000			
<b>Employment:</b>		6			
<b>--Details--</b>					
<b>Description:</b>		Sporting and Athletic Goods Manufacturing			
<b>SIC/NAICS Code:</b>		339920			
<b>Description:</b>		Doll, Toy and Game Manufacturing			
<b>SIC/NAICS Code:</b>		339930			
<a href="#">116</a>	27 of 38	SE/40.8	109.8 / -22.00	<b>ELON DESIGNS INC.</b> 2399 Cawthra Rd Unit 30 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		2600			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		Wood Kitchen Cabinet and Counter Top Manufacturing			
<b>SIC/NAICS Code:</b>		337110			
<b>Description:</b>		Other Wood Household Furniture Manufacturing			
<b>SIC/NAICS Code:</b>		337123			
<a href="#">116</a>	28 of 38	SE/40.8	109.8 / -22.00	<b>Frikon Industries Ltd.</b> 2399 Cawthra Rd Unit 27-28 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		1965			
<b>Plant Size (ft²):</b>		30000			
<b>Employment:</b>		6			
<a href="#">116</a>	29 of 38	SE/40.8	109.8 / -22.00	<b>Anna The Fashion Outlet</b> 2399 Cawthra Rd Unit 24 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		01-AUG-90			
<b>Plant Size (ft²):</b>		1000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Women's and Girls' Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315239			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">116</a>	30 of 38	SE/40.8	109.8 / -22.00	<b>Rauf Machinery Co.</b> 2399 Cawthra Rd Unit 37 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		1975			
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>		3			
<a href="#">116</a>	31 of 38	SE/40.8	109.8 / -22.00	<b>East Meats West Halal</b> 2399 Cawthra Rd Unit 31 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		2001			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>		3			
<b>--Details--</b>					
<b>Description:</b>		Rendering and Meat Processing from Carcasses			
<b>SIC/NAICS Code:</b>		311614			
<b>Description:</b>		Red Meat and Meat Product Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413160			
<a href="#">116</a>	32 of 38	SE/40.8	109.8 / -22.00	<b>SNMB Roasted Nut Factory</b> 2399 Cawthra Rd Unit 42 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		2001			
<b>Plant Size (ft²):</b>		1100			
<b>Employment:</b>		1			
<b>--Details--</b>					
<b>Description:</b>		Roasted Nut and Peanut Butter Manufacturing			
<b>SIC/NAICS Code:</b>		311911			
<b>Description:</b>		Other Specialty-Line Food Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413190			
<a href="#">116</a>	33 of 38	SE/40.8	109.8 / -22.00	<b>D. S. Fashions Inc.</b> 2399 Cawthra Rd Unit 25 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		01-JUL-88			
<b>Plant Size (ft²):</b>		4200			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Men's and Boys' Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315229			
<b>Description:</b>		Cut and Sew Clothing Contracting			
<b>SIC/NAICS Code:</b>		315210			
<b>Description:</b>		Other Women's and Girls' Cut and Sew Clothing Manufacturing			
<b>SIC/NAICS Code:</b>		315239			
<b>Description:</b>		Men's and Boys' Cut and Sew Suit, Coat and Overcoat Manufacturing			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC/NAICS Code:</b>		315222			
<b>Description:</b>		Men's and Boys' Cut and Sew Suit, Coat and Overcoat Manufacturing			
<b>SIC/NAICS Code:</b>		315222			
<b>Description:</b>		Women's and Girls' Cut and Sew Suit, Coat, Tailored Jacket and Skirt Manufacturing			
<b>SIC/NAICS Code:</b>		315234			
<a href="#">116</a>	34 of 38	SE/40.8	109.8 / -22.00	<b>One Day Printing Limited</b> 2399 Cawthra Rd Suite 105 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		01-AUG-94			
<b>Plant Size (ft²):</b>		2200			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Graphic Design Services			
<b>SIC/NAICS Code:</b>		541430			
<b>Description:</b>		Business Service Centres			
<b>SIC/NAICS Code:</b>		561430			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<a href="#">116</a>	35 of 38	SE/40.8	109.8 / -22.00	<b>S N M B Roasted Nut Factory</b> 2399 Cawthra Rd Unit 42 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		01-JUN-01			
<b>Plant Size (ft²):</b>		1100			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Roasted Nut and Peanut Butter Manufacturing			
<b>SIC/NAICS Code:</b>		311911			
<b>Description:</b>		Other Specialty-Line Food Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413190			
<b>Description:</b>		Roasted Nut and Peanut Butter Manufacturing			
<b>SIC/NAICS Code:</b>		311911			
<a href="#">116</a>	36 of 38	SE/40.8	109.8 / -22.00	<b>JNJ Daily Meat Wholesale Ltd.</b> 2399 Cawthra Rd Unit 34-35 Mississauga ON L5A 2W9	SCT
<b>Established:</b>		01-SEP-08			
<b>Plant Size (ft²):</b>		5000			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Poultry Processing			
<b>SIC/NAICS Code:</b>		311615			
<a href="#">116</a>	37 of 38	SE/40.8	109.8 / -22.00	Tanor Bread 2399 Cawthra Rd Unit 41 Mississauga ON L5A 2W9	SCT
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Retail Bakeries			
<b>SIC/NAICS Code:</b>		311811			
<a href="#">116</a>	38 of 38	SE/40.8	109.8 / -22.00	GAIA Contractors<UNOFFICIAL> 2399 CAWTHRA RD QUEENSWAY AND CAWTHRA (NW CORNER)<UNOFFICIAL> Mississauga ON L5A 2W9	SPL
<b>Ref No:</b>		8443-673LKZ		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b> Chemical	
<b>Incident Dt:</b>		11/25/2004		<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b> Tank Truck	
<b>Incident Cause:</b>		Tank (Above Ground) Leak		<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		28		<b>Site Name:</b> 2399 CAWTHRA RD QUEENSWAY AND CAWTHRA (NW CORNER)<UNOFFICIAL>	
<b>Contaminant Name:</b>		POTASSIUM PERMANGANATE		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b> Halton-Peel	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b> Central	
<b>Environment Impact:</b>		Not Anticipated		<b>Site Municipality:</b> Mississauga	
<b>Nature of Impact:</b>		Groundwater Pollution; Soil Contamination; Surface Water Pollution		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		Land & Water		<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>				<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>		11/25/2004		<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		Spill			
<b>Incident Summary:</b>		GAIA - Potassium Permanganate spill			
<a href="#">117</a>	1 of 1	SE/41.2	107.8 / -24.05	Queensway Avenue just directly west of Cawthra on the north side, in front of the Sunoco gas station<UNOFFICIAL> Mississauga ON	SPL
<b>Ref No:</b>		8405-74HRED		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b> Oil	
<b>Incident Dt:</b>				<b>Client Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Year:</b>				<b>Sector Type:</b>	Transport Truck
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13			<b>Site Name:</b>	Queensway Avenue just directly west of Cawthra on the north side,
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	200 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	6/25/2007			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	7/11/2007				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>					
<b>Incident Summary:</b>	Rosedale Transport Group: 100 to 200 L diesel to gnd and cb				

<a href="#">118</a>	1 of 1	ESE/41.5	131.2 / -0.60	3153 Cawthra Rd Mississauga ON L5A2X4	EHS
<b>Order No:</b>	20160627050			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Site Report			<b>Client Prov/State:</b>	IL
<b>Report Date:</b>	29-JUN-16			<b>Search Radius (km):</b>	.001
<b>Date Received:</b>	27-JUN-16			<b>X:</b>	-79.603813
<b>Previous Site Name:</b>				<b>Y:</b>	43.598086
<b>Lot/Building Size:</b>	10,640s.f.				
<b>Additional Info Ordered:</b>					

<a href="#">119</a>	1 of 1	NW/41.6	144.1 / 12.25	lot 65 MISSISSAUGA ON	WWIS
<b>Well ID:</b>	4910124			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	4/5/2006
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6032
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z05190			<b>Owner:</b>	
<b>Tag:</b>	A005369			<b>Street Name:</b>	691 BYRNHAMPTON RD E
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	REGISTERED PLAN A-24
<b>Depth to Bedrock:</b>				<b>Lot:</b>	065
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b>	11555358			<b>Elevation:</b>	143.97
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>	o			<b>East83:</b>	611417
<b>Code OB Desc:</b>	Overburden			<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4829209
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	24-JAN-06			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 933051831  
**Layer:** 5  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 34  
**Other Materials:** TILL  
**Formation Top Depth:** 4.42  
**Formation End Depth:** 4.42  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 933051827  
**Layer:** 1  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 34  
**Other Materials:** TILL  
**Formation Top Depth:** 0  
**Formation End Depth:** 4.42  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 933051828  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Other Materials:** SILT  
**Mat3:** 34



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		TILL	4.42		
<b>Formation End Depth:</b>			4.42		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933051829			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Formation Top Depth:</b>			4.42		
<b>Formation End Depth:</b>			4.42		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		933051830			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Other Materials:</b>		SILT			
<b>Mat3:</b>		34			
<b>Other Materials:</b>		TILL			
<b>Formation Top Depth:</b>			4.42		
<b>Formation End Depth:</b>			4.42		
<b>Formation End Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933292501			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.46			
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933292502			
<b>Layer:</b>		2			
<b>Plug From:</b>		.46			
<b>Plug To:</b>		.62			
<b>Plug Depth UOM:</b>			m		
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933292503			
<b>Layer:</b>		3			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		.62			
Plug To:		1.22			
Plug Depth UOM:		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
Method Construction ID:		964910124			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<b><u>Pipe Information</u></b>					
Pipe ID:		11564965			
Casing No:		1			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		930877790			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		1.52			
Casing Diameter:		.5			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		933418563			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.52			
Screen End Depth:		4.42			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		.5			
<b><u>Hole Diameter</u></b>					
Hole ID:		11687008			
Diameter:		20			
Depth From:		0			
Depth To:		4.42			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[120](#)

1 of 1

SE/42.0

121.0 / -10.87

700 Dundas Street East  
Mississauga ON

EHS

Order No: 20131023016  
Status: C  
Report Type: Custom Report  
Report Date: 29-OCT-13  
Date Received: 23-OCT-13  
Previous Site Name:

Nearest Intersection:  
Municipality:  
Client Prov/State: ON  
Search Radius (km): .25  
X: -79.598826  
Y: 43.594551

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Lot/Building Size:  
Additional Info Ordered:

<a href="#">121</a>	1 of 1	NW/42.6	143.8 / 12.00	ON	BORE
<b>Borehole ID:</b>	654800			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611565			<b>Northing:</b>	4829228
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	142
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	142
<b>Total Depth m:</b>	7.7			<b>Primary Name:</b>	
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	AUG-1971			<b>Static Water Level:</b>	.8
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218544690			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.0			<b>Stratum Desc:</b>	ASPHALT.
<b>Stratum ID:</b>	218544691			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	3.8			<b>Stratum Desc:</b>	TILL,SILT,CLAY, GRAVEL. BROWN,GLACIAL,VERY DENSE, AGE GLACIAL.
<b>Stratum ID:</b>	218544692			<b>Top Depth(m):</b>	3.8
<b>Bottom Depth(m):</b>	7.7			<b>Stratum Desc:</b>	TILL,SHALE,SILT,CLAYGREY,GLACIAL,VER Y DENSE, AGE GLACIAL, WATER STABLE AT 464.5 FEET.000010580012

<a href="#">122</a>	1 of 16	SE/43.4	109.8 / -22.00	2370 Cawthra Road Mississauga ON L5A 2X1	EHS
<b>Order No:</b>	20120906057			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	13-SEP-12			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	05-SEP-12			<b>X:</b>	-79.594528
<b>Previous Site Name:</b>				<b>Y:</b>	43.589222
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">122</a>	2 of 16	SE/43.4	109.8 / -22.00	COLUMBIA MACHINE (CANADA) LTD. 2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON0861400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>	MACHINE SHOP IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">122</a>	3 of 16	SE/43.4	109.8 / -22.00	COLUMBIA MACHINE (CANADA) LTD. 10-259 2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON0861400			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>	MACHINE SHOP IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">122</a>	4 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	94,95,96,97,98,99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	5731				
<b>SIC Description:</b>	IND. MACHINERY, WH.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<a href="#">122</a>	5 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">122</a>	6 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	Machinery Equipment and Supplies Agents and Brokers				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">122</a>	7 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	Machinery Equipment and Supplies Agents and Brokers				
<b>--Details--</b>					
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">122</a>	8 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	Machinery Equipment and Supplies Agents and Brokers				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">122</a>	9 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga, On ON	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	Machinery Equipment and Supplies Agents and Brokers				
<b>--Details--</b>					
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">122</a>	10 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga, On ON	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	MACHINERY, EQUIPMENT AND SUPPLIES AGENTS AND BROKERS				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">122</a>	11 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga, On ON L5A2X1	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Kurt Walter
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	9058039999 Ext.128
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	MACHINERY, EQUIPMENT AND SUPPLIES AGENTS AND BROKERS				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">122</a>	12 of 16	SE/43.4	109.8 / -22.00	<b>WESTWAY MACHINERY LTD.</b> 2370 Cawthra Rd Mississauga, On ON L5A2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Kurt Walter
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	9058039999 Ext.128
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	MACHINERY, EQUIPMENT AND SUPPLIES AGENTS AND BROKERS				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">122</a>	13 of 16	SE/43.4	109.8 / -22.00	<b>WESTWAY MACHINERY LTD.</b> 2370 Cawthra Rd Mississauga, On ON L5A2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Kurt Walter
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	9058039999 Ext.128
<b>SIC Code:</b>	419170				
<b>SIC Description:</b>	MACHINERY, EQUIPMENT AND SUPPLIES AGENTS AND BROKERS				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	253				
<b>Waste Description:</b>	EMULSIFIED OILS				
<b>Waste Code:</b>	252				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">122</a>	14 of 16	SE/43.4	109.8 / -22.00	WESTWAY MACHINERY LTD. 2370 Cawthra Rd Mississauga, On ON L5A2X1	GEN
<b>Generator No.:</b>	ON1620301			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>	Waste crankcase oils and lubricants				
<b>Waste Code:</b>	253 L				
<b>Waste Description:</b>	Emulsified oils				
<a href="#">122</a>	15 of 16	SE/43.4	109.8 / -22.00	Westway Machinery Ltd. 2370 Cawthra Rd Mississauga ON L5A 2X1	SCT
<b>Established:</b>	01-SEP-72				
<b>Plant Size (ft²):</b>	30000				
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Industrial Machinery, Equipment and Supplies Wholesaler-Distributors				
<b>SIC/NAICS Code:</b>	417230				
<b>Description:</b>	Industrial Machinery, Equipment and Supplies Wholesaler-Distributors				
<b>SIC/NAICS Code:</b>	417230				
<b>Description:</b>	Hardware Wholesaler-Distributors				
<b>SIC/NAICS Code:</b>	416330				
<b>Description:</b>	Wholesale Trade Agents and Brokers				
<b>SIC/NAICS Code:</b>	419120				
<a href="#">122</a>	16 of 16	SE/43.4	109.8 / -22.00	MISSISSAUGA HYDRO 2370 CAWTHRA TRANSFORMER MISSISSAUGA ON L5A 2X1	SPL
<b>Ref No:</b>	182354			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	6/16/2000			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	
<b>Incident Cause:</b>	COOLING SYSTEM LEAK			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>				<b>Site Name:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	21102



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/16/2000 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Incident Summary:</b> MISSISSAUGA HYDRO - UNK. AMOUNT OF TRANSFORMER OILTO GROUND.					
<a href="#">123</a>	1 of 20	SE/45.7	114.9 / -16.99	HALTON HILLS PROP. MANAGE. (OUT OF 2455 CAWTHRA RD., SUITE 58 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0093000 <b>Status:</b> <b>Approval Years:</b> 86,87,88,89 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 0019 <b>SIC Description:</b> OUT OF BUSINESS <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">123</a>	2 of 20	SE/45.7	114.9 / -16.99	HALTON HILLS PROP. MANAGE. (OUT OF BUS.) 2455 CAWTHRA RD., SUITE 58 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0093000 <b>Status:</b> <b>Approval Years:</b> 92,93,94 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 0019 <b>SIC Description:</b> OUT OF BUSINESS <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<a href="#">123</a>	3 of 20	SE/45.7	114.9 / -16.99	TRILLIUM PHOTO SERVICES LTD. 2455 CAWTHRA MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0768800 <b>Status:</b> <b>Approval Years:</b> 86,87,88,89 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 6571 <b>SIC Description:</b> CAMERA/PHOTO. SUPPLY <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 264 <b>Waste Description:</b> PHOTOPROCESSING WASTES					
<a href="#">123</a>	4 of 20	SE/45.7	114.9 / -16.99	TRILLIUM PHOTO SERVICES LTD. 2455 CAWTHRA MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0768800 <b>PO Box No.:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 90 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 6571 <b>SIC Description:</b> CAMERA/PHOTO. SUPPLY <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 264					
<b>Waste Description:</b> PHOTOPROCESSING WASTES					
<a href="#">123</a>	5 of 20	SE/45.7	114.9 / -16.99	TRILLIUM PHOTO SERVICES LIMITED 2455 CAWTHRA UNIT 15 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0768800 <b>Status:</b> <b>Approval Years:</b> 99,00,01 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 6571 <b>SIC Description:</b> CAMERA/PHOTO. SUPPLY <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 264					
<b>Waste Description:</b> PHOTOPROCESSING WASTES					
<a href="#">123</a>	6 of 20	SE/45.7	114.9 / -16.99	BCM SCREEN AND LABEL 2455 CAWTHRA RD., UNIT 28-29 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0841300 <b>Status:</b> <b>Approval Years:</b> 86,87,88,89,90 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 2819 <b>SIC Description:</b> OTHER COMM. PRINTING <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 213					
<b>Waste Description:</b> PETROLEUM DISTILLATES					
<a href="#">123</a>	7 of 20	SE/45.7	114.9 / -16.99	HYBRID SCREENS INC. 2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b> ON0852200 <b>Status:</b> <b>Approval Years:</b> 86,87,88 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3099 <b>SIC Description:</b> OTHER METAL FAB. IND. <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 112					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		ACID WASTE - HEAVY METALS			
<a href="#">123</a>	8 of 20	SE/45.7	114.9 / -16.99	HYBRID SCREENS INC (OUT OF BUS.) 2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b>	ON0852200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3099				
<b>SIC Description:</b>	OTHER METAL FAB. IND				
<b>--Details--</b>					
<b>Waste Code:</b>	112				
<b>Waste Description:</b>	ACID WASTE - HEAVY METALS				
<a href="#">123</a>	9 of 20	SE/45.7	114.9 / -16.99	TRILLIUM PHOTO SERVICES LTD. 38-302 2455 CAWTHRA MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b>	ON0768800			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6571				
<b>SIC Description:</b>	CAMERA/PHOTO. SUPPLY				
<b>--Details--</b>					
<b>Waste Code:</b>	264				
<b>Waste Description:</b>	PHOTOPROCESSING WASTES				
<a href="#">123</a>	10 of 20	SE/45.7	114.9 / -16.99	BCM SCREEN AND LABEL 04-189 2455 CAWTHRA RD., UNIT 28-29 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b>	ON0841300			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	2819				
<b>SIC Description:</b>	OTHER COMM. PRINTING				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<a href="#">123</a>	11 of 20	SE/45.7	114.9 / -16.99	HYBRID SCREENS INC (OUT OF BUS.) 20-227 2455 CAWTHRA ROAD, UNIT #30 MISSISSAUGA ON L5A 3P1	GEN
<b>Generator No.:</b>	ON0852200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> 92,93,94,95,96,97,98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3099 <b>SIC Description:</b> OTHER METAL FAB. IND				<b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">123</a>	12 of 20	SE/45.7	114.9 / -16.99	<b>Helen's Home Style Foods Ltd.</b> <b>2455 Cawthra Rd Unit 12-13</b> <b>Mississauga ON L5A 3P1</b>	SCT
<b>Established:</b> 01-AUG-82 <b>Plant Size (ft²):</b> 4400 <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Dry Pasta Manufacturing			
<b>SIC/NAICS Code:</b>		311823			
<b>Description:</b>		Seasoning and Dressing Manufacturing			
<b>SIC/NAICS Code:</b>		311940			
<b>Description:</b>		Flour Mixes and Dough Manufacturing from Purchased Flour			
<b>SIC/NAICS Code:</b>		311822			
<a href="#">123</a>	13 of 20	SE/45.7	114.9 / -16.99	<b>Renewable Office Concepts Inc.</b> <b>2455 Cawthra Rd Unit 28</b> <b>Mississauga ON L5A 3P1</b>	SCT
<b>Established:</b> 1975 <b>Plant Size (ft²):</b> 12000 <b>Employment:</b> 12					
<b>--Details--</b>					
<b>Description:</b>		Institutional Furniture Manufacturing			
<b>SIC/NAICS Code:</b>		337127			
<b>Description:</b>		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
<b>SIC/NAICS Code:</b>		337213			
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<b>Description:</b>		Other Home Furnishings Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		414390			
<b>Description:</b>		Reupholstery and Furniture Repair			
<b>SIC/NAICS Code:</b>		811420			
<a href="#">123</a>	14 of 20	SE/45.7	114.9 / -16.99	<b>SOUVENIRS &amp; COATS OF ARMS</b> <b>2455 CAWTHRA RD</b> <b>MISSISSAUGA ON L5A 3P1</b>	SCT
<b>Established:</b> 1977 <b>Plant Size (ft²):</b> 4400 <b>Employment:</b> 4					
<b>--Details--</b>					
<b>Description:</b>		WATCHES & CLOCKWORK OPERATED DEVICES & PARTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC/NAICS Code:</b>		3873			
<b>Description:</b>		MANUFACTURING INDUSTRIES, N.E.C.			
<b>SIC/NAICS Code:</b>		3999			
<a href="#">123</a>	15 of 20	SE/45.7	114.9 / -16.99	<b>Q.M.P. LTD.</b> 2455 CAWTHRA RD MISSISSAUGA ON L5A 3P1	SCT
<b>Established:</b>		1987			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		8			
<b>--Details--</b>					
<b>Description:</b>		TRANSPORTATION EQUIPMENT, EXCEPT MOTOR VEHICLES			
<b>SIC/NAICS Code:</b>		5088			
<a href="#">123</a>	16 of 20	SE/45.7	114.9 / -16.99	<b>JBM Resource Network Ltd.</b> 2455 Cawthra Rd Unit 16 Mississauga ON L5A 3P1	SCT
<b>Established:</b>		1998			
<b>Plant Size (ft²):</b>		2400			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		Photo Finishing Laboratories (except One-Hour)			
<b>SIC/NAICS Code:</b>		812921			
<a href="#">123</a>	17 of 20	SE/45.7	114.9 / -16.99	<b>Canadian Wiping Cloth Company</b> 2455 Cawthra Rd Unit 54 Mississauga ON L5A 3P1	SCT
<b>Established:</b>		1994			
<b>Plant Size (ft²):</b>		3400			
<b>Employment:</b>		16			
<a href="#">123</a>	18 of 20	SE/45.7	114.9 / -16.99	<b>TFX The Furniture Exchange Inc.</b> 2455 Cawthra Rd Unit 28 Mississauga ON L5A 3P1	SCT
<b>Established:</b>		1996			
<b>Plant Size (ft²):</b>		7500			
<b>Employment:</b>		7			
<b>--Details--</b>					
<b>Description:</b>		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
<b>SIC/NAICS Code:</b>		337213			
<b>Description:</b>		Office Furniture (except Wood) Manufacturing			
<b>SIC/NAICS Code:</b>		337214			
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<b>Description:</b>		Used Merchandise Stores			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC/NAICS Code:</b>		453310			
<b>Description:</b>		Reupholstery and Furniture Repair			
<b>SIC/NAICS Code:</b>		811420			
<a href="#">123</a>	19 of 20	<b>SE/45.7</b>	<b>114.9 / -16.99</b>	<b>JBM Graphics Ltd. 2455 Cawthra Rd Unit 16 Mississauga ON L5A 3P1</b>	<b>SCT</b>
<b>Established:</b>		1991			
<b>Plant Size (ft²):</b>		4500			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<b>Description:</b>		All Other Support Services			
<b>SIC/NAICS Code:</b>		561990			
<a href="#">123</a>	20 of 20	<b>SE/45.7</b>	<b>114.9 / -16.99</b>	<b>Willard Meats International 2455 Cawthra Rd Unit 77 Mississauga ON L5A 3P1</b>	<b>SCT</b>
<b>Established:</b>		01-SEP-89			
<b>Plant Size (ft²):</b>		2800			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Wholesale Trade Agents and Brokers			
<b>SIC/NAICS Code:</b>		419120			
<b>Description:</b>		Red Meat and Meat Product Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413160			
<b>Description:</b>		Poultry and Egg Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		413130			
<a href="#">124</a>	1 of 1	<b>SE/45.8</b>	<b>121.0 / -10.86</b>	<b>700 Dundas Street East Mississauga ON L4Y 3Y5</b>	<b>EHS</b>
<b>Order No:</b>		20181018057		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Standard Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		23-OCT-18		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		18-OCT-18		<b>X:</b> -79.598794	
<b>Previous Site Name:</b>				<b>Y:</b> 43.594577	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">125</a>	1 of 1	SE/47.4	113.7 / -18.20	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 8 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	145 I				
<b>Waste Description:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Code:</b>	148 C				
<b>Waste Description:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Code:</b>	148 I				
<b>Waste Description:</b>	Misc. wastes and inorganic chemicals				
<b>Waste Code:</b>	145 L				
<b>Waste Description:</b>	Wastes from the use of pigments, coatings and paints				
<b>Waste Code:</b>	331 I				
<b>Waste Description:</b>	Waste compressed gases including cylinders				
<b>Waste Code:</b>	263 L				
<b>Waste Description:</b>	Misc. waste organic chemicals				
<b>Waste Code:</b>	263 T				
<b>Waste Description:</b>	Misc. waste organic chemicals				
<b>Waste Code:</b>	263 I				
<b>Waste Description:</b>	Misc. waste organic chemicals				
<a href="#">126</a>	1 of 27	SE/49.7	116.6 / -15.22	N.C. MACHINING LTD 2465 Cawthra RD unit 125 Mississauga ON	GEN
<b>Generator No.:</b>	ON8354026			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	332710				
<b>SIC Description:</b>	Machine Shops				
<a href="#">126</a>	2 of 27	SE/49.7	116.6 / -15.22	N.C. MACHINING LTD 2465 Cawthra RD unit 125 Mississauga ON	GEN
<b>Generator No.:</b>	ON8354026			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	332710				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Description:</b>		MACHINE SHOPS			
<b>--Details--</b>					
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">126</a>	3 of 27	SE/49.7	116.6 / -15.22	<b>NOVAK HYDRAUL(OUT OF BUSINESS) 28-688 2465 CAWTHRA ROAD, UNIT 131 MISSISSAUGA ON L5A 3P2</b>	GEN
<b>Generator No.:</b>	ON1316200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4591				
<b>SIC Description:</b>	HIGHWAY, ETC. IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">126</a>	4 of 27	SE/49.7	116.6 / -15.22	<b>N.C. MACHINING LTD 2465 Cawthra RD unit 125 Mississauga ON L5A3P2</b>	GEN
<b>Generator No.:</b>	ON8354026			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Allan McEachern
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-275-2183 Ext.
<b>SIC Code:</b>	332710				
<b>SIC Description:</b>	MACHINE SHOPS				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">126</a>	5 of 27	SE/49.7	116.6 / -15.22	<b>N.C. MACHINING LTD 2465 Cawthra RD unit 125 Mississauga ON L5A3P2</b>	GEN
<b>Generator No.:</b>	ON8354026			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Allan McEachern
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-275-2183 Ext.
<b>SIC Code:</b>	332710				
<b>SIC Description:</b>	MACHINE SHOPS				
<b>--Details--</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		251			
<b>Waste Description:</b>		OIL SKIMMINGS & SLUDGES			
<a href="#">126</a>	6 of 27	SE/49.7	116.6 / -15.22	<b>N.C. MACHINING LTD</b> 2465 Cawthra RD unit 125 Mississauga ON L5A3P2	GEN
<b>Generator No.:</b>	ON8354026			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>	252 L				
<b>Waste Description:</b>	Waste crankcase oils and lubricants				
<b>Waste Code:</b>	251 L				
<b>Waste Description:</b>	Waste oils/sludges (petroleum based)				
<a href="#">126</a>	7 of 27	SE/49.7	116.6 / -15.22	<b>N.C. MACHINING LTD</b> 2465 Cawthra RD unit 125 Mississauga ON L5A3P2	GEN
<b>Generator No.:</b>	ON8354026			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Allan McEachern
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-275-2183 Ext.
<b>SIC Code:</b>	332710				
<b>SIC Description:</b>	MACHINE SHOPS				
<b>--Details--</b>					
<b>Waste Code:</b>	251				
<b>Waste Description:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">126</a>	8 of 27	SE/49.7	116.6 / -15.22	<b>Canadian Safety Equipment Inc.</b> 2465 Cawthra Rd Suite 114 Mississauga ON L5A 3P2	PAP
<b>Company ID:</b>	146964308			<b>Year:</b>	2009
<b>Status:</b>	Active			<b>Description:</b>	
<b>Type:</b>				<b>Website:</b>	
<b>Operation:</b>					
<b>Status Desc:</b>					
<b>Effluent Pollution Control:</b>					
<b>Company Name:</b>					
<b>Division:</b>					
<b>Company Mailing Address:</b>					
<b>Mailing Address:</b>	2465 Cawthra Rd, Suite 114, Mississauga ON L5A 3P2				
<b>Mill Mailing Address:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Mill Notes:</i>					
<i>History:</i>					
<i>Company History:</i>					
<a href="#">126</a>	9 of 27	SE/49.7	116.6 / -15.22	JBM RESOURCE NETWORK LTD. 2465 CAWTHRA RD UNIT 112 MISSISSAUGA ON L5A 3P2	SCT
<i>Established:</i>		1990			
<i>Plant Size (ft²):</i>		3300			
<i>Employment:</i>		10			
<i>--Details--</i>					
<i>Description:</i>		Quick Printing			
<i>SIC/NAICS Code:</i>		323114			
<i>Description:</i>		Digital Printing			
<i>SIC/NAICS Code:</i>		323115			
<i>Description:</i>		Other Printing			
<i>SIC/NAICS Code:</i>		323119			
<i>Description:</i>		Data Processing Services			
<i>SIC/NAICS Code:</i>		514210			
<i>Description:</i>		Graphic Design Services			
<i>SIC/NAICS Code:</i>		541430			
<a href="#">126</a>	10 of 27	SE/49.7	116.6 / -15.22	ATK INTERNATIONAL 2465 CAWTHRA RD SUITE 120 MISSISSAUGA ON L5A 3P2	SCT
<i>Established:</i>		1992			
<i>Plant Size (ft²):</i>		0			
<i>Employment:</i>		2			
<i>--Details--</i>					
<i>Description:</i>		Other Printing			
<i>SIC/NAICS Code:</i>		323119			
<a href="#">126</a>	11 of 27	SE/49.7	116.6 / -15.22	CANADIAN WIPING CLOTH COMPANY 2465 CAWTHRA RD SUITE 117 MISSISSAUGA ON L5A 3P2	SCT
<i>Established:</i>		1994			
<i>Plant Size (ft²):</i>		2200			
<i>Employment:</i>		3			
<i>--Details--</i>					
<i>Description:</i>		All Other Textile Product Mills			
<i>SIC/NAICS Code:</i>		314990			
<a href="#">126</a>	12 of 27	SE/49.7	116.6 / -15.22	SALCO & ASSOCIATES 2465 CAWTHRA RD UNIT 125 MISSISSAUGA ON L5A 3P2	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Established:</i>		1977			
<i>Plant Size (ft²):</i>		2500			
<i>Employment:</i>		4			
<b>--Details--</b>					
<i>Description:</i>		INDUSTRIAL AND COMMERCIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		3599			
<i>Description:</i>		AIRCRAFT PARTS & AUXILIARY EQUIPMENT, N.E.C.			
<i>SIC/NAICS Code:</i>		3728			
<i>Description:</i>		SPORTING AND ATHLETIC GOODS, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		3949			
<a href="#">126</a>	13 of 27	SE/49.7	116.6 / -15.22	<b>ACOUSTIC DESIGN GROUP INC</b> 2465 CAWTHRA RD UNIT 128 MISSISSAUGA ON L5A 3P2	SCT
<i>Established:</i>		1985			
<i>Plant Size (ft²):</i>		4400			
<i>Employment:</i>		8			
<b>--Details--</b>					
<i>Description:</i>		HOUSEHOLD AUDIO AND VIDEO EQUIPMENT			
<i>SIC/NAICS Code:</i>		3651			
<i>Description:</i>		ELECTRONIC COMPONENTS, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		3679			
<i>Description:</i>		Audio and Video Equipment Manufacturing			
<i>SIC/NAICS Code:</i>		334310			
<i>Description:</i>		Semiconductor and Other Electronic Component Manufacturing			
<i>SIC/NAICS Code:</i>		334410			
<a href="#">126</a>	14 of 27	SE/49.7	116.6 / -15.22	<b>Marvic Machine Co.</b> 2465 Cawthra Rd Suite 131 Mississauga ON L5A 3P2	SCT
<i>Established:</i>		1972			
<i>Plant Size (ft²):</i>		2100			
<i>Employment:</i>		4			
<b>--Details--</b>					
<i>Description:</i>		Machine Shops			
<i>SIC/NAICS Code:</i>		332710			
<a href="#">126</a>	15 of 27	SE/49.7	116.6 / -15.22	<b>B.G.R. MACHINING CO. LTD.</b> 2465 CAWTHRA RD MISSISSAUGA ON L5A 3P2	SCT
<i>Established:</i>		1973			
<i>Plant Size (ft²):</i>		2400			
<i>Employment:</i>		3			
<b>--Details--</b>					
<i>Description:</i>		METALWORKING MACHINERY, N.E.C.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC/NAICS Code:</b>		3549			
<b>Description:</b>		SPECIAL INDUSTRY MACHINERY, N.E.C.			
<b>SIC/NAICS Code:</b>		3559			
<b>Description:</b>		RAILROAD EQUIPMENT			
<b>SIC/NAICS Code:</b>		3743			
<b>Description:</b>		INDUSTRIAL MACHINERY & EQUIPMENT			
<b>SIC/NAICS Code:</b>		5084			
<b>Description:</b>		TRANSPORTATION EQUIPMENT, EXCEPT MOTOR VEHICLES			
<b>SIC/NAICS Code:</b>		5088			
<a href="#">126</a>	16 of 27	SE/49.7	116.6 / -15.22	<b>Salco &amp; Associates Ltd.</b> 2465 Cawthra Rd Suite 125 Mississauga ON L5A 3P2	SCT
<b>Established:</b>		01-JUN-77			
<b>Plant Size (ft²):</b>		2500			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<b>Description:</b>		Aerospace Product and Parts Manufacturing			
<b>SIC/NAICS Code:</b>		336410			
<b>Description:</b>		Sporting and Athletic Goods Manufacturing			
<b>SIC/NAICS Code:</b>		339920			
<b>Description:</b>		All Other General-Purpose Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333990			
<a href="#">126</a>	17 of 27	SE/49.7	116.6 / -15.22	<b>P &amp; W Technologies Ltd.</b> 2465 Cawthra Rd Suite 131 Mississauga ON L5A 3P2	SCT
<b>Established:</b>		01-JUL-91			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Service Establishment Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417920			
<b>Description:</b>		Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance			
<b>SIC/NAICS Code:</b>		811310			
<b>Description:</b>		Commercial and Service Industry Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333310			
<b>Description:</b>		Industrial Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417230			
<a href="#">126</a>	18 of 27	SE/49.7	116.6 / -15.22	<b>ARNSCOTT ELECTRONICS INC</b> 2465 CAWTHRA RD UNIT 128 MISSISSAUGA ON L5A 3P2	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Established:</b>		1982			
<b>Plant Size (ft²):</b>		6800			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		HOUSEHOLD AUDIO AND VIDEO EQUIPMENT			
<b>SIC/NAICS Code:</b>		3651			
<b>Description:</b>		ELECTRICAL APPLIANCES, TELEVISION AND RADIO SETS			
<b>SIC/NAICS Code:</b>		5064			
<a href="#">126</a>	19 of 27	SE/49.7	116.6 / -15.22	<b>OWEN TRI-CUT LIMITED 2465 CAWTHRA RD UNIT 119 MISSISSAUGA ON L5A 3P2</b>	SCT
<b>Established:</b>		1971			
<b>Plant Size (ft²):</b>		4500			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		Engineering Services			
<b>SIC/NAICS Code:</b>		541330			
<b>Description:</b>		OFFICE MACHINES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3579			
<b>Description:</b>		OFFICE EQUIPMENT			
<b>SIC/NAICS Code:</b>		5044			
<b>Description:</b>		Commercial and Service Industry Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333310			
<a href="#">126</a>	20 of 27	SE/49.7	116.6 / -15.22	<b>JAMES BICKERTON &amp; MOORE LTD. 2465 CAWTHRA RD UNIT 112 MISSISSAUGA ON L5A 3P2</b>	SCT
<b>Established:</b>		1990			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, LITHOGRAPHIC			
<b>SIC/NAICS Code:</b>		2752			
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<b>Description:</b>		COMMERCIAL ART AND GRAPHIC DESIGN			
<b>SIC/NAICS Code:</b>		7336			
<b>Description:</b>		COMPUTER PROCESSING AND DATA PREPARATION AND PROCESSING SERVICES			
<b>SIC/NAICS Code:</b>		7374			
<a href="#">126</a>	21 of 27	SE/49.7	116.6 / -15.22	<b>SIGN &amp; PRINT ECT. 2465 CAWTHRA RD SUITE 132 MISSISSAUGA ON L5A 3P2</b>	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Established:</b>		1992			
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, LITHOGRAPHIC			
<b>SIC/NAICS Code:</b>		2752			
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<b>Description:</b>		SIGNS AND ADVERTISING SPECIALTIES			
<b>SIC/NAICS Code:</b>		3993			
<a href="#">126</a>	22 of 27	SE/49.7	116.6 / -15.22	<b>Arnscoot Electronics Inc.</b> 2465 Cawthra Rd Suite 125 Mississauga ON L5A 3P2	SCT
<b>Established:</b>		1982			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Hardware Manufacturing			
<b>SIC/NAICS Code:</b>		332510			
<b>Description:</b>		Other Communications Equipment Manufacturing			
<b>SIC/NAICS Code:</b>		334290			
<b>Description:</b>		Audio and Video Equipment Manufacturing			
<b>SIC/NAICS Code:</b>		334310			
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<b>Description:</b>		Home Entertainment Equipment Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		414210			
<b>Description:</b>		General-Line Building Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416310			
<b>Description:</b>		Hardware Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416330			
<b>Description:</b>		Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417320			
<b>Description:</b>		Office and Store Machinery and Equipment Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417910			
<b>Description:</b>		Service Establishment Machinery, Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417920			
<a href="#">126</a>	23 of 27	SE/49.7	116.6 / -15.22	<b>Art Scott Electronics Group</b> 2465 Cawthra Rd Unit 128 Mississauga ON L5A 3P2	SCT
<b>Established:</b>		1985			
<b>Plant Size (ft²):</b>		4400			
<b>Employment:</b>		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Semiconductor and Other Electronic Component Manufacturing			
<b>SIC/NAICS Code:</b>		334410			
<a href="#">126</a>	24 of 27	SE/49.7	116.6 / -15.22	M & G Photography Co. Ltd. 2465 Cawthra Rd Unit 202 Mississauga ON L5A 3P2	SCT
<b>Established:</b>		1993			
<b>Plant Size (ft²):</b>		250			
<b>Employment:</b>		1			
<b>--Details--</b>					
<b>Description:</b>		Motion Picture and Video Production			
<b>SIC/NAICS Code:</b>		512110			
<a href="#">126</a>	25 of 27	SE/49.7	116.6 / -15.22	JBM Graphics Ltd. 2465 Cawthra Rd Suite 128 Mississauga ON L5A 3P2	SCT
<b>Established:</b>		9/1/1990			
<b>Plant Size (ft²):</b>		7200			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Direct Mail Advertising			
<b>SIC/NAICS Code:</b>		541860			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Graphic Design Services			
<b>SIC/NAICS Code:</b>		541430			
<b>Description:</b>		Support Activities for Printing			
<b>SIC/NAICS Code:</b>		323120			
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Administrative Management and General Management Consulting Services			
<b>SIC/NAICS Code:</b>		541611			
<b>Description:</b>		Computer Systems Design and Related Services			
<b>SIC/NAICS Code:</b>		541510			
<b>Description:</b>		All Other Support Services			
<b>SIC/NAICS Code:</b>		561990			
<b>Description:</b>		Other Management Consulting Services			
<b>SIC/NAICS Code:</b>		541619			
<a href="#">126</a>	26 of 27	SE/49.7	116.6 / -15.22	Schneider Enterprises Inc. 2465 Cawthra Rd Unit 118 Mississauga ON L5A 3P2	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Established:</b>					
<b>Plant Size (ft²):</b>		2500			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Leather and Allied Product Manufacturing			
<b>SIC/NAICS Code:</b>		316990			
<b>Description:</b>		Other Leather and Allied Product Manufacturing			
<b>SIC/NAICS Code:</b>		316990			

<a href="#">126</a>	27 of 27	SE/49.7	116.6 / -15.22	Soak Wash Inc. 2465 Cawthra Rd Unit 124 Mississauga ON L5A 3P2	SCT
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Soap and Cleaning Compound Manufacturing			
<b>SIC/NAICS Code:</b>		325610			
<b>Description:</b>		Soap and Cleaning Compound Manufacturing			
<b>SIC/NAICS Code:</b>		325610			
<b>Description:</b>		All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)			
<b>SIC/NAICS Code:</b>		453999			

<a href="#">127</a>	1 of 13	NW/49.9	143.8 / 12.00	3635 Cawthra Road Mississauga ON L5A 2Y5	EHS
<b>Order No:</b>		20120906056		<b>Nearest Intersection:</b>	
<b>Status:</b>		C		<b>Municipality:</b>	
<b>Report Type:</b>		Standard Select Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		13-SEP-12		<b>Search Radius (km):</b> .25	
<b>Date Received:</b>		05-SEP-12		<b>X:</b> -79.617265	
<b>Previous Site Name:</b>				<b>Y:</b> 43.607152	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					

<a href="#">127</a>	2 of 13	NW/49.9	143.8 / 12.00	Cawthorpe Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>		ON6602563		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		06,07,08		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b>		541940		<b>Co Admin:</b>	
<b>SIC Description:</b>		Veterinary Services			
<b>--Details--</b>					
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">127</a>	3 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b>--Details--</b>					
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">127</a>	4 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b>--Details--</b>					
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">127</a>	5 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2011			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b>--Details--</b>					
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">127</a>	6 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2012			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	Veterinary Services				
<b>--Details--</b>					
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<a href="#">127</a>	7 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2013			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	VETERINARY SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<a href="#">127</a>	8 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	541940				
<b>SIC Description:</b>	VETERINARY SERVICES				
<b>--Details--</b>					
<b>Waste Code:</b>	312				
<b>Waste Description:</b>	PATHOLOGICAL WASTES				
<a href="#">127</a>	9 of 13	NW/49.9	143.8 / 12.00	Sjonnesen Veterinary Services Professional Corpora 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b>	ON6602563			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 541940 <b>SIC Description:</b> VETERINARY SERVICES <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 312					
<b>Waste Description:</b> PATHOLOGICAL WASTES					
<a href="#">127</a>	10 of 13	NW/49.9	143.8 / 12.00	<b>Sjonnesen Veterinary Services Professional Corpora</b> 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b> ON6602563 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 541940 <b>SIC Description:</b> VETERINARY SERVICES <b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 312					
<b>Waste Description:</b> PATHOLOGICAL WASTES					
<a href="#">127</a>	11 of 13	NW/49.9	143.8 / 12.00	<b>Sjonnesen Veterinary Services Professional Corpora</b> 3635 Cawthra Rd. Mississauga ON L5A 2Y5	GEN
<b>Generator No.:</b> ON6602563 <b>Status:</b> Registered <b>Approval Years:</b> As of Jun 2018 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b> <b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 312 P					
<b>Waste Description:</b> Pathological wastes					
<a href="#">127</a>	12 of 13	NW/49.9	143.8 / 12.00	<b>NOVA PASTRY &amp; BAKERY</b> 3635 CAWTHRA RD SUITE 11 MISSISSAUGA ON L5A 2Y5	SCT
<b>Established:</b> 1986 <b>Plant Size (ft²):</b> 5000 <b>Employment:</b> 32					
<b>--Details--</b>					
<b>Description:</b> Commercial Bakeries and Frozen Bakery Product Manufacturing					
<b>SIC/NAICS Code:</b> 311814					
<b>Description:</b> Cookie and Cracker Manufacturing					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		311821			
<a href="#">127</a>	13 of 13	NW/49.9	143.8 / 12.00	Nova Pastry & Bakery Ltd. 3635 Cawthra Rd Unit 11 Mississauga ON L5A 2Y5	SCT
<b>Established:</b>		01-JUL-86			
<b>Plant Size (ft²):</b>		5000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Cookie and Cracker Manufacturing			
<b>SIC/NAICS Code:</b>		311821			
<b>Description:</b>		Commercial Bakeries and Frozen Bakery Product Manufacturing			
<b>SIC/NAICS Code:</b>		311814			
<a href="#">128</a>	1 of 1	SE/51.0	106.9 / -24.93	ONTARIO HYDRO 2080 CAWTHRA RD CAWTHRA & QEW TRANSFORMER MISSISSAUGA CITY ON	SPL
<b>Ref No:</b>		39392			
<b>Site No:</b>					
<b>Incident Dt:</b>		8/17/1990			
<b>Year:</b>					
<b>Incident Cause:</b>		COOLING SYSTEM LEAK			
<b>Incident Event:</b>					
<b>Contaminant Code:</b>					
<b>Contaminant Name:</b>					
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Contaminant Qty:</b>					
<b>Environment Impact:</b>		POSSIBLE			
<b>Nature of Impact:</b>					
<b>Receiving Medium:</b>		LAND / AIR			
<b>Receiving Env:</b>					
<b>Health/Env Conseq:</b>					
<b>MOE Response:</b>					
<b>Dt MOE Arvl on Scn:</b>					
<b>MOE Reported Dt:</b>		8/17/1990			
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>					
<b>Incident Reason:</b>		EQUIPMENT FAILURE			
<b>Incident Summary:</b>		ONT. HYDRO - 15 L MINERALOIL TO GROUND AT TRANSFORMER STATION.			
<a href="#">129</a>	1 of 1	SE/52.4	109.8 / -22.00	Mississauga ON	WWIS
<b>Well ID:</b>		7158695			
<b>Construction Date:</b>					
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b>		Other Status			
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>		Z127079			
<b>Tag:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b>		2/2/2011			
<b>Selected Flag:</b>		Yes			
<b>Abandonment Rec:</b>		Yes			
<b>Contractor:</b>		7215			
<b>Form Version:</b>		7			
<b>Owner:</b>					
<b>Street Name:</b>		2399 CAWTHRA RD			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>County:</b> PEEL <b>Municipality:</b> MISSISSAUGA CITY <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1003467706 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 17-DEC-10 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> 110.09 <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 613575 <b>Org CS:</b> UTM83 <b>North83:</b> 4827368 <b>UTMRC:</b> 3 <b>UTMRC Desc:</b> margin of error : 10 - 30 m <b>Location Method:</b> wwr	
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1003749072 <b>Layer:</b> 1 <b>Plug From:</b> 0 <b>Plug To:</b> 15 <b>Plug Depth UOM:</b> ft					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1003749070 <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1003749064 <b>Casing No:</b> 0 <b>Comment:</b> <b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1003749068 <b>Layer:</b> <b>Material:</b> <b>Open Hole or Material:</b> <b>Depth From:</b> <b>Depth To:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003749069			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1003749067			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003749066			
<b>Diameter:</b>		2			
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">130</a>	1 of 3	NW/52.6	145.8 / 14.00	4076 CAWTHRA RD, MISSISSAUGA ON	PINC
<b>Incident ID:</b>				<b>Health Impact:</b>	
<b>Incident No:</b>		1978154		<b>Environment Impact:</b>	
<b>Type:</b>		FS-Pipeline Incident		<b>Property Damage:</b> Yes	
<b>Status Code:</b>		Pipeline Damage Reason Est		<b>Service Interrupt:</b> Yes	
<b>Fuel Occurrence Tp:</b>				<b>Enforce Policy:</b>	
<b>Fuel Type:</b>				<b>Public Relation:</b>	
<b>Tank Status:</b>		RC Established		<b>Pipeline System:</b>	
<b>Task No:</b>		6440912		<b>Depth:</b>	
<b>Spills Action Centre:</b>				<b>Pipe Material:</b>	
<b>Method Details:</b>		E-mail		<b>PSIG:</b>	
<b>Fuel Category:</b>		Natural Gas		<b>Attribute Category:</b> FS-Perform P-line Inc Invest	
<b>Date of Occurrence:</b>				<b>Regulator Location:</b>	
<b>Occurrence Start Date:</b>		2016/12/01			
<b>Operation Type:</b>					
<b>Pipeline Type:</b>					
<b>Regulator Type:</b>					
<b>Summary:</b>		4076 CAWTHRA RD, MISSISSAUGA - PIPELINE HIT - 1/2"			
<b>Reported By:</b>		Blake Frost - ENBRIDGE			
<b>Affiliation:</b>					
<b>Occurrence Desc:</b>					
<b>Damage Reason:</b>		Excavation practices not sufficient			
<b>Notes:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">130</a>	2 of 3	NW/52.6	145.8 / 14.00	4076 Cawthra Rd Mississauga ON	SPL
<b>Ref No:</b>	3106-AFRTGH			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/11/16			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	35			<b>Site Name:</b>	Line Strike<UNOFFICIAL>
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b>	4076 Cawthra Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0 other - see incident description			<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2016/11/16			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	TSSA/FSB: Line Damage- Made Safe				
<a href="#">130</a>	3 of 3	NW/52.6	145.8 / 14.00	4076 Cawthra Road Mississauga ON	SPL
<b>Ref No:</b>	7360-AYD2BK			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2018/05/01			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	Valve/Fitting/Piping
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	35			<b>Site Name:</b>	Residence<UNOFFICIAL>
<b>Contaminant Name:</b>	NATURAL GAS (METHANE)			<b>Site Address:</b>	4076 Cawthra Road
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	Regional Municipality of Peel
<b>Contaminant UN No 1:</b>	1075			<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0 other - see incident description			<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	4829395
<b>Health/Env Conseq:</b>	2 - Minor Environment			<b>Easting:</b>	611362
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2018/05/01			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill				
<b>Incident Reason:</b>	Operator/Human Error				
<b>Incident Summary:</b>	TSSA FSB: 1/2" plastic IP damaged; made safe				
<a href="#">131</a>	1 of 1	SE/55.5	109.7 / -22.14	MISSISSAUGA ON	WWIS
<b>Well ID:</b>	4909407			<b>Data Entry Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	4/29/2004
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7230
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z11733			<b>Owner:</b>	
<b>Tag:</b>	A011693			<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

#### Bore Hole Information

<b>Bore Hole ID:</b>	11107013	<b>Elevation:</b>	110.05
<b>DP2BR:</b>	7	<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>	r	<b>East83:</b>	613538
<b>Code OB Desc:</b>	Bedrock	<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4827215
<b>Cluster Kind:</b>		<b>UTMRC:</b>	5
<b>Date Completed:</b>	19-MAR-04	<b>UTMRC Desc:</b>	margin of error : 100 m - 300 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	932961497
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28
<b>Most Common Material:</b>	SAND
<b>Mat2:</b>	11
<b>Other Materials:</b>	GRAVEL
<b>Mat3:</b>	77
<b>Other Materials:</b>	LOOSE
<b>Formation Top Depth:</b>	0
<b>Formation End Depth:</b>	.6
<b>Formation End Depth UOM:</b>	m

#### Overburden and Bedrock

##### Materials Interval

<b>Formation ID:</b>	932961498
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	28



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		SAND			
<b>Other Materials:</b>		GRAVEL			
<b>Mat3:</b>		73			
<b>Other Materials:</b>		HARD			
<b>Formation Top Depth:</b>		.6			
<b>Formation End Depth:</b>		2.1			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		932961499			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		66			
<b>Other Materials:</b>		DENSE			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		2.1			
<b>Formation End Depth:</b>		3.6			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933250819			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.3			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933250820			
<b>Layer:</b>		2			
<b>Plug From:</b>		.3			
<b>Plug To:</b>		1.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		964909407			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11113813			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing ID:</b> 930840114					
<b>Layer:</b> 1					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b> 0					
<b>Depth To:</b> 2.1					
<b>Casing Diameter:</b> 5					
<b>Casing Diameter UOM:</b> cm					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 933408359					
<b>Layer:</b> 1					
<b>Slot:</b> 010					
<b>Screen Top Depth:</b> 2.1					
<b>Screen End Depth:</b> 3.6					
<b>Screen Material:</b> 5					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b> 6					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 934048390					
<b>Layer:</b> 1					
<b>Kind Code:</b> 5					
<b>Kind:</b> Not stated					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 11113812					
<b>Diameter:</b> 11.7					
<b>Depth From:</b>					
<b>Depth To:</b> 3.6					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					

<a href="#">132</a>	1 of 5	SE/56.0	106.8 / -25.00	Hydro One Networks Inc. 2070 Cawthra Rd Mississauga ON	ECA
<b>Approval No:</b>	5715-9ASKPH			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	22-AUG-13			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Mississauga
<b>Record Type:</b>				<b>Longitude:</b>	
<b>Link Source:</b>				<b>Latitude:</b>	
<b>Approval Type:</b>					
<b>Project Type:</b>	Air/Noise				
<b>Address:</b>					
<b>Full Address:</b>	Cooksville Transformer Station 2070 Cawthra Rd				
<b>Full PDF Link:</b>					

<a href="#">132</a>	2 of 5	SE/56.0	106.8 / -25.00	Hydro One Networks Inc 2070 Cawthra Road Mississauga ON L5A 2W6	GEN
<b>Generator No.:</b>	ON6169507			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	05  221111			Choice of Contact: Co Admin: Phone No. Admin:  Hydro-Electric Power Generation	
<b>--Details--</b> Waste Code: Waste Description:		252 WASTE OILS & LUBRICANTS			
<a href="#">132</a>	3 of 5	SE/56.0	106.8 / -25.00	Hydro One Networks Inc. Cooksville Transformer Station 2070 Cawthra Road Mississauga ON	GEN
Generator No.: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON9312052  2013  221122			PO Box No.: Country: Choice of Contact: Co Admin: Phone No. Admin:  ELECTRIC POWER DISTRIBUTION	
<b>--Details--</b> Waste Code: Waste Description:		251 OIL SKIMMINGS & SLUDGES			
Waste Code: Waste Description:		243 PCBS			
<a href="#">132</a>	4 of 5	SE/56.0	106.8 / -25.00	Hydro One Inc. 2070 Cawthra Rd. Mississauga ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code:	0767-5XDLHK  3/22/2004  Cooling System Leak  26			Discharger Report: Material Group: Chemical Client Type: Sector Type: Other Plant - Electric Power Generation (MISA) Source Type: Nearest Watercourse: Site Name: COOKSVILLE TRANSFORMER STATION<UNOFFICIAL>	
Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Contaminant Qty: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Health/Env Conseq: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Agency Involved: SAC Action Class: Incident Reason: Incident Summary:	TRANSFORMER OIL (GT 50 PPM PCB)   20 L Possible Other Impact(s) Land    3/24/2004  Spills  Hydro One - 20 L transformer (PCBs) to ground.			Site Address: Site District Office: Halton-Peel Site County/District: Site Postal Code: Site Region: Central Site Municipality: Mississauga Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Geo Ref Meth: Site Map Datum:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">132</a>	5 of 5	SE/56.0	106.8 / -25.00	MISSISSAUGA ON	WWIS
<b>Well ID:</b>	4909834			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	7/15/2005
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6032
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z05369			<b>Owner:</b>	
<b>Tag:</b>	A005336			<b>Street Name:</b>	2070 CAWTHRA RD.
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	11323567			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	
<b>Code OB:</b>	u			<b>East83:</b>	
<b>Code OB Desc:</b>	all layers are unknown type			<b>Org CS:</b>	
<b>Open Hole:</b>				<b>North83:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	
<b>Date Completed:</b>	14-JAN-05			<b>UTMRC Desc:</b>	
<b>Remarks:</b>				<b>Location Method:</b>	na
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	933021564				
<b>Layer:</b>	1				
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>					
<b>Most Common Material:</b>					
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>	0				
<b>Formation End Depth:</b>	5.49				
<b>Formation End Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plug ID:</b>		933272715			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		5.49			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		964909834			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11338422			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					

<a href="#">133</a>	1 of 1	SE/56.4	123.1 / -8.72	lot 10 con 1 ON	WWIS
<b>Well ID:</b>	4902250			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	1
<b>Primary Water Use:</b>	Industrial			<b>Date Received:</b>	2/23/1950
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Water Supply			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	2613
<b>Casing Material:</b>				<b>Form Version:</b>	1
<b>Audit No:</b>				<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	010
<b>Well Depth:</b>				<b>Concession:</b>	01
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	DS S
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	10317092			<b>Elevation:</b>	124.22
<b>DP2BR:</b>	20			<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>	r			<b>East83:</b>	613064.6
<b>Code OB Desc:</b>	Bedrock			<b>Org CS:</b>	
<b>Open Hole:</b>				<b>North83:</b>	4827846
<b>Cluster Kind:</b>				<b>UTMRC:</b>	9
<b>Date Completed:</b>	17-MAY-49			<b>UTMRC Desc:</b>	unknown UTM
<b>Remarks:</b>				<b>Location Method:</b>	p9
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		932037198			
<b>Layer:</b>		1			
<b>Color:</b>					
<b>General Color:</b>					
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		12			
<b>Other Materials:</b>		STONES			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		20			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		932037199			
<b>Layer:</b>		2			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		20			
<b>Formation End Depth:</b>		54			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		964902250			
<b>Method Construction Code:</b>		1			
<b>Method Construction:</b>		Cable Tool			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		10865662			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		930524077			
<b>Layer:</b>		2			
<b>Material:</b>		4			
<b>Open Hole or Material:</b>		OPEN HOLE			
<b>Depth From:</b>					
<b>Depth To:</b>		54			
<b>Casing Diameter:</b>		6			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 930524076  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 20  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 994902250  
**Pump Set At:**  
**Static Level:** 8  
**Final Level After Pumping:** 8  
**Recommended Pump Depth:**  
**Pumping Rate:** 5  
**Flowing Rate:**  
**Recommended Pump Rate:** 5  
**Levels UOM:** ft  
**Rate UOM:** GPM  
**Water State After Test Code:** 1  
**Water State After Test:** CLEAR  
**Pumping Test Method:** 1  
**Pumping Duration HR:** 24  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Water Details**

**Water ID:** 933790255  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 54  
**Water Found Depth UOM:** ft

<a href="#">134</a>	1 of 2	<b>SE/58.0</b>	<b>111.8 / -20.07</b>	<b>NuStef Foods Limited</b> <b>2440 Cawthra Road Mississauga, Regional Municipality of Peel L5A 2X1 CITY OF MISSISSAUGA ON</b>	<b>EBR</b>
---------------------	--------	----------------	-----------------------	---	------------

<b>EBR Registry No.:</b> 011-5003 <b>Ministry Ref. No.:</b> 4776-8LNQNK <b>Notice Type:</b> Instrument Decision <b>Company Name:</b> NuStef Foods Limited <b>Proponent Name:</b> <b>Proposal Address:</b> 2440 Cawthra Road, Mississauga Ontario, Canada L5A 2X1 <b>Instrument Type:</b> (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) <b>Location Other:</b> <b>URL:</b>	<b>Proposal Date:</b> November 08, 2011 <b>Notice Pub Date:</b> June 16, 2014 <b>Year:</b> 2011
---	---

**Location:**

2440 Cawthra Road Mississauga, Regional Municipality of Peel L5A 2X1 CITY OF MISSISSAUGA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">134</a>	2 of 2	SE/58.0	111.8 / -20.07	NuStef Foods Limited 2440 Cawthra Rd Mississauga ON L5A 2X1	ECA
<b>Approval No:</b>	1089-9KGKAX			<b>SWP Area Name:</b>	Credit Valley
<b>Approval Date:</b>	2014-06-05			<b>MOE District:</b>	Halton-Peel
<b>Status:</b>	Approved			<b>City:</b>	Mississauga
<b>Record Type:</b>	ECA			<b>Longitude:</b>	-79.5957
<b>Link Source:</b>	IDS			<b>Latitude:</b>	43.590736
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	2440 Cawthra Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	https://www.accessenvironment.ene.gov.on.ca/instruments/4776-8LNQNK-14.pdf				
<a href="#">135</a>	1 of 8	SE/58.3	110.9 / -20.99	D.S. Signs Inc. 2390 Cawthra Rd Unit 4 Mississauga ON L5A 2X1	SCT
<b>Established:</b>	01-AUG-94				
<b>Plant Size (ft²):</b>	1700				
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Sign Manufacturing				
<b>SIC/NAICS Code:</b>	339950				
<b>Description:</b>	Sign Manufacturing				
<b>SIC/NAICS Code:</b>	339950				
<a href="#">135</a>	2 of 8	SE/58.3	110.9 / -20.99	ROBINSON BREWING CO. 2390 Cawthra Rd Unit 3 Mississauga ON L5A 2X1	SCT
<b>Established:</b>	1993				
<b>Plant Size (ft²):</b>	0				
<b>Employment:</b>	4				
<b>--Details--</b>					
<b>Description:</b>	Breweries				
<b>SIC/NAICS Code:</b>	312120				
<a href="#">135</a>	3 of 8	SE/58.3	110.9 / -20.99	A 1 Custom Woodworking Ltd. 2390 Cawthra Rd Unit 1 Mississauga ON L5A 2X1	SCT
<b>Established:</b>	01-JUL-86				
<b>Plant Size (ft²):</b>	3000				
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>	Showcase, Partition, Shelving and Locker Manufacturing				
<b>SIC/NAICS Code:</b>	337215				
<b>Description:</b>	Wood Kitchen Cabinet and Counter Top Manufacturing				
<b>SIC/NAICS Code:</b>	337110				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Wood Office Furniture, including Custom Architectural Woodwork, Manufacturing			
<b>SIC/NAICS Code:</b>		337213			
<b>Description:</b>		Wood Kitchen Cabinet and Counter Top Manufacturing			
<b>SIC/NAICS Code:</b>		337110			
<a href="#">135</a>	4 of 8	SE/58.3	110.9 / -20.99	<b>SUNLIGHT SOLARIUMS</b> 2390 CAWTHRA RD UNIT 9-10 MISSISSAUGA ON L5A 2X1	SCT
<b>Established:</b>		1985			
<b>Plant Size (ft²):</b>		1600			
<b>Employment:</b>		6			
<b>--Details--</b>					
<b>Description:</b>		GLASS PRODUCTS, MADE OF PURCHASED GLASS			
<b>SIC/NAICS Code:</b>		3231			
<b>Description:</b>		PREFABRICATED METAL BUILDINGS AND COMPONENTS			
<b>SIC/NAICS Code:</b>		3448			
<a href="#">135</a>	5 of 8	SE/58.3	110.9 / -20.99	<b>A. K. DESIGNS</b> 2390 CAWTHRA RD UNIT 8 MISSISSAUGA ON L5A 2X1	SCT
<b>Established:</b>		1992			
<b>Plant Size (ft²):</b>		3000			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		MILLWORK			
<b>SIC/NAICS Code:</b>		2431			
<b>Description:</b>		WOOD OFFICE AND STORE FIXTURES, PARTITIONS, SHELVING, AND LOCKERS			
<b>SIC/NAICS Code:</b>		2541			
<a href="#">135</a>	6 of 8	SE/58.3	110.9 / -20.99	<b>A K DESIGNS LTD.</b> 2390 Cawthra Rd Unit 8 Mississauga ON L5A 2X1	SCT
<b>Established:</b>		1993			
<b>Plant Size (ft²):</b>		6000			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		Wood Window and Door Manufacturing			
<b>SIC/NAICS Code:</b>		321911			
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<a href="#">135</a>	7 of 8	SE/58.3	110.9 / -20.99	<b>A. K. Designs Ltd.</b> 2390 Cawthra Rd Unit 8	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Mississauga ON L5A 2X1</b>					
<b>Established:</b>		01-AUG-93			
<b>Plant Size (ft²):</b>		6000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<b>Description:</b>		Other Millwork			
<b>SIC/NAICS Code:</b>		321919			
<b>Description:</b>		Wood Window and Door Manufacturing			
<b>SIC/NAICS Code:</b>		321911			
<b>135</b>	<b>8 of 8</b>	<b>SE/58.3</b>	<b>110.9 / -20.99</b>	<b>Elsen Electric Inc. 2390 Cawthra Rd Unit 3 Mississauga ON L5A 2X1</b>	<b>SCT</b>
<b>Established:</b>		01-SEP-70			
<b>Plant Size (ft²):</b>		4500			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<b>Description:</b>		Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		417320			
<b>Description:</b>		Electrical Contractors and Other Wiring Installation Contractors			
<b>SIC/NAICS Code:</b>		238210			
<b>136</b>	<b>1 of 1</b>	<b>NW/58.5</b>	<b>139.8 / 8.00</b>	<b>The Regional Municipality of Peel 665 Vermouth Avenue Mississauga ON</b>	<b>SPL</b>
<b>Ref No:</b>	5785-AREJFJ			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	9/21/2017			<b>Client Type:</b>	Municipal Government
<b>Year:</b>				<b>Sector Type:</b>	Other
<b>Incident Cause:</b>				<b>Source Type:</b>	Water Supply
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	Cooksville Creek
<b>Contaminant Code:</b>	43			<b>Site Name:</b>	Road<UNOFFICIAL>
<b>Contaminant Name:</b>	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)			<b>Site Address:</b>	665 Vermouth Avenue
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	Regional Municipality of Peel
<b>Contaminant UN No 1:</b>	n/a			<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0 other - see incident description			<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land; Surface Water			<b>Northing:</b>	4828603.99
<b>Health/Env Conseq:</b>	0 - No Impact			<b>Easting:</b>	612054.87
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/21/2017			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Agency Involved:</b> <b>SAC Action Class:</b> Land Spills <b>Incident Reason:</b> Material Failure - Poor Design/Substandard Material <b>Incident Summary:</b> RofP: water mn brk and water/sediment to Cookesville Cr. - repairs ongn					
<a href="#">137</a>	1 of 14	SE/58.6	111.8 / -20.07	NuStef Foods Limited 2440 Cawthra Rd Mississauga City, Mississauga ON L5A2X1	ECA
<b>Approval No:</b> 1089-9KKGKAX <b>Approval Date:</b> 6/5/14 <b>Status:</b> Approved <b>Record Type:</b> <b>Link Source:</b> <b>Approval Type:</b> <b>Project Type:</b> Air/Noise <b>Address:</b> <b>Full Address:</b> 2440 Cawthra Rd Mississauga City, Regional Municipality of Peel, Ontario L5A2X1 <b>Full PDF Link:</b>					
<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> Mississauga <b>Longitude:</b> - 79.5958333333333143855270463973283767 7001953125 <b>Latitude:</b> 43.5908333333333598602621350437402725 2197265625					
<a href="#">137</a>	2 of 14	SE/58.6	111.8 / -20.07	2440 Cawthra Road Mississauga ON	EHS
<b>Order No:</b> 20060111005 <b>Status:</b> C <b>Report Type:</b> Basic Report <b>Report Date:</b> 1/19/2006 <b>Date Received:</b> 1/11/2006 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.595168 <b>Y:</b> 43.591159					
<a href="#">137</a>	3 of 14	SE/58.6	111.8 / -20.07	2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	EHS
<b>Order No:</b> 20161122125 <b>Status:</b> C <b>Report Type:</b> Site Report <b>Report Date:</b> 23-NOV-16 <b>Date Received:</b> 22-NOV-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> IL <b>Search Radius (km):</b> .001 <b>X:</b> -79.59567 <b>Y:</b> 43.590731					
<a href="#">137</a>	4 of 14	SE/58.6	111.8 / -20.07	2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	EHS
<b>Order No:</b> 20161122125 <b>Status:</b> C <b>Report Type:</b> Site Report <b>Report Date:</b> 23-NOV-16 <b>Date Received:</b> 22-NOV-16 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> IL <b>Search Radius (km):</b> .001 <b>X:</b> -79.59567 <b>Y:</b> 43.590731					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">137</a>	5 of 14	SE/58.6	111.8 / -20.07	2440 Cawthra Rd Mississauga On Mississauga ON L5A2X1	EHS
<b>Order No:</b>	20161122125			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Site Report			<b>Client Prov/State:</b>	IL
<b>Report Date:</b>	23-NOV-16			<b>Search Radius (km):</b>	.001
<b>Date Received:</b>	22-NOV-16			<b>X:</b>	-79.59567
<b>Previous Site Name:</b>				<b>Y:</b>	43.590731
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">137</a>	6 of 14	SE/58.6	111.8 / -20.07	CLARK PORCELAIN LTD. 2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1062700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3562				
<b>SIC Description:</b>	GLASS PRODUCTS IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<a href="#">137</a>	7 of 14	SE/58.6	111.8 / -20.07	CLARK POR(OUT OF BUSINESS) 2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON1062700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3562				
<b>SIC Description:</b>	GLASS PRODUCTS IND.				
<b>--Details--</b>					
<b>Waste Code:</b>	146				
<b>Waste Description:</b>	OTHER SPECIFIED INORGANICS				
<a href="#">137</a>	8 of 14	SE/58.6	111.8 / -20.07	CANADIAN PROCELAIN PRODUCTS INC. 2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON2510200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	99,00,01			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3562				
<b>SIC Description:</b>	GLASS PRODUCTS IND.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">137</a>	9 of 14	SE/58.6	111.8 / -20.07	Hansen & Young Machinery (1995) Inc. 2440 Cawthra Road Mississauga ON	GEN
<b>Generator No.:</b>		ON2061183		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		03,04		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<a href="#">137</a>	10 of 14	SE/58.6	111.8 / -20.07	CLARK PORCELAIN LIMITED 10-355 2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>		ON1062700		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		92,93,96,97,98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3562			
<b>SIC Description:</b>		GLASS PRODUCTS IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">137</a>	11 of 14	SE/58.6	111.8 / -20.07	CLARK PORCELAIN LTD. 10-355 2440 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>		ON1062700		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		94,95		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3562			
<b>SIC Description:</b>		GLASS PRODUCTS IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		146			
<b>Waste Description:</b>		OTHER SPECIFIED INORGANICS			
<a href="#">137</a>	12 of 14	SE/58.6	111.8 / -20.07	CANADIAN PORCELAIN PRODUCTS 2440 CAWTHRA RD MISSISSAUGA ON L5A 2X1	SCT
<b>Established:</b>		1997			
<b>Plant Size (ft²):</b>		48000			
<b>Employment:</b>		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Paint and Coating Manufacturing			
<b>SIC/NAICS Code:</b>		325510			
<b>Description:</b>		Pottery, Ceramics and Plumbing Fixture Manufacturing			
<b>SIC/NAICS Code:</b>		327110			
<b>Description:</b>		Other Major Appliance Manufacturing			
<b>SIC/NAICS Code:</b>		335229			
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<a href="#">137</a>	13 of 14	SE/58.6	111.8 / -20.07	CLARK PORCELAIN LIMITED 2440 CAWTHRA RD MISSISSAUGA ON L5A 2X1	SCT
<b>Established:</b>		1953			
<b>Plant Size (ft²):</b>		50000			
<b>Employment:</b>		30			
<b>--Details--</b>					
<b>Description:</b>		WOOD PRODUCTS, N.E.C.			
<b>SIC/NAICS Code:</b>		2499			
<b>Description:</b>		PUBLIC BUILDING & RELATED FURNITURE			
<b>SIC/NAICS Code:</b>		2531			
<b>Description:</b>		GLASS PRODUCTS, MADE OF PURCHASED GLASS			
<b>SIC/NAICS Code:</b>		3231			
<b>Description:</b>		COATING, ENGRAVING & ALLIED SERVICES, N.E.C.			
<b>SIC/NAICS Code:</b>		3479			
<b>Description:</b>		SIGNS & ADVERTISING SPECIALTIES			
<b>SIC/NAICS Code:</b>		3993			
<a href="#">137</a>	14 of 14	SE/58.6	111.8 / -20.07	Nustef Foods Ltd. 2440 Cawthra Rd Mississauga ON L5A 2X1	SCT
<b>Established:</b>		01-JAN-86			
<b>Plant Size (ft²):</b>		47000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Cookie and Cracker Manufacturing			
<b>SIC/NAICS Code:</b>		311821			
<a href="#">138</a>	1 of 1	NW/58.8	143.8 / 12.00	ON	BORE
<b>Borehole ID:</b>	645562			<b>Type:</b>	Borehole
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Status:</b>	
<b>Drill Method:</b>	Power auger			<b>UTM Zone:</b>	17
<b>Easting:</b>	611555			<b>Northing:</b>	4829263
<b>Location Accuracy:</b>				<b>Orig. Ground Elev m:</b>	142
<b>Elev. Reliability Note:</b>				<b>DEM Ground Elev m:</b>	143
<b>Total Depth m:</b>	4.8			<b>Primary Name:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Township:</b>				<b>Concession:</b>	
<b>Lot:</b>				<b>Municipality:</b>	
<b>Completion Date:</b>	SEP-1966			<b>Static Water Level:</b>	-999.9
<b>Primary Water Use:</b>	Not Used			<b>Sec. Water Use:</b>	
<b>--Details--</b>					
<b>Stratum ID:</b>	218511785			<b>Top Depth(m):</b>	0.0
<b>Bottom Depth(m):</b>	0.6			<b>Stratum Desc:</b>	FILL,SILT.
<b>Stratum ID:</b>	218511786			<b>Top Depth(m):</b>	0.6
<b>Bottom Depth(m):</b>	1.8			<b>Stratum Desc:</b>	SILT,SAND,CLAY. BROWN,LACUSTRINE,WEATHERED, AGE POST-GLACIAL.
<b>Stratum ID:</b>	218511787			<b>Top Depth(m):</b>	1.8
<b>Bottom Depth(m):</b>	3.0			<b>Stratum Desc:</b>	SILT,CLAY,SAND. BROWN,LACUSTRINE,MOIST, AGE POST- GLACIAL.
<b>Stratum ID:</b>	218511788			<b>Top Depth(m):</b>	3.0
<b>Bottom Depth(m):</b>	4.8			<b>Stratum Desc:</b>	SILT,CLAY,SAND. GREY,LACUSTRINE,HARD, AGE POST- GLACIAL. 000200070010006200009
<a href="#">139</a>	1 of 1	SE/59.5	107.8 / -24.04	Seaboard Liquid Carriers Ltd. 655 The Queensway East Mississauga ON	SPL
<b>Ref No:</b>	4475-9AAEGL			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	2013/08/05			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Tank - Underground
<b>Incident Cause:</b>	Leak/Break			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	12			<b>Site Name:</b>	Petro Canada<UNOFFICIAL>
<b>Contaminant Name:</b>	GASOLINE			<b>Site Address:</b>	655 The Queensway East
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	50 L			<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Other Impact(s)			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>Health/Env Conseq:</b>				<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2013/08/05			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2013/09/27				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill				
<b>Incident Reason:</b>	Operator/Human Error				
<b>Incident Summary:</b>	Seaboard/ Petro Can: gas spill to pv grd, CB impacted 50L				
<a href="#">140</a>	1 of 3	NW/60.8	142.8 / 11.00	n/a Mississauga ON	EHS
<b>Order No:</b>	20171115085			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	22-NOV-17			<b>Search Radius (km):</b>	0
<b>Date Received:</b>	15-NOV-17			<b>X:</b>	-79.615933

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>				Y: 43.606758	
<a href="#">140</a>	2 of 3	NW/60.8	142.8 / 11.00	n/a Mississauga ON	EHS
<b>Order No:</b> 20171115085 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 22-NOV-17 <b>Date Received:</b> 15-NOV-17 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0 <b>X:</b> -79.615933 <b>Y:</b> 43.606758			
<a href="#">140</a>	3 of 3	NW/60.8	142.8 / 11.00	n/a Mississauga ON	EHS
<b>Order No:</b> 20171115085 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 22-NOV-17 <b>Date Received:</b> 15-NOV-17 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0 <b>X:</b> -79.615933 <b>Y:</b> 43.606758			
<a href="#">141</a>	1 of 2	NW/63.6	143.8 / 12.00	STEPHENSON'S RENT-ALL INC. 720 Burnamthorpe Rd. East Mississauga ON L5C 3G1	GEN
<b>Generator No.:</b> ON0467617 <b>Status:</b> <b>Approval Years:</b> 02,03,04 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>			
<b>--Details--</b>					
<b>Waste Code:</b> 252		<b>Waste Description:</b> WASTE OILS & LUBRICANTS			
<b>Waste Code:</b> 213		<b>Waste Description:</b> PETROLEUM DISTILLATES			
<b>Waste Code:</b> 221		<b>Waste Description:</b> LIGHT FUELS			
<b>Waste Code:</b> 251		<b>Waste Description:</b> OIL SKIMMINGS & SLUDGES			
<a href="#">141</a>	2 of 2	NW/63.6	143.8 / 12.00	720 Burnhamthorpe Rd E Mississauga ON L4Y 2X3	SPL
<b>Ref No:</b> 5534-7DENEL <b>Site No:</b>		<b>Discharger Report:</b> <b>Material Group:</b>			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Dt:</b> <b>Year:</b>		<b>Client Type:</b> <b>Sector Type:</b> Sewer			
<b>Incident Cause:</b> Overflow (Tanks Lagoons)		<b>Source Type:</b>			
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>			
<b>Contaminant Code:</b> 15	<b>Site Name:</b> 720 Burnhamthorpe Road East				
<b>Contaminant Name:</b> OIL (PETROLEUM BASED, NOT SPECIFIED)	<b>Site Address:</b>				
<b>Contaminant Limit 1:</b>	<b>Site District Office:</b> Halton-Peel				
<b>Contam Limit Freq 1:</b>	<b>Site County/District:</b>				
<b>Contaminant UN No 1:</b>	<b>Site Postal Code:</b>				
<b>Contaminant Qty:</b> 6 L	<b>Site Region:</b>				
<b>Environment Impact:</b> Confirmed	<b>Site Municipality:</b> Mississauga				
<b>Nature of Impact:</b> Soil Contamination	<b>Site Lot:</b>				
<b>Receiving Medium:</b>	<b>Site Conc:</b>				
<b>Receiving Env:</b>	<b>Northing:</b> NA				
<b>Health/Env Conseq:</b>	<b>Easting:</b> NA				
<b>MOE Response:</b> No Field Response	<b>Site Geo Ref Accu:</b>				
<b>Dt MOE Arvl on Scn:</b>	<b>Site Geo Ref Meth:</b>				
<b>MOE Reported Dt:</b> 4/5/2008	<b>Site Map Datum:</b>				
<b>Dt Document Closed:</b> 4/14/2008					
<b>Agency Involved:</b>					
<b>SAC Action Class:</b> Land Spills					
<b>Incident Reason:</b> Debris on Road					
<b>Incident Summary:</b> 720 Burnhamthorpe - 6L effluent to grass					

<a href="#">142</a>	1 of 7	SE/64.2	106.8 / -25.00	<b>Hydro One Networks Inc.</b> 2070 Cawthra Road Mississauga, Regional Municipality of Peel L5A 3X6 CITY OF MISSISSAUGA ON	EBR
<b>EBR Registry No.:</b>	011-8738	<b>Proposal Date:</b> April 08, 2013			
<b>Ministry Ref. No.:</b>	6782-95JJJ4	<b>Notice Pub Date:</b> August 28, 2013			
<b>Notice Type:</b>	Instrument Decision	<b>Year:</b> 2013			
<b>Company Name:</b>	Hydro One Networks Inc.				
<b>Proponent Name:</b>					
<b>Proposal Address:</b>	483 Bay Street, Toronto Ontario, Canada M5G 2P5				
<b>Instrument Type:</b>	(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)				
<b>Location Other:</b>					
<b>URL:</b>					
<b>Location:</b>	2070 Cawthra Road Mississauga, Regional Municipality of Peel L5A 3X6 CITY OF MISSISSAUGA				

<a href="#">142</a>	2 of 7	SE/64.2	106.8 / -25.00	<b>Hydro One Networks Inc.</b> 2070 Cawthra Rd Mississauga ON M5G 2P5	ECA
<b>Approval No:</b>	1746-9AEKWT	<b>SWP Area Name:</b>			
<b>Approval Date:</b>	2013-08-30	<b>MOE District:</b>			
<b>Status:</b>	Approved	<b>City:</b> Mississauga			
<b>Record Type:</b>	ECA	<b>Longitude:</b>			
<b>Link Source:</b>	IDS	<b>Latitude:</b>			
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Address:</b>	2070 Cawthra Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5959-97SHLJ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5959-97SHLJ-14.pdf</a>				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">142</a>	3 of 7	SE/64.2	106.8 / -25.00	Hydro One Networks Inc. 2070 Cawthra Rd Mississauga ON M5G 2P5	ECA
<b>Approval No:</b> 5715-9ASKPH <b>Approval Date:</b> 2013-08-22 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Address:</b> 2070 Cawthra Rd <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/6782-95JJ4-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/6782-95JJ4-14.pdf</a>				<b>SWP Area Name:</b> <b>MOE District:</b> <b>City:</b> Mississauga <b>Longitude:</b> <b>Latitude:</b>	
<a href="#">142</a>	4 of 7	SE/64.2	106.8 / -25.00	Hydro One Networks Inc. Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	GEN
<b>Generator No.:</b> ON9312052 <b>Status:</b> <b>Approval Years:</b> 2015 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 221122 <b>SIC Description:</b> ELECTRIC POWER DISTRIBUTION				<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Mike Harvey <b>Phone No. Admin:</b> 866-782-4489 Ext.	
<b>--Details--</b> <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES  <b>Waste Code:</b> 243 <b>Waste Description:</b> PCBS					
<a href="#">142</a>	5 of 7	SE/64.2	106.8 / -25.00	Hydro One Networks Inc. Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	GEN
<b>Generator No.:</b> ON9312052 <b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 221122 <b>SIC Description:</b> ELECTRIC POWER DISTRIBUTION				<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Mike Harvey <b>Phone No. Admin:</b> 866-782-4489 Ext.	
<b>--Details--</b> <b>Waste Code:</b> 243 <b>Waste Description:</b> PCBS  <b>Waste Code:</b> 251 <b>Waste Description:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">142</a>	6 of 7	SE/64.2	106.8 / -25.00	Hydro One Networks Inc. Cooksville Transformer Station 2070 Cawthra Road Mississauga ON L5A 2W6	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON9312052 Registered As of Jun 2018			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	Canada
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	251 T Waste oils/sludges (petroleum based)				
<b>Waste Code:</b> <b>Waste Description:</b>	243 D PCB				
<a href="#">142</a>	7 of 7	SE/64.2	106.8 / -25.00	<b>Hydro One Networks Inc.</b> <b>Cooksville Transformer Station 2070 Cawthra Road</b> <b>Mississauga ON L5A 2W6</b>	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON9312052 2016 No No 221122			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	Canada CO_ADMIN Mike Harvey 866-782-4489 Ext.
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	251 OIL SKIMMINGS & SLUDGES				
<b>Waste Code:</b> <b>Waste Description:</b>	243 PCBS				
<a href="#">143</a>	1 of 1	SE/65.1	119.9 / -11.92	<b>Mississauga ON</b>	WWIS
<b>Well ID:</b> <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	7219360 Monitoring and Test Hole 0 Test Hole Water Type: Casing Material: Z185563 A160810 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:			<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> <b>Selected Flag:</b> <b>Abandonment Rec:</b> <b>Contractor:</b> <b>Form Version:</b> <b>Owner:</b> <b>Street Name:</b> <b>County:</b> <b>Municipality:</b> <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	4/23/2014 Yes 7241 7 700 DUNDAS STREET EAST PEEL MISSISSAUGA CITY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004732757	<b>Elevation:</b>	120.47
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	613140
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4827792
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-MAR-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005130472
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	06
<b>Most Common Material:</b>	SILT
<b>Mat2:</b>	28
<b>Other Materials:</b>	SAND
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	3
<b>Formation End Depth:</b>	8
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005130473
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	8
<b>Formation End Depth:</b>	18.5
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005130471
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	
<b>Other Materials:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005130481			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005130483			
<b>Layer:</b>		3			
<b>Plug From:</b>		7.5			
<b>Plug To:</b>		18.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005130482			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		7.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005130480			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005130470			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005130476			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		8.5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1005130477			
Layer:		1			
Slot:		10			
Screen Top Depth:		8.5			
Screen End Depth:		12.5			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1005130475			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1005130474			
Diameter:		6			
Depth From:		0			
Depth To:		18.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<b><u>144</u></b>	<b>1 of 1</b>	<b>SE/66.1</b>	<b>117.8 / -14.02</b>	<b>MISSISSAUGA ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7116747			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Test Hole			<b>Date Received:</b>	12/18/2008
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7215
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z81549			<b>Owner:</b>	
<b>Tag:</b>	A068052			<b>Street Name:</b>	2526 CAWTHRA RD.
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1001912146			<b>Elevation:</b>	118.11
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	613121
<b>Code OB Desc:</b>				<b>Org CS:</b>	UTM83
<b>Open Hole:</b>				<b>North83:</b>	4827588

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	18-SEP-08			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1002026481  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:** 92  
**Other Materials:** WEATHERED  
**Mat3:** 05  
**Other Materials:** CLAY  
**Formation Top Depth:** 5  
**Formation End Depth:** 11.5  
**Formation End Depth UOM:** ft

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1002026480  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 01  
**Most Common Material:** FILL  
**Mat2:** 28  
**Other Materials:** SAND  
**Mat3:** 91  
**Other Materials:** WATER-BEARING  
**Formation Top Depth:** 0  
**Formation End Depth:** 5  
**Formation End Depth UOM:** ft

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1002026482  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 26  
**Most Common Material:** ROCK  
**Mat2:**  
**Other Materials:**  
**Mat3:** 91  
**Other Materials:** WATER-BEARING  
**Formation Top Depth:** 11.5  
**Formation End Depth:** 12  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002026485			
<b>Layer:</b>		2			
<b>Plug From:</b>		6			
<b>Plug To:</b>		1			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002026486			
<b>Layer:</b>		3			
<b>Plug From:</b>		1			
<b>Plug To:</b>		0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002026484			
<b>Layer:</b>		1			
<b>Plug From:</b>		12			
<b>Plug To:</b>		6			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1002026491			
<b>Method Construction Code:</b>		2			
<b>Method Construction:</b>		Rotary (Convent.)			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002026479			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002026488			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002026489			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		7			
<b>Screen End Depth:</b>		12			
<b>Screen Material:</b>		5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<b><u>Water Details</u></b>					
Water ID:		1002026487			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1002026483			
Diameter:		4			
Depth From:		12			
Depth To:		0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">145</a>	1 of 1	SE/66.5	108.8 / -23.00	TRANSPORT TRUCK QEW HWY EASTBOUND EAST OF CAWTHRA RD. MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON	SPL
Ref No:	46862			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	2/21/1991			Client Type:	
Year:				Sector Type:	
Incident Cause:	OTHER CONTAINER LEAK			Source Type:	
Incident Event:				Nearest Watercourse:	
Contaminant Code:				Site Name:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site County/District:	
Contaminant UN No 1:				Site Postal Code:	
Contaminant Qty:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	21102
Nature of Impact:	Water course or lake			Site Lot:	
Receiving Medium:	LAND / WATER			Site Conc:	
Receiving Env:				Northing:	
Health/Env Conseq:				Easting:	M.O.T. F.D. PEEL SPILLS RESPONSE
MOE Response:				Site Geo Ref Accu:	
Dt MOE Arvl on Scn:				Site Geo Ref Meth:	
MOE Reported Dt:	2/21/1991			Site Map Datum:	
Dt Document Closed:					
Agency Involved:					
SAC Action Class:					
Incident Reason:	OTHER				
Incident Summary:	TRANSPORT TRUCK- 25 L. DIESEL FUEL TO ROAD&SEWERCONTAINED MOT PD ON SITE				

<a href="#">146</a>	1 of 38	SE/67.7	113.4 / -18.43	Tri-Phase Environmental Inc. 2446 Cawthra Rd. Bldg 2 Mississauga ON L5A 3K6	CA
Certificate #:	3651-5VNTBK				
Application Year:	2004				
Issue Date:	2/23/2004				
Approval Type:	Waste Management Systems				
Status:	Approved				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">146</a>	2 of 38	SE/67.7	113.4 / -18.43	Tri-Phase Environmental Inc. 2446 Cawthra Rd. Bldg 2 Mississauga ON L5A 4K4	ECA
<b>Approval No:</b>	3651-5VNTBK			<b>SWP Area Name:</b> Credit Valley	
<b>Approval Date:</b>	2004-02-23			<b>MOE District:</b> Halton-Peel	
<b>Status:</b>	Approved			<b>City:</b> Mississauga	
<b>Record Type:</b>	ECA			<b>Longitude:</b> -79.59685	
<b>Link Source:</b>	IDS			<b>Latitude:</b> 43.5908279999999	
<b>Approval Type:</b>	ECA-WASTE MANAGEMENT SYSTEMS				
<b>Project Type:</b>	WASTE MANAGEMENT SYSTEMS				
<b>Address:</b>	2446 Cawthra Rd. Bldg 2				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8401-5AJTFL-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8401-5AJTFL-14.pdf</a>				
<a href="#">146</a>	3 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD. 2446 CAWTHRA RD. BLDG 2, UNIT 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON1377300			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6591				
<b>SIC Description:</b>	2ND HAND MERCHANDISE				
<b>--Details--</b>					
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				
<a href="#">146</a>	4 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD. 08-812 2446 CAWTHRA RD. BLDG 2, UNIT 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON1377300			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	6591				
<b>SIC Description:</b>	2ND HAND MERCHANDISE				
<b>--Details--</b>					
<b>Waste Code:</b>	232				
<b>Waste Description:</b>	POLYMERIC RESINS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">146</a>	5 of 38	SE/67.7	113.4 / -18.43	Shooting Chrony Inc. 2446 Cawthra Rd. Bldg. 1 Unit 10 Mississauga ON L5A 3K6	GEN
<b>Generator No.:</b>	ON7109848			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	05,06			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	332999				
<b>SIC Description:</b>	All Other Miscellaneous Fabricated Metal Product Manufacturing				
<b>--Details--</b>					
<b>Waste Code:</b>	211				
<b>Waste Description:</b>	AROMATIC SOLVENTS				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<a href="#">146</a>	6 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	06,07,08			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	453999				
<b>SIC Description:</b>	All Other Miscellaneous Store Retailers (except Be				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<a href="#">146</a>	7 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	453999				
<b>SIC Description:</b>	All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)				
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<a href="#">146</a>	8 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 453999 <b>SIC Description:</b> All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)					
<b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 145					
<b>Waste Description:</b> PAINT/PIGMENT/COATING RESIDUES					
<a href="#">146</a>	9 of 38	SE/67.7	113.4 / -18.43	<b>CONSOLIDATED SALVAGE CO. LTD</b> 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b> ON8349906					
<b>Status:</b>					
<b>Approval Years:</b> 2011					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 453999					
<b>SIC Description:</b> All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 145					
<b>Waste Description:</b> PAINT/PIGMENT/COATING RESIDUES					
<a href="#">146</a>	10 of 38	SE/67.7	113.4 / -18.43	<b>CONSOLIDATED SALVAGE CO. LTD</b> 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b> ON8349906					
<b>Status:</b>					
<b>Approval Years:</b> 2012					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 453999					
<b>SIC Description:</b> All Other Miscellaneous Store Retailers (except Beer and Wine-Making Supplies Stores)					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 145					
<b>Waste Description:</b> PAINT/PIGMENT/COATING RESIDUES					
<a href="#">146</a>	11 of 38	SE/67.7	113.4 / -18.43	<b>CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD</b> 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 & 2 MISSISSAUGA ON	GEN
<b>Generator No.:</b> ON8349906					
<b>Status:</b>					
<b>Approval Years:</b> 2013					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b>SIC Code:</b> 453999					
<b>SIC Description:</b> ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES)					
<b>PO Box No.:</b>					
<b>Country:</b>					
<b>Choice of Contact:</b>					
<b>Co Admin:</b>					
<b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 145					
<b>Waste Description:</b> PAINT/PIGMENT/COATING RESIDUES					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">146</a>	12 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Pam R. Rayner Dziuba
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-276-4230 Ext.
<b>SIC Code:</b>	453999				
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES)				
<b>--Details--</b>					
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<a href="#">146</a>	13 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_ADMIN
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	Pam R. Rayner Dziuba
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	905-276-4230 Ext.
<b>SIC Code:</b>	453999				
<b>SIC Description:</b>	ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES)				
<b>--Details--</b>					
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	145				
<b>Waste Description:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<a href="#">146</a>	14 of 38	SE/67.7	113.4 / -18.43	CONSOLIDATED SALVAGE CO. LTD. SALVAGE CO. LTD 2446 CAWTHRA ROAD BLDG. 3 UNITS # 1 - 5 MISSISSAUGA ON L5A 3K6	GEN
<b>Generator No.:</b>	ON8349906			<b>PO Box No.:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Approval Years:</b> 2014 <b>Contam. Facility:</b> No <b>MHSW Facility:</b> No <b>SIC Code:</b> 453999 <b>SIC Description:</b> ALL OTHER MISCELLANEOUS STORE RETAILERS (EXCEPT BEER AND WINE-MAKING SUPPLIES STORES)				<b>Country:</b> Canada <b>Choice of Contact:</b> CO_ADMIN <b>Co Admin:</b> Pam R. Rayner Dziuba <b>Phone No. Admin:</b> 905-276-4230 Ext.	
<b>--Details--</b>					
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		145			
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<a href="#">146</a>	15 of 38	SE/67.7	113.4 / -18.43	<b>Beaverbrook Cabinets Ltd.</b> <b>2446 Cawthra Rd Unit 3</b> <b>Mississauga ON L5A 3K6</b>	SCT
<b>Established:</b>		9/1/1985			
<b>Plant Size (ft²):</b>		7000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Finish Carpentry Contractors			
<b>SIC/NAICS Code:</b>		238350			
<b>Description:</b>		Wood Kitchen Cabinet and Counter Top Manufacturing			
<b>SIC/NAICS Code:</b>		337110			
<b>Description:</b>		Wood Kitchen Cabinet and Counter Top Manufacturing			
<b>SIC/NAICS Code:</b>		337110			
<a href="#">146</a>	16 of 38	SE/67.7	113.4 / -18.43	<b>Bryant Electric Inc.</b> <b>2446 Cawthra Rd Unit 5</b> <b>Mississauga ON L5A 3K6</b>	SCT
<b>Established:</b>		1981			
<b>Plant Size (ft²):</b>		4000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing			
<b>SIC/NAICS Code:</b>		335315			
<b>Description:</b>		Electrical Contractors			
<b>SIC/NAICS Code:</b>		238210			
<a href="#">146</a>	17 of 38	SE/67.7	113.4 / -18.43	<b>DELI FACTORY LTD.</b> <b>2446 CAWTHRA RD UNIT 8</b> <b>MISSISSAUGA ON L5A 3K6</b>	SCT
<b>Established:</b>		0000			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		Rendering and Meat Processing from Carcasses			
<b>SIC/NAICS Code:</b>		311614			
<a href="#">146</a>	18 of 38	SE/67.7	113.4 / -18.43	<b>Aloumac Custom Welding Ltd.</b> 2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		1975			
<b>Plant Size (ft²):</b>		6000			
<b>Employment:</b>		6			
<b>--Details--</b>					
<b>Description:</b>		Other Plate Work and Fabricated Structural Product Manufacturing			
<b>SIC/NAICS Code:</b>		332319			
<b>Description:</b>		All Other Miscellaneous Fabricated Metal Product Manufacturing			
<b>SIC/NAICS Code:</b>		332999			
<a href="#">146</a>	19 of 38	SE/67.7	113.4 / -18.43	<b>SHOOTING CHRONY INC</b> 2446 CAWTHRA RD BLDG 1 UNIT 10 MISSISSAUGA ON L5A 3K6	SCT
<b>Established:</b>		1987			
<b>Plant Size (ft²):</b>		3000			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		LABORATORY AND ANALYTICAL INSTRUMENTS			
<b>SIC/NAICS Code:</b>		3826			
<b>Description:</b>		MEASURING AND CONTROLLING DEVICES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3829			
<b>Description:</b>		WATCHES, CLOCKS, CLOCKWORK OPERATED DEVICES, AND PARTS			
<b>SIC/NAICS Code:</b>		3873			
<b>Description:</b>		PROFESSIONAL EQUIPMENT AND SUPPLIES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		5049			
<a href="#">146</a>	20 of 38	SE/67.7	113.4 / -18.43	<b>Beaverbrook Custom Cabinets</b> 2446 Cawthra Rd Unit 3 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		01-AUG-85			
<b>Plant Size (ft²):</b>		7000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Finish Carpentry Contractors			
<b>SIC/NAICS Code:</b>		238350			
<b>Description:</b>		Wood Kitchen Cabinet and Counter Top Manufacturing			
<b>SIC/NAICS Code:</b>		337110			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Description:</b>		Wood Kitchen Cabinet and Counter Top Manufacturing			
<b>SIC/NAICS Code:</b>		337110			
<a href="#">146</a>	21 of 38	SE/67.7	113.4 / -18.43	<b>COLOUR DISPLAY COMPANY LIMITED 2446 CAWTHRA RD BLDG 3 UNIT 5-6 MISSISSAUGA ON L5A 3K6</b>	SCT
<b>Established:</b>		1970			
<b>Plant Size (ft²):</b>		5500			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		FABRICATED TEXTILE PRODUCTS, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2399			
<b>Description:</b>		SPORTING AND ATHLETIC GOODS, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3949			
<a href="#">146</a>	22 of 38	SE/67.7	113.4 / -18.43	<b>Sunkim Industries Ltd 2446 Cawthra Rd Unit 6 Mississauga ON L5A 3K6</b>	SCT
<b>Established:</b>		01-AUG-74			
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		All Other Miscellaneous Manufacturing			
<b>SIC/NAICS Code:</b>		339990			
<a href="#">146</a>	23 of 38	SE/67.7	113.4 / -18.43	<b>TRANS MEDIA GRAPHICS LTD. 2446 CAWTHRA RD BLDG 2 UNIT 4 MISSISSAUGA ON L5A 3K6</b>	SCT
<b>Established:</b>		1976			
<b>Plant Size (ft²):</b>		5000			
<b>Employment:</b>		16			
<b>--Details--</b>					
<b>Description:</b>		COMMERCIAL PRINTING, LITHOGRAPHIC			
<b>SIC/NAICS Code:</b>		2752			
<b>Description:</b>		COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2759			
<b>Description:</b>		TYPESETTING			
<b>SIC/NAICS Code:</b>		2791			
<a href="#">146</a>	24 of 38	SE/67.7	113.4 / -18.43	<b>Nustef Foods Ltd. 2446 Cawthra Rd Unit 1 Mississauga ON L5A 3K6</b>	SCT
<b>Established:</b>		1986			
<b>Plant Size (ft²):</b>		3500			
<b>Employment:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Cookie and Cracker Manufacturing			
<b>SIC/NAICS Code:</b>		311821			
<a href="#">146</a>	25 of 38	SE/67.7	113.4 / -18.43	<b>SUMMAR FOODS LTD</b> 2446 CAWTHRA RD BLDG 3 UNIT 7 MISSISSAUGA ON L5A 3K6	SCT
<b>Established:</b>		1988			
<b>Plant Size (ft²):</b>		10000			
<b>Employment:</b>		20			
<b>--Details--</b>					
<b>Description:</b>		CHOCOLATE AND COCOA PRODUCTS			
<b>SIC/NAICS Code:</b>		2066			
<a href="#">146</a>	26 of 38	SE/67.7	113.4 / -18.43	<b>E. &amp; A. IMAGE TREND LTD</b> 2446 CAWTHRA RD BLDG 4 UNIT 8 MISSISSAUGA ON L5A 3K6	SCT
<b>Established:</b>		1989			
<b>Plant Size (ft²):</b>		2400			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		PLEATING, DECORATIVE AND NOVELTY STITCHING, AND TUCKING FOR THE TRADE			
<b>SIC/NAICS Code:</b>		2395			
<a href="#">146</a>	27 of 38	SE/67.7	113.4 / -18.43	<b>Glenholme Printing Inc</b> 2446 Cawthra Rd Unit 7 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		01-JUN-68			
<b>Plant Size (ft²):</b>		5000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Digital Printing			
<b>SIC/NAICS Code:</b>		323115			
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<b>Description:</b>		Other Printing			
<b>SIC/NAICS Code:</b>		323119			
<b>Description:</b>		Quick Printing			
<b>SIC/NAICS Code:</b>		323114			
<a href="#">146</a>	28 of 38	SE/67.7	113.4 / -18.43	<b>E. &amp; A. IMAGE TREND LTD.</b> 2446 Cawthra Rd Bldg 4 Unit 8 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		1989			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Plant Size (ft²):</i>		2400			
<i>Employment:</i>		1			
<b>--Details--</b>					
<i>Description:</i>		All Other Wholesaler-Distributors			
<i>SIC/NAICS Code:</i>		418990			
<i>Description:</i>		All Other Textile Product Mills			
<i>SIC/NAICS Code:</i>		314990			
<i>Description:</i>		Other Printing			
<i>SIC/NAICS Code:</i>		323119			
<a href="#">146</a>	29 of 38	SE/67.7	113.4 / -18.43	<b>Summar Foods Ltd. 2446 Cawthra Rd Unit 7 Mississauga ON L5A 3K6</b>	<b>SCT</b>
<i>Established:</i>		01-JUN-88			
<i>Plant Size (ft²):</i>		10000			
<i>Employment:</i>					
<b>--Details--</b>					
<i>Description:</i>		Chocolate and Confectionery Manufacturing from Cacao Beans			
<i>SIC/NAICS Code:</i>		311320			
<i>Description:</i>		Chocolate and Confectionery Manufacturing from Cacao Beans			
<i>SIC/NAICS Code:</i>		311320			
<a href="#">146</a>	30 of 38	SE/67.7	113.4 / -18.43	<b>Shooting Chrony Inc. 2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6</b>	<b>SCT</b>
<i>Established:</i>		01-AUG-87			
<i>Plant Size (ft²):</i>		3000			
<i>Employment:</i>					
<b>--Details--</b>					
<i>Description:</i>		Measuring, Medical and Controlling Devices Manufacturing			
<i>SIC/NAICS Code:</i>		334512			
<i>Description:</i>		Measuring, Medical and Controlling Devices Manufacturing			
<i>SIC/NAICS Code:</i>		334512			
<a href="#">146</a>	31 of 38	SE/67.7	113.4 / -18.43	<b>Multi-Scales Charge Ltd. 2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6</b>	<b>SCT</b>
<i>Established:</i>		01-AUG-82			
<i>Plant Size (ft²):</i>					
<i>Employment:</i>					
<b>--Details--</b>					
<i>Description:</i>		Measuring, Medical and Controlling Devices Manufacturing			
<i>SIC/NAICS Code:</i>		334512			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">146</a>	32 of 38	SE/67.7	113.4 / -18.43	A A MACHINING KEY SEAT & APPL. 2446 Cawthra Rd Bldg 4 Unit 1 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		1991			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<a href="#">146</a>	33 of 38	SE/67.7	113.4 / -18.43	5 STAR WHOLESALE SMOKED MEAT 2446 Cawthra Rd Bldg 2 Unit 8 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		2000			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		2			
<b>--Details--</b>					
<b>Description:</b>		Rendering and Meat Processing from Carcasses			
<b>SIC/NAICS Code:</b>		311614			
<a href="#">146</a>	34 of 38	SE/67.7	113.4 / -18.43	Glenholme Printing Inc. 2446 Cawthra Rd Bldg 4 Unit 7 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		1968			
<b>Plant Size (ft²):</b>		5000			
<b>Employment:</b>		8			
<a href="#">146</a>	35 of 38	SE/67.7	113.4 / -18.43	Sunkim Industries Ltd. 2446 Cawthra Rd Bldg 1 Unit 6 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		1974			
<b>Plant Size (ft²):</b>		2000			
<b>Employment:</b>		3			
<a href="#">146</a>	36 of 38	SE/67.7	113.4 / -18.43	5 Star Wholesale Smoked Meat & Sausages 2446 Cawthra Rd Bldg 2 Unit 8 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		2000			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>		2			
<a href="#">146</a>	37 of 38	SE/67.7	113.4 / -18.43	Ali Food 2446 Cawthra Rd Unit 6 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		1996			
<b>Plant Size (ft²):</b>		3500			
<b>Employment:</b>		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>		Flour Milling			
<b>SIC/NAICS Code:</b>		311211			
<b>Description:</b>		Retail Bakeries			
<b>SIC/NAICS Code:</b>		311811			
<b>Description:</b>		Flour Mixes and Dough Manufacturing from Purchased Flour			
<b>SIC/NAICS Code:</b>		311822			
<a href="#">146</a>	38 of 38	SE/67.7	113.4 / -18.43	Aloumac Custom Welding Ltd. 2446 Cawthra Rd Unit 10 Mississauga ON L5A 3K6	SCT
<b>Established:</b>		01-AUG-76			
<b>Plant Size (ft²):</b>		4650			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Other Plate Work and Fabricated Structural Product Manufacturing			
<b>SIC/NAICS Code:</b>		332319			
<a href="#">147</a>	1 of 1	SE/69.1	109.8 / -22.00	MISSISSAUGA ON	WWIS
<b>Well ID:</b>		7224923		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring		<b>Date Received:</b> 7/31/2014	
<b>Sec. Water Use:</b>				<b>Selected Flag:</b> Yes	
<b>Final Well Status:</b>		Observation Wells		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7472	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z189571		<b>Owner:</b>	
<b>Tag:</b>		A166045		<b>Street Name:</b> 615 ORWELL ST.	
<b>Construction Method:</b>				<b>County:</b> PEEL	
<b>Elevation (m):</b>				<b>Municipality:</b> MISSISSAUGA CITY	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005006669		<b>Elevation:</b> 110.03	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 613427	
<b>Code OB Desc:</b>				<b>Org CS:</b> UTM83	
<b>Open Hole:</b>				<b>North83:</b> 4827299	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		23-JUN-14		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005259323			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Other Materials:</b>					
<b>Mat3:</b>		79			
<b>Other Materials:</b>		PACKED			
<b>Formation Top Depth:</b>		.9			
<b>Formation End Depth:</b>		4.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005259322			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		08			
<b>Other Materials:</b>		FINE SAND			
<b>Mat3:</b>		77			
<b>Other Materials:</b>		LOOSE			
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		.9			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005259330			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		2.2			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005259331			
<b>Layer:</b>		2			
<b>Plug From:</b>		2.2			
<b>Plug To:</b>		4.9			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1005259329			
<b>Method Construction Code:</b>		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005259321			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005259326			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		2.5			
<b>Casing Diameter:</b>		5.2			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005259327			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		2.5			
<b>Screen End Depth:</b>		4.9			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.4			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005259325			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005259324			
<b>Diameter:</b>		15			
<b>Depth From:</b>		0			
<b>Depth To:</b>		4.9			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

[148](#)

1 of 11

SE/69.6

109.0 / -22.87

2350 Cawthra Rd.  
Mississauga ON L5A 2X1

EHS

**Order No:** 20040218009  
**Status:** C  
**Report Type:** Site Report  
**Report Date:** 2/19/04  
**Date Received:** 2/18/04  
**Previous Site Name:**

**Nearest Intersection:**  
**Municipality:**  
**Client Prov/State:** ON  
**Search Radius (km):** 0.25  
**X:** -79.593398  
**Y:** 43.58993

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Lot/Building Size:</i>					
<i>Additional Info Ordered:</i>					
<a href="#">148</a>	2 of 11	SE/69.6	109.0 / -22.87	STANDARD PRODUCTS (CANADA) LTD. (PV 10 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON0164103			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1699				
<b>SIC Description:</b>	OTHER PLASTIC PROD.				
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>	PETROLEUM DISTILLATES				
<b>Waste Code:</b>	241				
<b>Waste Description:</b>	HALOGENATED SOLVENTS				
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">148</a>	3 of 11	SE/69.6	109.0 / -22.87	STANDARD (OUT OF BUSINESS) (PVI) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON0164103			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1699				
<b>SIC Description:</b>	OTHER PLASTIC PROD.				
<a href="#">148</a>	4 of 11	SE/69.6	109.0 / -22.87	STANDARD (OUT OF BUSINESS) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON0164103			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1699				
<b>SIC Description:</b>	OTHER PLASTIC PROD.				
<a href="#">148</a>	5 of 11	SE/69.6	109.0 / -22.87	Nova Coating Technologies Inc. 2350 Cawthra Road, Unit#1 Mississauga ON L5A 2X1	GEN
<b>Generator No.:</b>	ON5316893			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2010			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b>	326198				
<b>SIC Description:</b>		All Other Plastic Product Manufacturing			
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<a href="#">148</a>	6 of 11	SE/69.6	109.0 / -22.87	STANDARD (OUT OF BUSINESS) 36-175 (PVI) 2350 CAWTHRA ROAD MISSISSAUGA ON L5A 2X1	GEN
<b>Generator No.:</b>	ON0164103			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	1699				
<b>SIC Description:</b>		OTHER PLASTIC PROD.			
<a href="#">148</a>	7 of 11	SE/69.6	109.0 / -22.87	THE ATHLETIC SPORTSHOW INC. 2350 CAWTHRA RD MISSISSAUGA ON L5A 2X1	SCT
<b>Established:</b>	1982				
<b>Plant Size (ft²):</b>	14000				
<b>Employment:</b>	50				
<b>--Details--</b>					
<b>Description:</b>		MEN'S AND BOYS' CLOTHING, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2329			
<b>Description:</b>		WOMEN'S, MISSES', AND JUNIORS' OUTERWEAR, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		2339			
<a href="#">148</a>	8 of 11	SE/69.6	109.0 / -22.87	Lee & Martin Industries Ltd 2350 Cawthra Rd Mississauga ON L5A 2X1	SCT
<b>Established:</b>	01-AUG-63				
<b>Plant Size (ft²):</b>	26000				
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Commercial Screen Printing			
<b>SIC/NAICS Code:</b>		323113			
<b>Description:</b>		Commercial Screen Printing			
<b>SIC/NAICS Code:</b>		323113			
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<a href="#">148</a>	9 of 11	SE/69.6	109.0 / -22.87	Lee & Martin Industries Limited 2350 Cawthra Rd Mississauga ON L5A 2X1	SCT



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Established:</b>		1963			
<b>Plant Size (ft²):</b>		26000			
<b>Employment:</b>		42			
<b>--Details--</b>					
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<a href="#">148</a>	10 of 11	<b>SE/69.6</b>	<b>109.0 / -22.87</b>	<b>Cveti Products Inc. 2350 Cawthra Rd Mississauga ON L5A 2X1</b>	<b>SCT</b>
<b>Established:</b>		1996			
<b>Plant Size (ft²):</b>		15000			
<b>Employment:</b>		10			
<b>--Details--</b>					
<b>Description:</b>		All Other Miscellaneous Wood Product Manufacturing			
<b>SIC/NAICS Code:</b>		321999			
<b>Description:</b>		Institutional Furniture Manufacturing			
<b>SIC/NAICS Code:</b>		337127			
<b>Description:</b>		Showcase, Partition, Shelving and Locker Manufacturing			
<b>SIC/NAICS Code:</b>		337215			
<b>Description:</b>		Office Supplies (except Paper) Manufacturing			
<b>SIC/NAICS Code:</b>		339940			
<a href="#">148</a>	11 of 11	<b>SE/69.6</b>	<b>109.0 / -22.87</b>	<b>Nova Coating Technologies Inc. 2350 Cawthra Rd Unit 1 Mississauga ON L5A 2X1</b>	<b>SCT</b>
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Glass Manufacturing			
<b>SIC/NAICS Code:</b>		327214			
<b>Description:</b>		Coating, Engraving, Heat Treating and Allied Activities			
<b>SIC/NAICS Code:</b>		332810			
<b>Description:</b>		Glass Product Manufacturing from Purchased Glass			
<b>SIC/NAICS Code:</b>		327215			
<b>Description:</b>		All Other Plastic Product Manufacturing			
<b>SIC/NAICS Code:</b>		326198			
<a href="#">149</a>	1 of 1	<b>SE/70.2</b>	<b>122.1 / -9.80</b>	<b>Mississauga ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7219359		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b>	4/23/2014
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b>	Yes
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z185562			<b>Owner:</b>	
<b>Tag:</b>	A160812			<b>Street Name:</b>	700 DUNDAS STREET EAST
<b>Construction Method:</b>				<b>County:</b>	PEEL
<b>Elevation (m):</b>				<b>Municipality:</b>	MISSISSAUGA CITY
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004732754	<b>Elevation:</b>	122.9
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	613100
<b>Code OB Desc:</b>		<b>Org CS:</b>	UTM83
<b>Open Hole:</b>		<b>North83:</b>	4827834
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	14-MAR-14	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005130459
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	
<b>Other Materials:</b>	
<b>Formation Top Depth:</b>	6
<b>Formation End Depth:</b>	16.5
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1005130457
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	
<b>Other Materials:</b>	
<b>Mat3:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		0			
<b>Formation End Depth:</b>		3			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1005130458			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		28			
<b>Other Materials:</b>		SAND			
<b>Mat3:</b>					
<b>Other Materials:</b>					
<b>Formation Top Depth:</b>		3			
<b>Formation End Depth:</b>		6			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005130468			
<b>Layer:</b>		2			
<b>Plug From:</b>		.5			
<b>Plug To:</b>		5.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005130469			
<b>Layer:</b>		3			
<b>Plug From:</b>		5.5			
<b>Plug To:</b>		16.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005130467			
<b>Layer:</b>		1			
<b>Plug From:</b>		0			
<b>Plug To:</b>		.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005130466			
<b>Method Construction Code:</b>		D			
<b>Method Construction:</b>		Direct Push			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005130456			
<b>Casing No:</b>		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005130462			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0			
<b>Depth To:</b>		6.5			
<b>Casing Diameter:</b>		2			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005130463			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		6.5			
<b>Screen End Depth:</b>		16.5			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005130461			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005130460			
<b>Diameter:</b>		6			
<b>Depth From:</b>		0			
<b>Depth To:</b>		16.5			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

[150](#) 1 of 1 **ESE/74.2** **130.8 / -1.00** **3133 Cawthra Road**  
**Mississauga ON L5A 2X4** **EHS**

<b>Order No:</b>	20091126031	<b>Nearest Intersection:</b>	Dundas Street East & Cawthra Road
<b>Status:</b>	C	<b>Municipality:</b>	Peel
<b>Report Type:</b>	Standard Select Report	<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	12/2/2009	<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/26/2009	<b>X:</b>	-79.603021
<b>Previous Site Name:</b>		<b>Y:</b>	43.597911
<b>Lot/Building Size:</b>	4382.66 sq.m.		
<b>Additional Info Ordered:</b>			

[151](#) 1 of 1 **SE/76.1** **120.2 / -11.68** **650 Dundas St E**  
**Mississauga ON L5A3Y6** **EHS**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Order No:</b> 20141020069 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 27-OCT-14 <b>Date Received:</b> 20-OCT-14 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.600296 <b>Y:</b> 43.593635					
<a href="#">152</a>	1 of 1	NW/76.3	147.8 / 16.00	Dan-Con Developments Inc. No Municipal Address ON	RSC
<b>Reg No:</b> 45847 <b>RA No:</b> <b>RSC Type:</b> <b>Curr Property Use:</b> Residential <b>District Office:</b> MISSISSAUGA <b>Date Submitted:</b> 26-Nov-08 <b>Date Ack:</b> <b>Date Returned:</b> <b>Restoration Type:</b> <b>Soil Type:</b> <b>Criteria:</b> <b>CPU Issued Sect 1686:</b> No <b>Asmt Roll No:</b> <b>Prop. ID No:</b> 13171-0222 and 13171-0226 <b>Property Municipal Address:</b> No Municipal Address <b>Mailing Address:</b> 51 Roysun Road, Unit 8, Woodbridge, Ontario , L4L 8P9 <b>Latitude &amp; Longitude:</b> 43.61158900N 79.62484570W (converted from UTM) <b>UTM Coordinates:</b> NAD83 17-610969-4829653 <b>Consultant:</b> <b>Filing Owner:</b> <b>Legal Desc:</b> Part of Lot 10, Plan A-24, designated as Part 1 on Plan 43R-30754, City of Mississauga Regional Municipality of Peel [PIN 13171-0222 (LT)]; and Part of Lot 10, Plan A-24, designated as Part 11 on Plan 43R-30754, City of Mississauga, Regional Municipality of Peel [PIN 13171-0226 (LT)] <b>Measurement Method:</b> Digitized from a satellite image <b>Applicable Standards:</b> ESA Phase 1 <b>RSC PDF:</b>					
<b>Cert Date:</b> 13-Nov-08 <b>Cert Prop Use No:</b> No CPU <b>Intended Prop Use:</b> Residential <b>Nm of Qual. Person:</b> Danny DiMeo <b>Stratified (Y/N):</b> <b>Audit (Y/N):</b> <b>Entire Leg Prop. (Y/N):</b> Yes <b>Accuracy Estimate:</b> 11 to 20 meters <b>Telephone:</b> 905-2640100 <b>Fax:</b> 905-2640009 <b>Email:</b> danny@caliberhomes.ca					
<a href="#">153</a>	1 of 1	SE/81.6	99.8 / -32.00	Dusan Petkovic 1528 Cawthra Rd Mississauga ON L5G 4L2	ECA
<b>Approval No:</b> 3022-7DAR7M <b>Approval Date:</b> 2008-04-03 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>Approval Type:</b> ECA-WASTE MANAGEMENT SYSTEMS <b>Project Type:</b> WASTE MANAGEMENT SYSTEMS <b>Address:</b> 1528 Cawthra Rd <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/2901-7C9M52-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/2901-7C9M52-14.pdf</a>					
<b>SWP Area Name:</b> Credit Valley <b>MOE District:</b> Halton-Peel <b>City:</b> Mississauga <b>Longitude:</b> -79.58113 <b>Latitude:</b> 43.5796					
<a href="#">154</a>	1 of 1	SE/81.6	107.8 / -24.00	R.M. OF PEEL MELTON COURT/MELTON DRIVE MISSISSAUGA CITY ON	CA
<b>Certificate #:</b> 7-0393-95-					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Application Year:</b> 95 <b>Issue Date:</b> 5/24/1995 <b>Approval Type:</b> Municipal water <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">155</a>	1 of 30	SE/81.7	114.2 / -17.69	INDUSTRIAL PLASTIC FABRICATORS LTD. 2480 CAWTHRA ROAD, UNIT # 25 MISSISSAUGA CITY ON L5A 2X2	CA
<b>Certificate #:</b> 8-3300-90- <b>Application Year:</b> 90 <b>Issue Date:</b> 1/14/1991 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved in 1991 <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> LOCAL VENT. OF FIBERGLASS LAM. AREA <b>Contaminants:</b> Styrene <b>Emission Control:</b> No Controls					
<a href="#">155</a>	2 of 30	SE/81.7	114.2 / -17.69	MACHINE TOOL TECH. DIVISION OF PROCOR LTD. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b> ON0143405 <b>Status:</b> <b>Approval Years:</b> 88 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3081 <b>SIC Description:</b> MACHINE SHOP IND. <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b> <b>Waste Code:</b> 213 <b>Waste Description:</b> PETROLEUM DISTILLATES					
<a href="#">155</a>	3 of 30	SE/81.7	114.2 / -17.69	MACHINE (SEE&USE ON0150902) ROBERTSON WHITEHOUSE 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b> ON0143405 <b>Status:</b> <b>Approval Years:</b> 89,90,98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3081 <b>SIC Description:</b> MACHINE SHOP IND. <b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">155</a>	4 of 30	SE/81.7	114.2 / -17.69	MACHINE (SEE&USE ON0150902) 25-409 ROBERTSON WHITEHOUSE 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>	ON0143405			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>	MACHINE SHOP IND.				
<a href="#">155</a>	5 of 30	SE/81.7	114.2 / -17.69	MACHINE TOOL TECH-DIV. OF ROBERTSON WHITEHOUSE INC. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>	ON0150902			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>	MACHINE SHOP IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">155</a>	6 of 30	SE/81.7	114.2 / -17.69	MAC TOOL TECHNOLOGIES 2480 CAWTHRA ROAD, UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>	ON0150902			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,96,97			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>	MACHINE SHOP IND.				
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">155</a>	7 of 30	SE/81.7	114.2 / -17.69	MACHINE TOOL TECH-DIV. OF 25-407 ROBERTSON WHITEHOUSE INC. 2480 CAWTHRA RD. UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>		ON0150902		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		94,95		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3081			
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">155</a>	8 of 30	SE/81.7	114.2 / -17.69	MAC TOOL TECHNOLOGIES 2480 CAWTHRA ROAD UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>		ON0150902		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		98		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>		3081			
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>		253			
<b>Waste Description:</b>		EMULSIFIED OILS			
<b>Waste Code:</b>		213			
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">155</a>	9 of 30	SE/81.7	114.2 / -17.69	MAC TOO(OUT OF BUSINESS) 2480 CAWTHRA ROAD UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>		ON0150902		<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>		99,00		<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>	253				
<b>Waste Description:</b>		EMULSIFIED OILS			
<a href="#">155</a>	10 of 30	SE/81.7	114.2 / -17.69	NORDTECH INC. 2480 CAWTHRA RD. MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>	ON0859700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	86,87,88,89,90			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">155</a>	11 of 30	SE/81.7	114.2 / -17.69	NORDTECH INC.(OUT OF BUSINESS) 28-370 2480 CAWTHRA RD. MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>	ON0859700			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	92,93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	3081				
<b>SIC Description:</b>		MACHINE SHOP IND.			
<b>--Details--</b>					
<b>Waste Code:</b>	145				
<b>Waste Description:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Code:</b>	213				
<b>Waste Description:</b>		PETROLEUM DISTILLATES			
<b>Waste Code:</b>	252				
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">155</a>	12 of 30	SE/81.7	114.2 / -17.69	MACHINE TOOL (SEE & USE ON0143405) 2480 CAWTHRA RD., UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b>	ON1003300			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	88,89,90			<b>Choice of Contact:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3081 <b>SIC Description:</b>		MACHINE SHOP IND.		<b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 213 <b>Waste Description:</b>		PETROLEUM DISTILLATES			
<a href="#">155</a>	13 of 30	SE/81.7	114.2 / -17.69	MACHINE TOOL (SEE & USE ON0143405)25-409 2480 CAWTHRA RD., UNIT 17 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b> ON1003300 <b>Status:</b> <b>Approval Years:</b> 92,93,94,95,96,97,98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 3081 <b>SIC Description:</b>		MACHINE SHOP IND.		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">155</a>	14 of 30	SE/81.7	114.2 / -17.69	VALUE PRINTING SERVICE 2480 CAWTHRA ROAD, UNIT #11 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b> ON1927100 <b>Status:</b> <b>Approval Years:</b> 94,95,96,97,98 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 2821 <b>SIC Description:</b>		PLATEMAKING, ETC.		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 264 <b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<a href="#">155</a>	15 of 30	SE/81.7	114.2 / -17.69	VALUE PRINTING SERVICE 2480 CAWTHRA ROAD, UNIT 11 MISSISSAUGA ON L5A 2X2	GEN
<b>Generator No.:</b> ON1927100 <b>Status:</b> <b>Approval Years:</b> 99,00,01 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 2821 <b>SIC Description:</b>		PLATEMAKING, ETC.		<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 264 <b>Waste Description:</b>		PHOTOPROCESSING WASTES			
<a href="#">155</a>	16 of 30	SE/81.7	114.2 / -17.69	DRIVER-BIT TOOLS 2480 CAWTHRA RD UNIT 17 MISSISSAUGA ON L5A 2X2	SCT

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Established:</b> 0000  <b>Plant Size (ft²):</b> 9000  <b>Employment:</b> 9</p> <p><b>--Details--</b>  <b>Description:</b> Cutlery and Hand Tool Manufacturing  <b>SIC/NAICS Code:</b> 332210</p> <p><b>Description:</b> Other Metalworking Machinery Manufacturing  <b>SIC/NAICS Code:</b> 333519</p>					
<a href="#">155</a>	17 of 30	SE/81.7	114.2 / -17.69	<b>Casa Toste Ltd.</b> 2480 Cawthra Rd Unit 2-3 Mississauga ON L5A 2X2	SCT
<p><b>Established:</b> 1990  <b>Plant Size (ft²):</b>  <b>Employment:</b> 3</p> <p><b>--Details--</b>  <b>Description:</b> Seafood Product Preparation and Packaging  <b>SIC/NAICS Code:</b> 311710</p> <p><b>Description:</b> Commercial Bakeries and Frozen Bakery Product Manufacturing  <b>SIC/NAICS Code:</b> 311814</p> <p><b>Description:</b> Other Specialty-Line Food Wholesaler-Distributors  <b>SIC/NAICS Code:</b> 413190</p>					
<a href="#">155</a>	18 of 30	SE/81.7	114.2 / -17.69	<b>VALUE PRINTING SERVICE</b> 2480 CAWTHRA RD UNIT 11 MISSISSAUGA ON L5A 2X2	SCT
<p><b>Established:</b> 1986  <b>Plant Size (ft²):</b> 3000  <b>Employment:</b> 3</p> <p><b>--Details--</b>  <b>Description:</b> COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED  <b>SIC/NAICS Code:</b> 2759</p> <p><b>Description:</b> TYPESETTING  <b>SIC/NAICS Code:</b> 2791</p>					
<a href="#">155</a>	19 of 30	SE/81.7	114.2 / -17.69	<b>GBS BARBECUES INC.</b> 2480 CAWTHRA RD UNIT 27 MISSISSAUGA ON L5A 2X2	SCT
<p><b>Established:</b> 1990  <b>Plant Size (ft²):</b> 3000  <b>Employment:</b> 10</p> <p><b>--Details--</b>  <b>Description:</b> Commercial and Service Industry Machinery Manufacturing  <b>SIC/NAICS Code:</b> 333310</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<i>Description:</i>		Other Major Appliance Manufacturing			
<i>SIC/NAICS Code:</i>		335229			
<i>Description:</i>		SERVICE INDUSTRY MACHINERY, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		3589			
<i>Description:</i>		HOUSEHOLD COOKING EQUIPMENT			
<i>SIC/NAICS Code:</i>		3631			
<i>Description:</i>		COMMERCIAL EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		5046			
<i>Description:</i>		NONDURABLE GOODS, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		5199			
<hr/>					
<a href="#">155</a>	20 of 30	SE/81.7	114.2 / -17.69	Costa Produce Ltd. 2480 Cawthra Rd Unit 8-9 Mississauga ON L5A 2X2	SCT
<i>Established:</i>		01-AUG-94			
<i>Plant Size (ft²):</i>		6000			
<i>Employment:</i>					
<i>--Details--</i>					
<i>Description:</i>		All Other Food Manufacturing			
<i>SIC/NAICS Code:</i>		311990			
<hr/>					
<a href="#">155</a>	21 of 30	SE/81.7	114.2 / -17.69	CONCEPT CAPITAL INC. 2480 CAWTHRA RD UNIT 27 MISSISSAUGA ON L5A 2X2	SCT
<i>Established:</i>		1990			
<i>Plant Size (ft²):</i>		0			
<i>Employment:</i>		120			
<i>--Details--</i>					
<i>Description:</i>		FABRICATED RUBBER PRODUCTS, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		3069			
<i>Description:</i>		PLASTICS PRODUCTS, NOT ELSEWHERE CLASSIFIED			
<i>SIC/NAICS Code:</i>		3089			
<i>Description:</i>		SHEET METAL WORK			
<i>SIC/NAICS Code:</i>		3444			
<hr/>					
<a href="#">155</a>	22 of 30	SE/81.7	114.2 / -17.69	ASTROGRAPHIC PRINTING 2480 CAWTHRA RD MISSISSAUGA ON L5A 2X2	SCT
<i>Established:</i>		1973			
<i>Plant Size (ft²):</i>		7000			
<i>Employment:</i>		4			
<i>--Details--</i>					
<i>Description:</i>		COMMERCIAL PRINTING, LITHOGRAPHIC			
<i>SIC/NAICS Code:</i>		2752			
<i>Description:</i>		COMMERCIAL PRINTING, N.E.C.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		2759			
<a href="#">155</a>	23 of 30	SE/81.7	114.2 / -17.69	F GARCIA MEAT PRODUCTS 2480 CAWTHRA RD MISSISSAUGA ON L5A 2X2	SCT
Established:		1988			
Plant Size (ft²):		2500			
Employment:		3			
<b>--Details--</b>					
Description:		SAUSAGES & OTHER PREPARED MEAT PRODUCTS			
SIC/NAICS Code:		2013			
<a href="#">155</a>	24 of 30	SE/81.7	114.2 / -17.69	Toste Wholesale Food Products 2480 Cawthra Rd Unit 3 Mississauga ON L5A 2X2	SCT
Established:		1989			
Plant Size (ft²):					
Employment:					
<b>--Details--</b>					
Description:		Commercial Bakeries and Frozen Bakery Product Manufacturing			
SIC/NAICS Code:		311814			
Description:		Other Specialty-Line Food Wholesaler-Distributors			
SIC/NAICS Code:		413190			
<a href="#">155</a>	25 of 30	SE/81.7	114.2 / -17.69	Associated Sanitation Inc. 2480 Cawthra Rd Unit 26 Mississauga ON L5A 2X2	SCT
Established:		01-AUG-78			
Plant Size (ft²):		5000			
Employment:					
<b>--Details--</b>					
Description:		Soap and Cleaning Compound Manufacturing			
SIC/NAICS Code:		325610			
Description:		Soap and Cleaning Compound Manufacturing			
SIC/NAICS Code:		325610			
Description:		Toiletries, Cosmetics and Sundries Wholesaler-Distributors			
SIC/NAICS Code:		414520			
<a href="#">155</a>	26 of 30	SE/81.7	114.2 / -17.69	Toste Bakery Ltd. 2480 Cawthra Rd Unit 2 Mississauga ON L5A 2X2	SCT
Established:		9/1/1989			
Plant Size (ft²):					
Employment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>--Details--</b>					
<b>Description:</b>				Other Specialty-Line Food Wholesaler-Distributors	
<b>SIC/NAICS Code:</b>				413190	
<b>Description:</b>				Other Specialty-Line Food Wholesaler-Distributors	
<b>SIC/NAICS Code:</b>				413190	
<b>Description:</b>				Commercial Bakeries and Frozen Bakery Product Manufacturing	
<b>SIC/NAICS Code:</b>				311814	
<b>155</b>	<b>27 of 30</b>	<b>SE/81.7</b>	<b>114.2 / -17.69</b>	<b>Mississauga Hydraulics Ltd. 2480 Cawthra Rd Unit 32 Mississauga ON L5A 2X2</b>	<b>SCT</b>
<b>Established:</b>				01-JUN-88	
<b>Plant Size (ft²):</b>				6000	
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>				Industrial Machinery, Equipment and Supplies Wholesaler-Distributors	
<b>SIC/NAICS Code:</b>				417230	
<b>Description:</b>				All Other General-Purpose Machinery Manufacturing	
<b>SIC/NAICS Code:</b>				333990	
<b>Description:</b>				Metal Valve Manufacturing	
<b>SIC/NAICS Code:</b>				332910	
<b>Description:</b>				All Other General-Purpose Machinery Manufacturing	
<b>SIC/NAICS Code:</b>				333990	
<b>Description:</b>				Measuring, Medical and Controlling Devices Manufacturing	
<b>SIC/NAICS Code:</b>				334512	
<b>Description:</b>				Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance	
<b>SIC/NAICS Code:</b>				811310	
<b>Description:</b>				Engineering Services	
<b>SIC/NAICS Code:</b>				541330	
<b>155</b>	<b>28 of 30</b>	<b>SE/81.7</b>	<b>114.2 / -17.69</b>	<b>Costa Produce Ltd. 2480 Cawthra Road 2480 CAWTHRA ROAD Mississauga ON L5A 2X2</b>	<b>SPL</b>
<b>Ref No:</b>	0726-6PPQUH			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Wastes
<b>Incident Dt:</b>	5/11/2006			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Sewer
<b>Incident Cause:</b>	Other Discharges			<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	45			<b>Site Name:</b>	2480 CAWTHRA ROAD
<b>Contaminant Name:</b>	Sanitary sewage			<b>Site Address:</b>	2480 CAWTHRA ROAD
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	not specified not specified			<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Surface Water Pollution			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>Health/Env Conseq:</b>				<b>Easting:</b>	NA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/11/2006 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> Unknown - Reason not determined <b>Incident Summary:</b> Mississauga: Sanitary H2O surging out of manhole					
<a href="#">155</a>	29 of 30	SE/81.7	114.2 / -17.69	2480 Cawthra Road Mississauga ON	SPL
<b>Ref No:</b> 2235-AAPREN <b>Site No:</b> NA <b>Incident Dt:</b> 2016/06/07 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Leak/Break <b>Contaminant Code:</b> 99 <b>Contaminant Name:</b> WATER <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 0 other - see incident description <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Land <b>Health/Env Conseq:</b> <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2016/06/07 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Incident Reason:</b> Unknown / N/A <b>Incident Summary:</b> Manhole overflow due to clogged street line					
<a href="#">155</a>	30 of 30	SE/81.7	114.2 / -17.69	2480 Cawthra Road Mississauga ON	SPL
<b>Ref No:</b> 3481-ABNM8N <b>Site No:</b> NA <b>Incident Dt:</b> 2016/07/08 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Overflow/Surcharge <b>Contaminant Code:</b> 44 <b>Contaminant Name:</b> SEWAGE,RAW UNCHLORINATED <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 0 other - see incident description <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Surface Water; Source Water Zone <b>Health/Env Conseq:</b> <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2016/07/08 <b>Dt Document Closed:</b> 2016/07/14					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Agency Involved:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Incident Reason:</b> Unknown / N/A <b>Incident Summary:</b> RofPeel: WWC sanitary main surcharge; cntnd & investigating					
<a href="#">156</a>	1 of 2	SE/83.6	109.8 / -22.00	<b>SUPREME DISPOSAL SERVICES 2355 CAWTHRA RD MISSISSAUGA ON L5A2W7</b>	<b>AUWR</b>
<b>Headcode:</b> 01169400 <b>Headcode Desc:</b> SCRAP METALS <b>Phone:</b> 9058558063 <b>List Name:</b> <b>Description:</b>					
<a href="#">156</a>	2 of 2	SE/83.6	109.8 / -22.00	<b>Treblex Limited 2355 Cawthra Rd Mississauga ON L5A 2W7</b>	<b>SCT</b>
<b>Established:</b> 01-AUG-66 <b>Plant Size (ft²):</b> 13000 <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Other Plate Work and Fabricated Structural Product Manufacturing					
<b>SIC/NAICS Code:</b> 332319					
<b>Description:</b> Metal Tank (Heavy Gauge) Manufacturing					
<b>SIC/NAICS Code:</b> 332420					
<b>Description:</b> Other Ornamental and Architectural Metal Product Manufacturing					
<b>SIC/NAICS Code:</b> 332329					
<b>Description:</b> Elevator and Escalator Installation Contractors					
<b>SIC/NAICS Code:</b> 238291					
<b>Description:</b> Material Handling Equipment Manufacturing					
<b>SIC/NAICS Code:</b> 333920					
<b>Description:</b> All Other Building Equipment Contractors					
<b>SIC/NAICS Code:</b> 238299					
<a href="#">157</a>	1 of 1	SE/85.3	99.8 / -32.00	<b>Dusan Petkovic 1528 Cawthra Rd Mississauga ON L5G 4L2</b>	<b>CA</b>
<b>Certificate #:</b> 3022-7DAR7M <b>Application Year:</b> 2008 <b>Issue Date:</b> 4/3/2008 <b>Approval Type:</b> Waste Management Systems <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">158</a>	1 of 1	SE/85.9	108.8 / -23.07	Dixie and Tomken Corridor Mississauga ON	EHS
<b>Order No:</b>	20090619026			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	8/18/2009			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	6/19/2009			<b>X:</b>	-79.584231
<b>Previous Site Name:</b>				<b>Y:</b>	43.58305
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">159</a>	1 of 4	SE/86.9	117.2 / -14.60	2524 Cawthra Rd Mississauga ON L5A 2X3	EHS
<b>Order No:</b>	20080425008			<b>Nearest Intersection:</b>	Needham Lane & Cawthra Rd
<b>Status:</b>	C			<b>Municipality:</b>	Peel
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b>	BC
<b>Report Date:</b>	5/5/2008			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	4/25/2008			<b>X:</b>	-79.599161
<b>Previous Site Name:</b>				<b>Y:</b>	43.591975
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps And /or Site Plans				
<a href="#">159</a>	2 of 4	SE/86.9	117.2 / -14.60	2524 Cawthra Road Mississauga ON L5A 2X3	EHS
<b>Order No:</b>	20090717028			<b>Nearest Intersection:</b>	Needham Lane and Cawthra Rd
<b>Status:</b>	C			<b>Municipality:</b>	Mississauga
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	7/28/2009			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	7/17/2009			<b>X:</b>	-79.599118
<b>Previous Site Name:</b>				<b>Y:</b>	43.592629
<b>Lot/Building Size:</b>	1.5 Acres				
<b>Additional Info Ordered:</b>	City Directory				
<a href="#">159</a>	3 of 4	SE/86.9	117.2 / -14.60	E. DICARLO DISPOSAL & PALLET CO. 49-171 LTD. 2524 CAWTHRA RD. MISSISSAUGA ON L5A 2X3	GEN
<b>Generator No.:</b>	ON1728200			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	93,94,95,96,97,98			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	4564				
<b>SIC Description:</b>	BULK DRY TRUCKING				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<a href="#">159</a>	4 of 4	SE/86.9	117.2 / -14.60	E. DICARLO DISPOSAL & PALLET C 2524 CAWTHRA ROAD MISSISSAUGA SITE 2524 CAWTHRA ROAD MISSISSAUGA CITY ON L5A 2X3	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Ref No:	81743			<b>Discharger Report:</b>	
Site No:				<b>Material Group:</b>	
Incident Dt:	2/10/1993			<b>Client Type:</b>	
Year:				<b>Sector Type:</b>	
Incident Cause:	CONTAINER OVERFLOW			<b>Source Type:</b>	
Incident Event:				<b>Nearest Watercourse:</b>	
Contaminant Code:				<b>Site Name:</b>	
Contaminant Name:				<b>Site Address:</b>	
Contaminant Limit 1:				<b>Site District Office:</b>	
Contam Limit Freq 1:				<b>Site County/District:</b>	
Contaminant UN No 1:				<b>Site Postal Code:</b>	
Contaminant Qty:				<b>Site Region:</b>	
Environment Impact:	CONFIRMED			<b>Site Municipality:</b>	21102
Nature of Impact:	Soil contamination			<b>Site Lot:</b>	
Receiving Medium:	LAND / AIR			<b>Site Conc:</b>	
Receiving Env:				<b>Northing:</b>	
Health/Env Conseq:				<b>Easting:</b>	FIRE DEPT, REGION OF PEEL
MOE Response:				<b>Site Geo Ref Accu:</b>	
Dt MOE Arvl on Scn:				<b>Site Geo Ref Meth:</b>	
MOE Reported Dt:	2/10/1993			<b>Site Map Datum:</b>	
Dt Document Closed:					
Agency Involved:					
SAC Action Class:					
Incident Reason:	FIRE/EXPLOSION				
Incident Summary:	E.DICARLO DISPOSAL: OILY FIRE WATER TO LAND DUE TOLUGGER BOX FIRE.				

<a href="#">160</a>	1 of 1	SE/88.3	109.8 / -22.00	<b>J. J. PAD PRINTING</b> 755 QUEEN ST E UNIT 28 MISSISSAUGA ON L4Y 2X3	<b>SCT</b>
Established:	1989				
Plant Size (ft <sup>2</sup> ):	0				
Employment:	5				
<b>--Details--</b>					
Description:	COMMERCIAL PRINTING, LITHOGRAPHIC				
SIC/NAICS Code:	2752				
Description:	COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED				
SIC/NAICS Code:	2759				

<a href="#">161</a>	1 of 1	NW/91.0	141.8 / 10.00	<b>The Regional Municipality of Peel</b> front of 3531 Wisner Rd Mississauga ON	<b>SPL</b>
Ref No:	8016-AULP4K			<b>Discharger Report:</b>	
Site No:	NA			<b>Material Group:</b>	
Incident Dt:	2018/01/01			<b>Client Type:</b>	Municipal Government
Year:				<b>Sector Type:</b>	Miscellaneous Communal
Incident Cause:				<b>Source Type:</b>	Water Supply
Incident Event:	Leak/Break			<b>Nearest Watercourse:</b>	
Contaminant Code:	43			<b>Site Name:</b>	Water main<UNOFFICIAL>
Contaminant Name:	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)			<b>Site Address:</b>	front of 3531 Wisner Rd
Contaminant Limit 1:				<b>Site District Office:</b>	Halton-Peel
Contam Limit Freq 1:	none			<b>Site County/District:</b>	Regional Municipality of Peel
Contaminant UN No 1:	n/a			<b>Site Postal Code:</b>	
Contaminant Qty:	0 other - see incident description			<b>Site Region:</b>	Central
Environment Impact:				<b>Site Municipality:</b>	Mississauga
Nature of Impact:				<b>Site Lot:</b>	
Receiving Medium:				<b>Site Conc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Env:</b> Surface Water <b>Health/Env Conseq:</b> 2 - Minor Environment <b>MOE Response:</b> No <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2018/01/01 <b>Dt Document Closed:</b> 2018/01/24 <b>Agency Involved:</b> <b>SAC Action Class:</b> Watercourse Spills <b>Incident Reason:</b> Equipment Failure <b>Incident Summary:</b> Water main break, no impacts to creek				<b>Northing:</b> 4829003.35 <b>Easting:</b> 611877.17 <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">162</a>	1 of 1	SE/91.8	109.8 / -22.00	Regional Municipality of Peel 650 Orwell Drive Mississauga ON	GEN
<b>Generator No.:</b> ON5503246 <b>Status:</b> <b>Approval Years:</b> 2013 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 221310 <b>SIC Description:</b> WATER SUPPLY AND IRRIGATION SYSTEMS  <b>--Details--</b> <b>Waste Code:</b> 221 <b>Waste Description:</b> LIGHT FUELS				<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
<a href="#">163</a>	1 of 1	NW/92.1	148.8 / 17.00	GreenLawn, Ltd. 4300 Cawthra Road Mississauga ON L4Z 1V8	SPL
<b>Ref No:</b> 2004-8GQJZ7 <b>Site No:</b> <b>Incident Dt:</b> 5/10/2011 <b>Year:</b> <b>Incident Cause:</b> Pipe Or Hose Leak <b>Incident Event:</b> <b>Contaminant Code:</b> 25 <b>Contaminant Name:</b> HERBICIDE (N.O.S.) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> 90 L <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Other Impact(s) <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/10/2011 <b>Dt Document Closed:</b> 6/28/2011 <b>Agency Involved:</b> <b>SAC Action Class:</b> Pesticide Incident <b>Incident Reason:</b> Spill <b>Incident Summary:</b> Greenlawn: 90L of fiesta (herbicide) to asphalt, cleaned				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Motor Vehicle <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Parking lot<UNOFFICIAL> <b>Site Address:</b> 4300 Cawthra Road <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">164</a>	1 of 6	SE/92.3	119.8 / -12.00	Rona Ontario Inc. 650 Dundas St E	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Mississauga ON J4B 8H7</b>					
<b>Approval No:</b>	4187-6T5N2U			<b>SWP Area Name:</b>	
<b>Approval Date:</b>	2006-08-29			<b>MOE District:</b>	
<b>Status:</b>	Approved			<b>City:</b>	Mississauga
<b>Record Type:</b>	ECA			<b>Longitude:</b>	
<b>Link Source:</b>	IDS			<b>Latitude:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Address:</b>	650 Dundas St E				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	https://www.accessenvironment.ene.gov.on.ca/instruments/5610-6R5PB3-14.pdf				

<a href="#">164</a>	2 of 6	<b>SE/92.3</b>	<b>119.8 / -12.00</b>	<b>RONA Inc. 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON5202396			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2016			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	452991				
<b>SIC Description:</b>	HOME AND AUTO SUPPLIES STORES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Code:</b>	148				
<b>Waste Description:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	242				
<b>Waste Description:</b>	HALOGENATED PESTICIDES				
<b>Waste Code:</b>	122				
<b>Waste Description:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Code:</b>	263				
<b>Waste Description:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Code:</b>	331				
<b>Waste Description:</b>	WASTE COMPRESSED GASES				

<a href="#">164</a>	3 of 6	<b>SE/92.3</b>	<b>119.8 / -12.00</b>	<b>RONA Inc. 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6</b>	<b>GEN</b>
<b>Generator No.:</b>	ON5202396			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2015			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	452991				
<b>SIC Description:</b>	HOME AND AUTO SUPPLIES STORES				
<b>--Details--</b>					
<b>Waste Code:</b>	252				
<b>Waste Description:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">164</a>	4 of 6	SE/92.3	119.8 / -12.00	RONA Inc. 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	GEN
<b>Generator No.:</b>	ON5202396			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	Canada
<b>Approval Years:</b>	2014			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Contam. Facility:</b>	No			<b>Co Admin:</b>	
<b>MHSW Facility:</b>	No			<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	452991				
<b>SIC Description:</b>	HOME AND AUTO SUPPLIES STORES				
<b>--Details--</b>					
<b>Waste Code:</b>		122			
<b>Waste Description:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Code:</b>		148			
<b>Waste Description:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		263			
<b>Waste Description:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Code:</b>		242			
<b>Waste Description:</b>		HALOGENATED PESTICIDES			
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Code:</b>		331			
<b>Waste Description:</b>		WASTE COMPRESSED GASES			

<a href="#">164</a>	5 of 6	SE/92.3	119.8 / -12.00	RONA Inc. 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3V6	GEN
<b>Generator No.:</b>	ON5202396			<b>PO Box No.:</b>	
<b>Status:</b>	Registered			<b>Country:</b>	Canada
<b>Approval Years:</b>	As of Jun 2018			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>					
<b>SIC Description:</b>					
<b>--Details--</b>					
<b>Waste Code:</b>		148 A			
<b>Waste Description:</b>		Misc. wastes and inorganic chemicals			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Code:</b> <b>Waste Description:</b>		148 T Misc. wastes and inorganic chemicals			
<b>Waste Code:</b> <b>Waste Description:</b>		148 C Misc. wastes and inorganic chemicals			
<b>Waste Code:</b> <b>Waste Description:</b>		252 L Waste crankcase oils and lubricants			
<b>Waste Code:</b> <b>Waste Description:</b>		145 L Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b> <b>Waste Description:</b>		145 I Wastes from the use of pigments, coatings and paints			
<b>Waste Code:</b> <b>Waste Description:</b>		263 T Misc. waste organic chemicals			
<b>Waste Code:</b> <b>Waste Description:</b>		263 L Misc. waste organic chemicals			
<b>Waste Code:</b> <b>Waste Description:</b>		262 L Detergents and soaps			
<b>Waste Code:</b> <b>Waste Description:</b>		221 I Light fuels			
<b>Waste Code:</b> <b>Waste Description:</b>		146 T Other specified inorganic sludges, slurries or solids			
<b>Waste Code:</b> <b>Waste Description:</b>		148 I Misc. wastes and inorganic chemicals			
<b>Waste Code:</b> <b>Waste Description:</b>		212 I Aliphatic solvents and residues			
<b>Waste Code:</b> <b>Waste Description:</b>		122 C Alkaline slutions - containing other metals and non-metals (not cyanide)			
<b>Waste Code:</b> <b>Waste Description:</b>		331 L Waste compressed gases including cylinders			
<b>Waste Code:</b> <b>Waste Description:</b>		331 I Waste compressed gases including cylinders			
<b>Waste Code:</b> <b>Waste Description:</b>		263 A Misc. waste organic chemicals			
<b>Waste Code:</b> <b>Waste Description:</b>		242 A Halogenated pesticides and herbicides			
<b>Waste Code:</b> <b>Waste Description:</b>		242 T Halogenated pesticides and herbicides			
<b>Waste Code:</b> <b>Waste Description:</b>		269 T Organic non-halogenated pesticide and herbicide wastes			
<b>Waste Code:</b> <b>Waste Description:</b>		263 I Misc. waste organic chemicals			
<b>164</b>	<b>6 of 6</b>	<b>SE/92.3</b>	<b>119.8 / -12.00</b>	<b>RONA INC 650 DUNDAS ST E MISSISSAUGA ON L5A3Y6</b>	<b>PES</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence No:</b> 12146 <b>Detail Licence No:</b> <b>Licence Type Code:</b> 23 <b>Licence Type:</b> Active Limited Vendors <b>Licence Class:</b> 01 <b>Licence Control:</b> <b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>					
<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Phone Area Cd:</b> 905 <b>Ext:</b> <b>Oper Phone No:</b> 2766350 <b>Proponent Ext:</b>					
<a href="#">165</a>	1 of 2	SE/94.5	121.3 / -10.52	Vangro Welding Ltd. 726 Dundas St E Mississauga ON L4Y 2B6	SCT
<b>Established:</b> 1965 <b>Plant Size (ft²):</b> 3000 <b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b> Other Motor Vehicle Parts Manufacturing <b>SIC/NAICS Code:</b> 336390					
<b>Description:</b> Commercial and Industrial Machinery and Equipment (except Automotive and Electronic) Repair and Maintenance <b>SIC/NAICS Code:</b> 811310					
<a href="#">165</a>	2 of 2	SE/94.5	121.3 / -10.52	Sincere Muffler & Tire Brake Shop 726 Dundas St E Mississauga ON L4Y 2B6	SPL
<b>Ref No:</b> 3056-734MNM <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Other Discharges <b>Incident Event:</b> <b>Contaminant Code:</b> 31 <b>Contaminant Name:</b> Smoke <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> unknown other - see incident description <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Air Pollution; Human Health/Safety; Surface Water Pollution <b>Receiving Medium:</b> Water & Air <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> Priority Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/11/2007 <b>Dt Document Closed:</b> 5/22/2007 <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> Fire/Explosion - Resulting from fires/explosions (Not occurrences which cause a fire or explosion) <b>Incident Summary:</b> Mississauga - Fire at tire and welding shop					
<b>Discharger Report:</b> <b>Material Group:</b> Gases/Particulate <b>Client Type:</b> <b>Sector Type:</b> Other <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> 726 Dundas Street East <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> Mississauga <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">166</a>	1 of 1	SE/96.6	108.8 / -23.00	Enersource Hydro Mississauga Inc. 759 Ajyn Court Mississauga ON	SPL
<b>Ref No:</b>	4273-A32MLU			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	10/6/2015			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	
<b>Incident Event:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	15			<b>Site Name:</b>	Transformer Oil Spill<UNOFFICIAL>
<b>Contaminant Name:</b>	TRANSFORMER OIL (N.O.S.)			<b>Site Address:</b>	759 Ajyn Court
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	1 L			<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	4826814
<b>Health/Env Conseq:</b>				<b>Easting:</b>	614291
<b>MOE Response:</b>	No			<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	10/6/2015			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	11/17/2015				
<b>Agency Involved:</b>					
<b>SAC Action Class:</b>	Watercourse Spills				
<b>Incident Reason:</b>	Equipment Failure				
<b>Incident Summary:</b>	Enersource: 1L of transformer oil to CB; clng				
<a href="#">167</a>	1 of 23	SE/96.8	109.5 / -22.32	655 Queensway E Mississauga ON L5A 3X6	EHS
<b>Order No:</b>	20021120028			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Basic Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	11/28/02			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/20/02			<b>X:</b>	-79.592403
<b>Previous Site Name:</b>				<b>Y:</b>	43.588505
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Aerials Photos and/or Topographical Maps				
<a href="#">167</a>	2 of 23	SE/96.8	109.5 / -22.32	655 The Queensway East Mississauga ON	EHS
<b>Order No:</b>	20080103020			<b>Nearest Intersection:</b>	Cawthra Rd Queensway E
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Site Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	1/4/2008			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	1/3/2008			<b>X:</b>	-79.592748
<b>Previous Site Name:</b>				<b>Y:</b>	43.588564
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">167</a>	3 of 23	SE/96.8	109.5 / -22.32	1467738 ONTARIO INC 655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	EXP
<b>Instance No:</b>	9718683				
<b>Instance ID:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance Type:</b>		FS Facility			
<b>Description:</b>		EXPIRED			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>		6/3/2010 10:54			
<a href="#">167</a>	4 of 23	SE/96.8	109.5 / -22.32	SRAA AUTOMOTIVE SERVICES INC 655 THE QUEENSWAY E MISSISSAUGA ON	EXP
<b>Instance No:</b>		11389722			
<b>Instance ID:</b>		81440			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">167</a>	5 of 23	SE/96.8	109.5 / -22.32	SRAA AUTOMOTIVE SERVICES INC 655 THE QUEENSWAY E MISSISSAUGA ON	EXP
<b>Instance No:</b>		11389708			
<b>Instance ID:</b>		82084			
<b>Instance Type:</b>		FS Piping			
<b>Description:</b>		FS Piping			
<b>Status:</b>		EXPIRED			
<b>TSSA Program Area:</b>					
<b>Maximum Hazard Rank:</b>					
<b>Facility Type:</b>					
<b>Expired Date:</b>					
<a href="#">167</a>	6 of 23	SE/96.8	109.5 / -22.32	SUNCOR ENERGY PRODUCTS PARTNERSHIP 655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	FST
<b>Instance No:</b>		10859718			
<b>Cont Name:</b>					
<b>Instance Type:</b>		FS Liquid Fuel Tank			
<b>Fuel Type:</b>		Gasoline			
<b>Status:</b>		Active			
<b>Capacity:</b>		36300			
<b>Tank Material:</b>		Fiberglass (FRP)			
<b>Corrosion Protection:</b>		Fiberglass			
<b>Tank Type:</b>		Single Wall UST			
<b>Install Year:</b>		1984			
<b>Parent Facility Type:</b>		FS Gasoline Station - Self Serve			
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<a href="#">167</a>	7 of 23	SE/96.8	109.5 / -22.32	SUNCOR ENERGY PRODUCTS PARTNERSHIP 655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	FST
<b>Instance No:</b>		11609134			
<b>Cont Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instance Type:</b> FS Liquid Fuel Tank <b>Fuel Type:</b> Gasoline <b>Status:</b> Active <b>Capacity:</b> 36300 <b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protection:</b> Fiberglass <b>Tank Type:</b> Single Wall UST <b>Install Year:</b> 1984 <b>Parent Facility Type:</b> FS Gasoline Station - Self Serve <b>Facility Type:</b> FS Liquid Fuel Tank					
<a href="#">167</a>	8 of 23	SE/96.8	109.5 / -22.32	SUNCOR ENERGY PRODUCTS PARTNERSHIP 655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	FST
<b>Instance No:</b> 11609159 <b>Cont Name:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Fuel Type:</b> Diesel <b>Status:</b> Active <b>Capacity:</b> 22700 <b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protection:</b> Fiberglass <b>Tank Type:</b> Single Wall UST <b>Install Year:</b> 1984 <b>Parent Facility Type:</b> FS Gasoline Station - Self Serve <b>Facility Type:</b> FS Liquid Fuel Tank					
<a href="#">167</a>	9 of 23	SE/96.8	109.5 / -22.32	SUNCOR ENERGY PRODUCTS PARTNERSHIP 655 THE QUEENSWAY E MISSISSAUGA ON L5A 3X6	FST
<b>Instance No:</b> 11389680 <b>Cont Name:</b> <b>Instance Type:</b> FS Liquid Fuel Tank <b>Fuel Type:</b> Gasoline <b>Status:</b> Active <b>Capacity:</b> 36300 <b>Tank Material:</b> Fiberglass (FRP) <b>Corrosion Protection:</b> Fiberglass <b>Tank Type:</b> Single Wall UST <b>Install Year:</b> 1984 <b>Parent Facility Type:</b> FS Gasoline Station - Self Serve <b>Facility Type:</b> FS Liquid Fuel Tank					
<a href="#">167</a>	10 of 23	SE/96.8	109.5 / -22.32	1659183 ONTARIO INC O/A GAS STN 655 THE QUEENSWAY E MISSISSAUGA ON	FSTH
<b>License Issue Date:</b> 3/6/2007 <b>Tank Status:</b> Licensed <b>Tank Status As Of:</b> August 2007 <b>Operation Type:</b> Retail Fuel Outlet <b>Facility Type:</b> Gasoline Station - Split Serve					
<b>--Details--</b>					
<b>Status:</b> Active <b>Year of Installation:</b> 1984 <b>Corrosion Protection:</b> <b>Capacity:</b> 36300					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1984			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		36300			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Active			
<b>Year of Installation:</b>		1984			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		36300			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Gasoline			
<b>Status:</b>		Removed			
<b>Year of Installation:</b>		1984			
<b>Corrosion Protection:</b>					
<b>Capacity:</b>		22700			
<b>Tank Fuel Type:</b>		Liquid Fuel Single Wall UST - Diesel			
<a href="#">167</a>	11 of 23	SE/96.8	109.5 / -22.32	MISSISSAUGA KAR KARE CENTRE INC O/A QUEENSWAY/CAWT 655 THE QUEENSWAY AV E MISSISSAUGA ON L5A 3X6	PRT
<b>Location ID:</b>		9262			
<b>Type:</b>		retail			
<b>Expiry Date:</b>		1995-02-28			
<b>Capacity (L):</b>		5000			
<b>Licence #:</b>		0033293001			
<a href="#">167</a>	12 of 23	SE/96.8	109.5 / -22.32	MISSISSAUGA KAR KARE CENTRE INC O/A QUEENSWAY/CAWT 655 QUEENSWAY E MISSISSAUGA ON L5A3X6	PRT
<b>Location ID:</b>		9210			
<b>Type:</b>		retail			
<b>Expiry Date:</b>		1996-03-31			
<b>Capacity (L):</b>		131834			
<b>Licence #:</b>		0051621001			
<a href="#">167</a>	13 of 23	SE/96.8	109.5 / -22.32	SUNOCO ONTARIO 655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
<b>Phone:</b>		9052753966			
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">167</a>	14 of 23	SE/96.8	109.5 / -22.32	CAN LUBE 655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	RST
<b>Headcode:</b>		00921430			
<b>Headcode Desc:</b>		OIL CHANGES & LUBRICATION SERVICE			
<b>Phone:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>List Name:</i>					
<i>Description:</i>					
<a href="#">167</a>	15 of 23	SE/96.8	109.5 / -22.32	PETRO CANADA 655 QUEENSWAY E MISSISSAUGA ON L5A 3X6	RST
<i>Headcode:</i>		01186800			
<i>Headcode Desc:</i>		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
<i>Phone:</i>					
<i>List Name:</i>					
<i>Description:</i>					
<a href="#">167</a>	16 of 23	SE/96.8	109.5 / -22.32	TA LUBE 655 QUEENSWAY E MISSISSAUGA ON L5A3X6	RST
<i>Headcode:</i>		00921430			
<i>Headcode Desc:</i>		OIL CHANGES & LUBRICATION SERVICE			
<i>Phone:</i>		9058970503			
<i>List Name:</i>		INFO-DIRECT(TM) BUSINESS FILE			
<i>Description:</i>					
<a href="#">167</a>	17 of 23	SE/96.8	109.5 / -22.32	PETRO CANADA 655 QUEENSWAY E MISSISSAUGA ON L5A3X6	RST
<i>Headcode:</i>		01186800			
<i>Headcode Desc:</i>		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
<i>Phone:</i>		9052753966			
<i>List Name:</i>		INFO-DIRECT(TM) BUSINESS FILE			
<i>Description:</i>					
<a href="#">167</a>	18 of 23	SE/96.8	109.5 / -22.32	VALVOLINE EXPRESS CARE / QUICK LUBE 655 QUEENSWAY E MISSISSAUGA ON L5A3X6	RST
<i>Headcode:</i>		00921430			
<i>Headcode Desc:</i>		OIL CHANGES & LUBRICATION SERVICE			
<i>Phone:</i>		9058970503			
<i>List Name:</i>		INFO-DIRECT(TM) BUSINESS FILE			
<i>Description:</i>					
<a href="#">167</a>	19 of 23	SE/96.8	109.5 / -22.32	SUNOCO 655 QUEENSWAY EAST (AT CAWTHRA) SERVICE STATION MISSISSAUGA CITY ON L5A 3X6	SPL
<i>Ref No:</i>		13211		<i>Discharger Report:</i>	
<i>Site No:</i>				<i>Material Group:</i>	
<i>Incident Dt:</i>		12/28/1988		<i>Client Type:</i>	
<i>Year:</i>				<i>Sector Type:</i>	
<i>Incident Cause:</i>		PIPE/HOSE LEAK		<i>Source Type:</i>	
<i>Incident Event:</i>				<i>Nearest Watercourse:</i>	
<i>Contaminant Code:</i>				<i>Site Name:</i>	
<i>Contaminant Name:</i>				<i>Site Address:</i>	
<i>Contaminant Limit 1:</i>				<i>Site District Office:</i>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> AIR <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/28/1988 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> FIRE/EXPLOSION <b>Incident Summary:</b> SERVICE STATION				<b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">167</a>	20 of 23	SE/96.8	109.5 / -22.32	<b>SUNOCO</b> <b>655 QUEENSWAY, AT CAWTHRA SERVICE STATION</b> <b>MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b> 160462 <b>Site No:</b> <b>Incident Dt:</b> 9/25/1998 <b>Year:</b> <b>Incident Cause:</b> PIPE/HOSE LEAK <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 9/25/1998 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> UNKNOWN <b>Incident Summary:</b> SUNOCO SERVICE STATION - 50-75 L GASOLINE TO GND. CLEANED.				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">167</a>	21 of 23	SE/96.8	109.5 / -22.32	<b>SUNOCO</b> <b>655 THE QUEENSWAY EAST. SERVICE STATION</b> <b>MISSISSAUGA CITY ON</b>	<b>SPL</b>
<b>Ref No:</b> 162835 <b>Site No:</b> <b>Incident Dt:</b> 12/10/1998 <b>Year:</b> <b>Incident Cause:</b> VALVE/FITTING LEAK OR FAILURE <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> <b>Site Address:</b> <b>Site District Office:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 12/11/1998 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Incident Summary:</b> SUNOCO-2 L GASOLINE TO LOT DURING DELIVERY, CONTAINED,CLEANED-UP.				<b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 21102 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">167</a>	22 of 23	SE/96.8	109.5 / -22.32	<b>Suncor Energy Products Inc.</b> <b>655 The Queensway</b> <b>Mississauga ON</b>	SPL
<b>Ref No:</b> 6465-5JAQHT <b>Site No:</b> <b>Incident Dt:</b> 1/30/2003 <b>Year:</b> <b>Incident Cause:</b> Container Leak (Fuel Tank Barrels) <b>Incident Event:</b> <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Contaminant Qty:</b> <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Surface Water Pollution <b>Receiving Medium:</b> Water <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/30/2003 <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> Spills <b>Incident Reason:</b> Negligence (Apparent) - Caused by lack of diligence <b>Incident Summary:</b> Suncor - unkn qty of diesel to catch basin				<b>Discharger Report:</b> <b>Material Group:</b> Oil <b>Client Type:</b> <b>Sector Type:</b> Service Station <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> SPILL SITE<UNOFFICIAL> <b>Site Address:</b> <b>Site District Office:</b> Halton-Peel <b>Site County/District:</b> <b>Site Postal Code:</b> <b>Site Region:</b> Central <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
<a href="#">167</a>	23 of 23	SE/96.8	109.5 / -22.32	<b>Seaboard Transport</b> <b>655 Queensway East</b> <b>Mississauga ON</b>	SPL
<b>Ref No:</b> 5237-AH33B7 <b>Site No:</b> NA <b>Incident Dt:</b> 2016/12/27 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Overflow/Surcharge <b>Contaminant Code:</b> 13 <b>Contaminant Name:</b> DIESEL FUEL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Client Type:</b> <b>Sector Type:</b> Unknown / N/A <b>Source Type:</b> <b>Nearest Watercourse:</b> <b>Site Name:</b> Petro-Canada<UNOFFICIAL> <b>Site Address:</b> 655 Queensway East <b>Site District Office:</b> <b>Site County/District:</b> <b>Site Postal Code:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Qty:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	15 L    Land  No  2016/12/27			<b>Site Region:</b> <b>Site Municipality:</b> Mississauga <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	
		Land Spills	Operator/Human Error	Seaboard Transport: 15L Diesel Spill at Petro-Canada, Cleaned Up	

<a href="#">168</a>	1 of 6	SSE/97.1	129.8 / -2.00	680 Silver Creek Blvd Mississauga ON L5A3Z1	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>	20130704008 C Standard Report 12-JUL-13 04-JUL-13			<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.602806 <b>Y:</b> 43.595474	

<a href="#">168</a>	2 of 6	SSE/97.1	129.8 / -2.00	Ascona Management & Consulting Inc. 680 Silvercreek Boulevard Mississauga ON L5A 3Z1	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON7477271  2014 No No 531390			<b>PO Box No.:</b> <b>Country:</b> Canada <b>Choice of Contact:</b> CO_OFFICIAL <b>Co Admin:</b> <b>Phone No. Admin:</b>	
		OTHER ACTIVITIES RELATED TO REAL ESTATE			
<b>--Details--</b>					
<b>Waste Code:</b> <b>Waste Description:</b>	331 WASTE COMPRESSED GASES				
<b>Waste Code:</b> <b>Waste Description:</b>	253 EMULSIFIED OILS				

<a href="#">168</a>	3 of 6	SSE/97.1	129.8 / -2.00	SILVERCREEK PHARMACY LTD. 680 SILVER CREEK BLVD. MISSISSAUGA ON L5A 3Z1	GEN
<b>Generator No.:</b> <b>Status:</b> <b>Approval Years:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>	ON2444600  99,00,01  6031			<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>	
		PHARMACIES			

--Details--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Code:</b>		261			
<b>Waste Description:</b>		PHARMACEUTICALS			
<b>Waste Code:</b>		312			
<b>Waste Description:</b>		PATHOLOGICAL WASTES			
<a href="#">168</a>	4 of 6	SSE/97.1	129.8 / -2.00	Ascona Management & Consulting Inc. 680 Silvercreek Boulevard Mississauga ON L5A 3Z1	GEN
<b>Generator No.:</b>	ON9216031			<b>PO Box No.:</b>	
<b>Status:</b>				<b>Country:</b>	
<b>Approval Years:</b>	2009			<b>Choice of Contact:</b>	
<b>Contam. Facility:</b>				<b>Co Admin:</b>	
<b>MHSW Facility:</b>				<b>Phone No. Admin:</b>	
<b>SIC Code:</b>	531310				
<b>SIC Description:</b>	Real Estate Property Managers				
<b>--Details--</b>					
<b>Waste Code:</b>		252			
<b>Waste Description:</b>		WASTE OILS & LUBRICANTS			
<a href="#">168</a>	5 of 6	SSE/97.1	129.8 / -2.00	2405403 ONTARIO LIMITED O/A JERRY'S NO FRILLS 16 & 17- 680 SILVER CREEK BLVD MISSISSAUGA ON L5A3Z1	PES
<b>Licence No:</b>	16822			<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>	23			<b>Operator No:</b>	
<b>Licence Type:</b>	Active Limited Vendors			<b>Operator Type:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	905
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	9491523
<b>County:</b>				<b>Proponent Ext:</b>	
<a href="#">168</a>	6 of 6	SSE/97.1	129.8 / -2.00	680 Silver Creek Blvd Mississauga ON	SPL
<b>Ref No:</b>	0745-AQHLXH			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	8/22/2017			<b>Client Type:</b>	
<b>Year:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>				<b>Source Type:</b>	Tank - Above Ground
<b>Incident Event:</b>	Leak/Break			<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	38			<b>Site Name:</b>	No Frills<UNOFFICIAL>
<b>Contaminant Name:</b>	REFRIGERANT GAS, N.O.S.			<b>Site Address:</b>	680 Silver Creek Blvd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site County/District:</b>	Regional Municipality of Peel
<b>Contaminant UN No 1:</b>	1078			<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	136 kg			<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Air			<b>Northing:</b>	4827987.29



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
<b>Health/Env Conseq:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Agency Involved:</b> <b>SAC Action Class:</b> <b>Incident Reason:</b> <b>Incident Summary:</b>	2 - Minor Environment No 8/23/2017			<b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Geo Ref Meth:</b> <b>Site Map Datum:</b>	612687.62	
	<a href="#">169</a>	1 of 1	SE/98.9	122.9 / -8.98	ON	BORE
<b>Borehole ID:</b> <b>Use:</b> <b>Drill Method:</b> <b>Easting:</b> <b>Location Accuracy:</b> <b>Elev. Reliability Note:</b> <b>Total Depth m:</b> <b>Township:</b> <b>Lot:</b> <b>Completion Date:</b> <b>Primary Water Use:</b>	640631 Geotechnical/Geological Investigation Power auger 613105  4  AUG-1971 Not Used			<b>Type:</b> <b>Status:</b> <b>UTM Zone:</b> <b>Northing:</b> <b>Orig. Ground Elev m:</b> <b>DEM Ground Elev m:</b> <b>Primary Name:</b> <b>Concession:</b> <b>Municipality:</b> <b>Static Water Level:</b> <b>Sec. Water Use:</b>	Borehole  17 4827868 120 123   -999.9	
<b>--Details--</b>						
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218492949 1.2			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	0.0 FILL,SILT,SAND, ORGANIC. BROWN,MOIST.	
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218492950 2.3			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	1.2 TILL,SILT,CLAY,SHALEBROWN,GLACIAL,MOIST, AGE GLACIAL.	
<b>Stratum ID:</b> <b>Bottom Depth(m):</b>	218492951 4.0			<b>Top Depth(m):</b> <b>Stratum Desc:</b>	2.3 SHALE. GREY,MARINE,DRY, AGE ORDOVICIAN. 0000000400039085E,HARD	
	<a href="#">170</a>	1 of 10	SE/99.6	119.8 / -12.00	Rona Ontario Inc. 650 Dundas Street East Mississauga ON L5A 3Y6	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>	4187-6T5N2U 2006 8/29/2006 Air Approved					
	<a href="#">170</a>	2 of 10	SE/99.6	119.8 / -12.00	650 Dundas St. E Mississauga ON L5A 3Y6	EHS
<b>Order No:</b> <b>Status:</b>	20010515008 C			<b>Nearest Intersection:</b> <b>Municipality:</b>		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Report Type:</b> Basic Report <b>Report Date:</b> 5/25/01 <b>Date Received:</b> 5/15/01 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.600372 <b>Y:</b> 43.594128					
<a href="#">170</a>	3 of 10	SE/99.6	119.8 / -12.00	LANSING BUILDALL 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	GEN
<b>Generator No.:</b> ON2475104 <b>Status:</b> <b>Approval Years:</b> 99,00,01 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> 5211 <b>SIC Description:</b> CONFECTIONERY, WH.					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 148 <b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 242 <b>Waste Description:</b> HALOGENATED PESTICIDES					
<b>Waste Code:</b> 263 <b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS					
<a href="#">170</a>	4 of 10	SE/99.6	119.8 / -12.00	RONA ONTARIO INC. RONA-LANSING 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6	GEN
<b>Generator No.:</b> ON2475104 <b>Status:</b> <b>Approval Years:</b> 02,03,04 <b>Contam. Facility:</b> <b>MHSW Facility:</b> <b>SIC Code:</b> <b>SIC Description:</b>					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b> <b>Phone No. Admin:</b>					
<b>--Details--</b>					
<b>Waste Code:</b> 148 <b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 242 <b>Waste Description:</b> HALOGENATED PESTICIDES					
<b>Waste Code:</b> 263 <b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS					
<a href="#">170</a>	5 of 10	SE/99.6	119.8 / -12.00	RONA Inc. 650 DUNDAS STREET EAST MISSISSAUGA ON	GEN
<b>Generator No.:</b> ON5202396 <b>Status:</b> <b>Approval Years:</b> 2013 <b>Contam. Facility:</b>					
<b>PO Box No.:</b> <b>Country:</b> <b>Choice of Contact:</b> <b>Co Admin:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>MHSW Facility:</b> <b>SIC Code:</b> 452991 <b>SIC Description:</b> HOME AND AUTO SUPPLIES STORES				<b>Phone No. Admin:</b>	
<b>--Details--</b>					
<b>Waste Code:</b> 122					
<b>Waste Description:</b> ALKALINE WASTES - OTHER METALS					
<b>Waste Code:</b> 252					
<b>Waste Description:</b> WASTE OILS & LUBRICANTS					
<b>Waste Code:</b> 263					
<b>Waste Description:</b> ORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 148					
<b>Waste Description:</b> INORGANIC LABORATORY CHEMICALS					
<b>Waste Code:</b> 242					
<b>Waste Description:</b> HALOGENATED PESTICIDES					
<b>Waste Code:</b> 331					
<b>Waste Description:</b> WASTE COMPRESSED GASES					
<a href="#">170</a>	6 of 10	SE/99.6	119.8 / -12.00	<b>RONA INC.</b> <b>650 Dundas Street East</b> <b>Mississauga ON L5A3Y6</b>	<b>NPRI</b>
<b>NPRI ID:</b> 8800001680 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> 2004 <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> RONA LANSING STORE # 55010 <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b> <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 79 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 53 <b>NAICS 2 Description:</b> Real Estate and Rental and Leasing <b>NAICS Code (4 digit):</b> 5311 <b>NAICS 4 Description:</b> Lessors of Real Estate		<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> MED <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> <b>Longitude:</b> <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS Code (6 digit):</b>		531120			
<b>NAICS 6 Description:</b>		Lessors of Non-Residential Buildings (except Mini-Warehouses)			
<b><u>Substance Release Report</u></b>					
<b>CAS No:</b>		811-97-2			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		HFC-134a Hydrofluorocarbon			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		10102-43-9			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Oxides of nitrogen (expressed as NO)			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			
<b>CAS No:</b>		7446-09-5			
<b>Report ID:</b>					
<b>Rpt Period:</b>		2004			
<b>Subst Released:</b>		Sulphur dioxide			
<b>Air:</b>					
<b>Water:</b>					
<b>Land:</b>					
<b>Total Releases:</b>					
<b>Units:</b>		tonnes			

<a href="#">170</a>	7 of 10	SE/99.6	119.8 / -12.00	<b>LANSING LUMBER (DUNDAS) LTD. 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6</b>	<b>PES</b>
<b>Licence No:</b>				<b>Operator Box:</b>	
<b>Detail Licence No:</b>				<b>Operator Class:</b>	
<b>Licence Type Code:</b>				<b>Operator No:</b>	
<b>Licence Type:</b>	Vendor			<b>Operator Type:</b>	
<b>Licence Class:</b>				<b>Operator Lot:</b>	
<b>Licence Control:</b>				<b>Oper Concession:</b>	
<b>Trade Name:</b>				<b>Operator Region:</b>	
<b>Post Office Box:</b>				<b>Operator District:</b>	
<b>Lot:</b>				<b>Operator County:</b>	
<b>Concession:</b>				<b>Oper Phone Area Cd:</b>	
<b>Region:</b>				<b>Ext:</b>	
<b>District:</b>				<b>Oper Phone No:</b>	
<b>County:</b>				<b>Proponent Ext:</b>	

<a href="#">170</a>	8 of 10	SE/99.6	119.8 / -12.00	<b>REVY HOME CENTRES INC. 650 DUNDAS STREET EAST MISSISSAUGA ON L5A 3Y6</b>	<b>PES</b>
<b>Licence No:</b>	11434			<b>Operator Box:</b>	
<b>Detail Licence No:</b>	23-01-11434-0			<b>Operator Class:</b>	
<b>Licence Type Code:</b>	23			<b>Operator No:</b>	
<b>Licence Type:</b>	Limited Vendor			<b>Operator Type:</b>	
<b>Licence Class:</b>	01			<b>Operator Lot:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Licence Control:</b> <b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>	0			<b>Oper Concession:</b> <b>Operator Region:</b> 3 <b>Operator District:</b> 1 <b>Operator County:</b> 28 <b>Oper Phone Area Cd:</b> <b>Ext:</b> <b>Oper Phone No:</b> <b>Proponent Ext:</b>	
<a href="#">170</a>	9 of 10	SE/99.6	119.8 / -12.00	<b>RONA ONTARIO INC</b> <b>650 DUNDAS ST E</b> <b>MISSISSAUGA</b> ON L5A 3Y6	<b>PES</b>
<b>Licence No:</b> <b>Detail Licence No:</b> <b>Licence Type Code:</b> <b>Licence Type:</b> Vendor <b>Licence Class:</b> <b>Licence Control:</b> <b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Phone Area Cd:</b> <b>Ext:</b> <b>Oper Phone No:</b> <b>Proponent Ext:</b>	
<a href="#">170</a>	10 of 10	SE/99.6	119.8 / -12.00	<b>4536631 CANADA INC</b> <b>650 DUNDAS ST E</b> <b>MISSISSAUGA</b> ON L5A 3Y6	<b>PES</b>
<b>Licence No:</b> <b>Detail Licence No:</b> <b>Licence Type Code:</b> <b>Licence Type:</b> Vendor <b>Licence Class:</b> <b>Licence Control:</b> <b>Trade Name:</b> <b>Post Office Box:</b> <b>Lot:</b> <b>Concession:</b> <b>Region:</b> <b>District:</b> <b>County:</b>				<b>Operator Box:</b> <b>Operator Class:</b> <b>Operator No:</b> <b>Operator Type:</b> <b>Operator Lot:</b> <b>Oper Concession:</b> <b>Operator Region:</b> <b>Operator District:</b> <b>Operator County:</b> <b>Oper Phone Area Cd:</b> <b>Ext:</b> <b>Oper Phone No:</b> <b>Proponent Ext:</b>	

# Unplottable Summary

Total: **113** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
AUWR	J R TOWING	BRECKENRIDGE RD	MISSISSAUGA ON	L4Y2R3
CA	Imperial Oil	Part of Lot 11, Concession 2 WHS	Mississauga ON	
CA	Tri-Phase Environmental Inc.	Mobile Facility	Mississauga ON	
CA	Petro-Canada Inc.	Block 172, Registered Plan 43M-1484	Mississauga ON	
CA	PETRO-CANADA PRODUCTS-LAKE ONTARIO REFIN	ZEBRA MUSSEL CONTROL PROGRAM	MISSISSAUGA CITY ON	
CA	Derryvale Subdivision	Part of Lot 11, Cons. 2. W.H.S.	Mississauga ON	
CA	RICHARD OCHSHORN C/O DUNTOM HOLDINGS INC	COMM. DEVELOP. DUNDAS ST. E.	MISSISSAUGA CITY ON	
CA	RICHARD OCHSHORN C/O DUNTOM HOLDINGS INC	COMM. DEVELOP. DUNDAS ST. E.	MISSISSAUGA CITY ON	
CA	JORDAN ENTERPRISES INC.	DUNDAS STREET EAST	MISSISSAUGA CITY ON	
CA		Dundas Street	Mississauga ON	
CA		Dundas Street	Mississauga ON	
CA	PEEL NON-PROFIT HSG. CORP.-PT.LOT 15/C-2	DUNDAS ST./STM-WATER MGT.	MISSISSAUGA CITY ON	
CA	JANELAND DEV. INC.- PT. LOT 33, CONC. 2	SOUTH OF DUNDAS ST.	MISSISSAUGA CITY ON	
CA	ONTARIO HYDRO, TOMKEN T.S.	LOTS 7-10/C-2, N. DUNDAS ST.	MISSISSAUGA CITY ON	
CA	JANELAND DEV. INC.-PT. LOT 33, CONC. 2	SOUTH OF DUNDAS STREET	MISSISSAUGA CITY ON	
CA	F.F. CONSTRUCTION CO. LTD.	DUCHESS DR., PT.LOT 10/CONC.1	MISSISSAUGA CITY ON	
CA	F.F. CONSTRUCTION CO. LTD.	DUCHESS DR.,PT.LOT 10/CON.1SDS	MISSISSAUGA CITY ON	

CA	F.F. CONSTRUCTION CO. LTD.	CAWTHRA RD./DUCHESS DR.	MISSISSAUGA CITY ON
CA	The Regional Municipality of Peel	Cawthra Road	Mississauga ON
CA	R.M. OF PEEL	CAWTHRA RD.	MISSISSAUGA CITY ON
CA	R.M. OF PEEL	CAWTHRA RD.	MISSISSAUGA CITY ON
CA	IMASCO R.I. INC.	PT. LOT 10, CONC. 2 E.N.S.	MISSISSAUGA CITY ON
CA	Terano Properties Inc.	Lots 8, 9, and Part of Lot 10, Reg. Plan 334	Mississauga ON
CA		Part of Lots 9 and 10, Concession 2	Mississauga ON
CA		Part of Lot 9 and 10, Concession 2	Mississauga ON
CA		Part of Lots 9 & 10, Concession 1	Mississauga ON
CA		Part of Lots 9 and 10, Concession 1	Mississauga ON
CA	New Millennium Homes Limited	Part of Lots 11, 12, 17, Concession 1	Mississauga ON
CA	Derry Meadows, Phase 1	Part of Lot 11 & 12	Mississauga ON
CA	Cactus Gate and Crimson King Circle	Part of Lot 11 and 12	Mississauga ON
CA	Hindu Maha Sabha (Mississauga)	Lot 11, Concession 1 South of Dundas Street	Mississauga ON
CA	Derry Meadows, Phase 1	Part of Lot 11 & 12	Mississauga ON
CA	Golder Associates Innovative Applications (GAIA) Inc.	Mobile Facility	Mississauga ON
CA	Derry Meadows, Phase 1	Part of Lot 11 & 12	Mississauga ON
CONV	LIDLAW CARRIERS INC.		ON
CONV	EAGLEBROOK ENVIRONMENTAL CORPORATION		MISSISSAUGA ON
EBR	Lafarge Canada Inc.	Mobile Facility Mississauga, Regional Municipality of Peel	ON
EBR	Imperial Oil Ltd.	Part of Lots 11 and 12, Range 1, Credit Indian Reserve	ON
EBR	Lafarge Canada Inc.	Mobile Facility Mississauga, Regional Municipality of Peel	ON

EBR	Lafarge Canada Inc.	Portable Facility Mississauga Regional Municipality of Peel CITY OF MISSISSAUGA	ON	
EBR	Tri-Phase Environmental Inc.	Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA	ON	
EBR	Lafarge Canada Inc.	Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA	ON	
EBR	Lafarge Canada Inc.	Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA	ON	
EBR	Lafarge Canada Inc.	Mobile Facility CITY OF MISSISSAUGA	ON	
EBR	Lafarge Canada Inc.	Mobile Mississauga, Regional Municipality Of Peel CITY OF MISSISSAUGA	ON	
EBR	1068342 Ontario Limited	Lot 11, Concession 1 CITY OF MISSISSAUGA	ON	
ECA	The Regional Municipality of Peel	Cawthra Rd (From Bloor Street to Dundas Street)	Mississauga ON	L6T 4B9
ECA	Golder Associates Innovative Applications (GAIA) Inc.	Mobile Facility	Mississauga ON	L5N 5Z7
ECA	Lafarge Canada Inc.	Portable Facility	Mississauga ON	L4V 1S7
ECA	Lafarge Canada Inc.	Mobile Facility	Mississauga ON	L4V 1S7
ECA	Terano Properties Inc.	Lots 8 9 and Part of Lot 10 Reg. Plan 334	Mississauga ON	L4L 8G7
ECA	Tri-Phase Environmental Inc.	Mobile Facility	Mississauga ON	L5J 2Z7
ECA	Lafarge Canada Inc.	Mobile Facility	Mississauga ON	L4V 1S7
ECA	Lafarge Canada Inc.	Mobile Facility	Mississauga ON	L4V 1S7
ECA	Lafarge Canada Inc.	Mobile Facility	Mississauga ON	L4V 1S7
ECA	Lafarge Canada Inc.	Mobile Facility	Mississauga ON	L4V 1S7
EHS		Eastgate Parkway (see below)	Mississauga ON	
LIMO	Texaco Inc	Lots 9-12, Concession Range 1	City of Mississauga ON	
NPCB	PEEL BOARD OF EDUCATION	CAWTHRA ROAD SECONDARY SCHOOL	MISSISSAUGA ON	
NPCB	PEEL BOARD OF EDUCATION	CAWTHRA ROAD SECONDARY SCHOOL	Mississauga ON	
NPCB	PEEL BOARD OF EDUCATION	CAWTHRA ROAD SECONDARY SCHOOL CAWTHRA ROAD SECONDARY SCHOOL	MISSISSAUGA ON	
PTTW	Enbridge Pipelines Inc.	Lot 1 to 11, Concession 2, North of Dundas Street Toronto, City of Mississauga, Regional	ON	



Municipality of Peel REGIONAL MUNICIPALITY OF PEEL

PTTW	The Corporation of the City of Mississauga	Lot 1, Concession 1 and Lots 11 and 12, Concession 2, City of Mississauga, Regional Municipality of CITY OF MISSISSAUGA	ON	
PTTW	Derrydale Golf Course Ltd.	Lot 11, Concession 1 Mississauga	ON	
REC	PPM INC. - PETRO CAN. INC.	PETRO CANADA INC. TRAFALGAR REFINERY	MISSISSAUGA ON	
SPL		PETRO-CANADA SERVICE STATION \	MISSISSAUGA CITY ON	
SPL	Petro-Canada Lubricants Inc.	Clarkson Refinery	Mississauga ON	L5J 2Y3
SPL	SHELL CANADA PRODUCTS LTD.	SERVICE STATION	MISSISSAUGA CITY ON	
SPL	Petro-Canada Lubricants Inc.	Clarkson Refinery	Mississauga ON	L5J 2Y3
SPL	PETRO-CANADA	TANK TRUCK (CARGO)	MISSISSAUGA CITY ON	
SPL	Petro-Canada	Clarkson Refinery	Mississauga ON	
SPL	IMPERIAL OIL LTD.	BULK STATION/STORAGE DEPOT	MISSISSAUGA CITY ON	
SPL	EAGLEBROOK ENVIRONMENTAL	TANK TRUCK (CARGO)	MISSISSAUGA CITY ON	
SPL	SHELL CANADA PRODUCTS LTD.	CAR WASH AT THIS STATION SERVICE STATION	MISSISSAUGA CITY ON	
SPL	IMPERIAL OIL	ESSO SERVICE STATION	MISSISSAUGA CITY ON	
SPL	PETRO-CANADA	SERVICE STATION	MISSISSAUGA CITY ON	
SPL	Imperial Oil Limited		Mississauga ON	
SPL	IMPERIAL OIL	ESSO SERVICE STATION	MISSISSAUGA CITY ON	
SPL	SHELL CANADA PRODUCTS LTD.	SERVICE STATION	MISSISSAUGA CITY ON	
SPL	ONTARIO HYDRO	"HAIG JUNCTION" (SOUTH SERVICE RD. QEW, BETWEEN DIXIE AND CAWTHRA RDS. TRANSFORMER	MISSISSAUGA CITY ON	
SPL	TRANSPORT TRUCK	STORM SEWER ON SOUTH SERVICE ROAD, JUST EAST OF HWY 10. MOTOR VEHICLE (OPERATING FLUID)	MISSISSAUGA CITY ON	
SPL	MISSISSAUGA TRANSIT	RATHBURN ROAD, 200M SOUTH OF DUKE OF YORK MOTOR VEHICLE (OPERATING FLUID)	MISSISSAUGA CITY ON	
SPL	SHIPPIGAN FISHERIES	QEW TRANSPORT TRUCK (CARGO)	MISSISSAUGA CITY ON	

SPL		QEW EB near Cawthra Ave	Mississauga ON	
SPL		QEW-WESTBOUND, WEST OF CAWTHRA - QEW<UNOFFICIAL>	Mississauga ON	
SPL	Transportation Network Carrier<UNOFFICIAL>	QEW, Eastbound Lane - Just east of Hwy 10	Mississauga ON	
SPL	The Regional Municipality of Peel	NORTH SERVICE RD. BETWEEN COOKSVILLE CREEK & WEST CLIFF RD.<UNOFFICIAL>	Mississauga ON	
SPL		Hillman Crs, Just West of Rymal Road	Mississauga ON	
SPL		East of Dundas Street	Mississauga ON	
SPL	TRANSPORT TRUCK	LOYALIST CREEK (SOUTH OF DUNDAS ST. AND WEST OF LIRUMA ST.) MOTOR VEHICLE (OPERATING FLUID)	MISSISSAUGA CITY ON	
SPL		Cawthra Rd south of Burnhamthorpe	Mississauga ON	
SPL		Cawthra Road on ramp for westbound QEW	Mississauga ON	
SRDS	PETRO-CANADA LUBRICANTS INC.		MISSISSAUGA ON	
SRDS	PETRO-CANADA LUBRICANTS INC.		MISSISSAUGA ON	
SRDS	PETRO-CANADA LUBRICANTS INC.		MISSISSAUGA ON	
SRDS	PETRO-CANADA LUBRICANTS INC.		MISSISSAUGA ON	
SRDS	PETRO-CANADA LUBRICANTS INC.		MISSISSAUGA ON	
SRDS	PETRO-CANADA PRODUCTS - MISSISSAUGA LUBRICANTS CENTER		MISSISSAUGA ON	
SRDS	PETRO-CANADA LUBRICANTS INC.		MISSISSAUGA ON	
WDS		NORTH OF DUNDAS ST.	MISSISSAUGA ON	
WDS	Petro-Canada Lubricants Inc.	Clarkson Refinery	Mississauga ON	L5J 2Y3
WDS	Tri-Phase Environmental Inc.	Mobile Facility	Mississauga ON	L5J 2Z7
WDS	JANNOCK LIMITED	NORTH OF DUNDAS ST.	MISSISSAUGA ON	
WDS	Petro-Canada Lubricants Inc.	Clarkson Refinery	Mississauga ON	L5J 2Y3

WDS		NORTH OF DUNDAS ST.	MISSISSAUGA ON
WDS		NORTH OF DUNDAS ST.	MISSISSAUGA ON
WDS		NORTH OF DUNDAS ST.	MISSISSAUGA ON
WDS	JANNOCK LIMITED	NORTH OF DUNDAS ST.	MISSISSAUGA ON
WWIS		con 1	ON
WWIS		con 1	ON
WWIS		con 1	ON
WWIS		con 1	ON
WWIS		lot 10 con 2	ON

# Unplottable Report

---

**Site:** J R TOWING  
BRECKENRIDGE RD MISSISSAUGA ON L4Y2R3

**Database:**  
AUWR

**Headcode:** 00098600  
**Headcode Desc:** CAR WRECKING & RECYCLING  
**Phone:** 4168015827  
**List Name:**  
**Description:**

---

**Site:** Imperial Oil  
Part of Lot 11, Concession 2 WHS Mississauga ON

**Database:**  
CA

**Certificate #:** 4487-4WEPBM  
**Application Year:** 01  
**Issue Date:** 5/14/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Imperial Oil Limited  
**Client Address:** 5160 Yonge Street  
**Client City:** Toronto  
**Client Postal Code:** M2K 3A3  
**Project Description:** Sanitary sewers to be constructed on Derry Road West  
**Contaminants:**  
**Emission Control:**

---

**Site:** Tri-Phase Environmental Inc.  
Mobile Facility Mississauga ON

**Database:**  
CA

**Certificate #:** 0901-8LQQ2K  
**Application Year:** 2011  
**Issue Date:** 10/26/2011  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Petro-Canada Inc.  
Block 172, Registered Plan 43M-1484 Mississauga ON

**Database:**  
CA

**Certificate #:** 3278-6JSJPM  
**Application Year:** 2005  
**Issue Date:** 12/7/2005  
**Approval Type:** Industrial Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**

**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **PETRO-CANADA PRODUCTS-LAKE ONTARIO REFIN  
ZEBRA MUSSEL CONTROL PROGRAM MISSISSAUGA CITY ON**

**Database:**  
**CA**

**Certificate #:** 4-0047-90-  
**Application Year:** 90  
**Issue Date:** 6/20/1990  
**Approval Type:** Industrial wastewater  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:** ZEBRA MUSSEL CONTROL  
**Contaminants:** Chlorine  
**Emission Control:** Dechlorination

---

**Site:** **Derryvale Subdivision  
Part of Lot 11, Cons. 2. W.H.S. Mississauga ON**

**Database:**  
**CA**

**Certificate #:** 6041-4JXQA8  
**Application Year:** 00  
**Issue Date:** 5/3/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Monarch Construction Limited  
**Client Address:** 2025 Sheppard Avenue East  
**Client City:** Willowdale  
**Client Postal Code:** M2J 1X7  
**Project Description:** Installation of Watermains on Lantern Fly Hollow from Tabbyman Walk to Sedan Square  
**Contaminants:**  
**Emission Control:**

---

**Site:** **RICHARD OCHSHORN C/O DUNTOM HOLDINGS INC  
COMM. DEVELOP. DUNDAS ST. E. MISSISSAUGA CITY ON**

**Database:**  
**CA**

**Certificate #:** 7-1319-89-  
**Application Year:** 89  
**Issue Date:** 8/14/1989  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **RICHARD OCHSHORN C/O DUNTOM HOLDINGS INC  
COMM. DEVELOP. DUNDAS ST. E. MISSISSAUGA CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-1587-89-  
**Application Year:** 89  
**Issue Date:** 8/14/1989

**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** JORDAN ENTERPRISES INC.  
DUNDAS STREET EAST MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 7-0114-87-  
**Application Year:** 87  
**Issue Date:** 2/24/1987  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Dundas Street Mississauga ON

**Database:**  
CA

**Certificate #:** 6626-4LYMZ6  
**Application Year:** 00  
**Issue Date:** 7/7/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the Regional Municipality of Peel  
**Client Address:** 10 Peel Centre Drive  
**Client City:** Brampton  
**Client Postal Code:** L6T 4B9  
**Project Description:** Construction of a sanitary sewer on Dundas Street.  
**Contaminants:**  
**Emission Control:**

---

**Site:** Dundas Street Mississauga ON

**Database:**  
CA

**Certificate #:** 0230-4LYLE7  
**Application Year:** 00  
**Issue Date:** 7/7/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Corporation of the City of Mississauga  
**Client Address:** 3185 Mavis Road  
**Client City:** Mississauga  
**Client Postal Code:** L5C 1T7  
**Project Description:** Construction of storm sewers on Dundas Street.  
**Contaminants:**  
**Emission Control:**

**Site:** PEEL NON-PROFIT HSG. CORP.-PT.LOT 15/C-2  
DUNDAS ST./STM-WATER MGT. MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 3-0363-92-  
**Application Year:** 92  
**Issue Date:** 4/27/1992  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** JANELAND DEV. INC.- PT. LOT 33, CONC. 2  
SOUTH OF DUNDAS ST. MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 3-1973-90-  
**Application Year:** 90  
**Issue Date:** 11/7/1990  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** ONTARIO HYDRO, TOMKEN T.S.  
LOTS 7-10/C-2, N. DUNDAS ST. MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 4-0113-95-006  
**Application Year:** 95  
**Issue Date:** 10/24/95  
**Approval Type:** Industrial wastewater  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:** SPILL CONT. FOR TRANSFORMERS 3T3 & 3T4  
**Contaminants:**  
**Emission Control:**

---

**Site:** JANELAND DEV. INC.-PT. LOT 33, CONC. 2  
SOUTH OF DUNDAS STREET MISSISSAUGA CITY ON

**Database:**  
CA

**Certificate #:** 7-1614-90-  
**Application Year:** 90  
**Issue Date:** 11/7/1990  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**

**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **F.F. CONSTRUCTION CO. LTD.**  
**DUCHESS DR., PT.LOT 10/CONC.1 MISSISSAUGA CITY ON**

**Database:**  
**CA**

**Certificate #:** 7-0836-94-  
**Application Year:** 94  
**Issue Date:** 8/26/1994  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **F.F. CONSTRUCTION CO. LTD.**  
**DUCHESS DR.,PT.LOT 10/CON.1SDS MISSISSAUGA CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-0919-94-  
**Application Year:** 94  
**Issue Date:** 9/23/1994  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **F.F. CONSTRUCTION CO. LTD.**  
**CAWTHRA RD./DUCHESS DR. MISSISSAUGA CITY ON**

**Database:**  
**CA**

**Certificate #:** 3-1105-94-  
**Application Year:** 94  
**Issue Date:** 8/26/1994  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **The Regional Municipality of Peel**  
**Cawthra Road Mississauga ON**

**Database:**  
**CA**

**Certificate #:** 8941-5FVQSM  
**Application Year:** 2002  
**Issue Date:** 11/15/2002  
**Approval Type:** Municipal and Private Sewage Works



Status: Approved  
Application Type:  
Client Name:  
Client Address:  
Client City:  
Client Postal Code:  
Project Description:  
Contaminants:  
Emission Control:

---

**Site:** R.M. OF PEEL  
CAWTHRA RD. MISSISSAUGA CITY ON

**Database:**  
CA

Certificate #: 3-0880-86-  
Application Year: 86  
Issue Date: 7/10/1986  
Approval Type: Municipal sewage  
Status: Approved  
Application Type:  
Client Name:  
Client Address:  
Client City:  
Client Postal Code:  
Project Description:  
Contaminants:  
Emission Control:

---

**Site:** R.M. OF PEEL  
CAWTHRA RD. MISSISSAUGA CITY ON

**Database:**  
CA

Certificate #: 7-0704-86-  
Application Year: 86  
Issue Date: 7/10/1986  
Approval Type: Municipal water  
Status: Approved  
Application Type:  
Client Name:  
Client Address:  
Client City:  
Client Postal Code:  
Project Description:  
Contaminants:  
Emission Control:

---

**Site:** IMASCO R.I. INC.  
PT. LOT 10, CONC. 2 E.N.S. MISSISSAUGA CITY ON

**Database:**  
CA

Certificate #: 3-0234-96-  
Application Year: 96  
Issue Date: 6/13/1996  
Approval Type: Municipal sewage  
Status: Approved  
Application Type:  
Client Name:  
Client Address:  
Client City:  
Client Postal Code:  
Project Description:  
Contaminants:  
Emission Control:

---

**Site:** Terano Properties Inc.

**Database:**  
CA

**Lots 8, 9, and Part of Lot 10, Reg. Plan 334 Mississauga ON**

**Certificate #:** 7549-5SHNF6  
**Application Year:** 2003  
**Issue Date:** 10/21/2003  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Part of Lots 9 and 10, Concession 2 Mississauga ON**

**Database:**  
**CA**

**Certificate #:** 1738-4P6JYB  
**Application Year:** 00  
**Issue Date:** 9/18/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Di Blasio Corporation  
**Client Address:** 121 Brunel Road, Suite 220  
**Client City:** Mississauga  
**Client Postal Code:** L4Z 3E9  
**Project Description:** Storm and sanitary sewers to be constructed in the City of Mississauga, Regional Municipality of Peel  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Part of Lot 9 and 10, Concession 2 Mississauga ON**

**Database:**  
**CA**

**Certificate #:** 0200-4QQLCB  
**Application Year:** 00  
**Issue Date:** 11/6/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** 919848 Ontario Inc  
**Client Address:** 46 Ashbridge Circle  
**Client City:** Woodbridge  
**Client Postal Code:** L4L 3R5  
**Project Description:** Construction of Storm and Sanitary sewers in the City of Mississauga  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Part of Lots 9 & 10, Concession 1 Mississauga ON**

**Database:**  
**CA**

**Certificate #:** 7008-4RRQC3  
**Application Year:** 00  
**Issue Date:** 12/21/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Metrus South Properties Limited  
**Client Address:** 30 Floral Parkway  
**Client City:** Vaughan  
**Client Postal Code:** L4K 4R1  
**Project Description:** Construction of a stormwater management pond designed to provide 100 years post to pre- development water

quantity control, and 25 mm - 24 hour detention for water quality control. Construction of storm sewers and appurtenances to serve Warehouse Two Industrial Development

**Contaminants:**  
**Emission Control:**

---

**Site:** *Part of Lots 9 and 10, Concession 1 Mississauga ON*

**Database:**  
**CA**

**Certificate #:** 9697-53FLGC  
**Application Year:** 01  
**Issue Date:** 10/15/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Metrus South Properties Limited  
**Client Address:** 30 Floral Parkway  
**Client City:** Vaughan  
**Client Postal Code:** L4K 4R1  
**Project Description:** Construction of Storm Sewers  
**Contaminants:**  
**Emission Control:**

---

**Site:** *New Millennium Homes Limited  
Part of Lots 11, 12, 17, Concession 1 Mississauga ON*

**Database:**  
**CA**

**Certificate #:** 6310-5FCT5X  
**Application Year:** 2002  
**Issue Date:** 10/30/2002  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Derry Meadows, Phase 1  
Part of Lot 11 & 12 Mississauga ON*

**Database:**  
**CA**

**Certificate #:** 0772-4WENAL  
**Application Year:** 01  
**Issue Date:** 5/11/01  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Durbanpoint Developments Ltd.  
**Client Address:** Royalpark Way, Suite 65, Woodbridge  
**Client City:** Vaughan  
**Client Postal Code:** L4H 1J5  
**Project Description:** Sanitary and storm sewers, and foundation drain collectors to be constructed on Tenth Line West, Cactus Gate, Watergrove Road and Lowville Heights  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Cactus Gate and Crimson King Circle  
Part of Lot 11 and 12 Mississauga ON*

**Database:**  
**CA**

**Certificate #:** 1454-575LU4  
**Application Year:** 02  
**Issue Date:** 2/13/02

**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Pepperglen Estates Inc.  
**Client Address:** 40 Sheppard Avenue West, Suite 700  
**Client City:** Toronto  
**Client Postal Code:** M2N 6K9  
**Project Description:** This application is for approval to install sanitary and storm sewers and foundation collectors on Cactus Gate and King Circle  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Hindu Maha Sabha (Mississauga)*  
*Lot 11, Concession 1 South of Dundas Street Mississauga ON*

**Database:**  
*CA*

**Certificate #:** 6482-5F6GUT  
**Application Year:** 2002  
**Issue Date:** 10/24/2002  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Derry Meadows, Phase 1*  
*Part of Lot 11 & 12 Mississauga ON*

**Database:**  
*CA*

**Certificate #:** 0681-4RKR8W  
**Application Year:** 00  
**Issue Date:** 12/1/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Durbanpoint Developments Ltd.  
**Client Address:** Royalpark Way, Suite 65, Woodbridge  
**Client City:** Vaughan  
**Client Postal Code:** L4H 1J5  
**Project Description:** Storm, sanitary and FDC sewers to be constructed in the City of Mississauga.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *Golder Associates Innovative Applications (GAIA) Inc.*  
*Mobile Facility Mississauga ON*

**Database:**  
*CA*

**Certificate #:** 4249-8FXJU8  
**Application Year:** 2011  
**Issue Date:** 5/10/2011  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** Derry Meadows, Phase 1  
Part of Lot 11 & 12 Mississauga ON

**Database:**  
CA

**Certificate #:** 7132-4RKRK4  
**Application Year:** 00  
**Issue Date:** 12/1/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Durbanpoint Developments Ltd.  
**Client Address:** Royalpark Way, Suite 65, Woodbridge  
**Client City:** Vaughan  
**Client Postal Code:** L4H 1J5  
**Project Description:** Watermains to be constructed in the City of Mississauga.  
**Contaminants:**  
**Emission Control:**

**Site:** LAIDLAW CARRIERS INC.  
ON

**Database:**  
CONV

**File No:**  
**Crown Brief No:** 99-0032-0131  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** DISCHARGE OF CORN SYRUP INTO DUFFER IN CREEK THAT MAY CAUSE IMPAIRMENT TO THE QUALITY OF WATER.  
**Background:**  
**URL:**

**Location:**  
**Region:** CENTRAL REGION  
**Ministry District:** METRO

**--Details--**

**Publication Date:**  
**Count:** 1  
**Act:** OWRA  
**Regulation:**  
**Section:** 30(2)  
**Act/Regulation/Section:** OWRA- -30(2)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 5/24/00  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$7,500.00  
**Synopsis:**

**Publication Date:**  
**Count:** 1  
**Act:** OWRA  
**Regulation:**  
**Section:** 30(1)  
**Act/Regulation/Section:** OWRA- -30(1)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 5/24/00  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$10,000.00  
**Synopsis:**

**File No:**  
**Crown Brief No:**  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** FAILED TO COMPLY WITH CONDITIONS OF C. OF A.  
**Background:**  
**URL:**

**--Details--**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27(A)  
**Act/Regulation/Section:** EPA- -27(A)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 1991  
**Charge Disposition:**  
**Fine:** 5000  
**Synopsis:**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 145&146(1)  
**Act/Regulation/Section:** EPA- -145&146(1)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 1991  
**Charge Disposition:**  
**Fine:** 8000  
**Synopsis:**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 145&146(1)  
**Act/Regulation/Section:** EPA- -145&146(1)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 1991  
**Charge Disposition:**  
**Fine:** 8000  
**Synopsis:**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 27(A)  
**Act/Regulation/Section:** EPA- -27(A)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 1991

**Charge Disposition:**  
**Fine:** 14000  
**Synopsis:**

---

**Site:** **Lafarge Canada Inc.**  
**Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA ON**

**Database:**  
**EBR**

**EBR Registry No.:** 012-0865  
**Ministry Ref. No.:** 1030-9DTKGN  
**Notice Type:** Instrument Decision  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Proposal Date:** January 20, 2014  
**Notice Pub Date:** March 20, 2017  
**Year:** 2014

**Location:**

Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA

---

**Site:** **Imperial Oil Ltd.**  
**Part of Lots 11 and 12, Range 1, Credit Indian Reserve CITY OF MISSISSAUGA ON**

**Database:**  
**EBR**

**EBR Registry No.:** IA7E1529  
**Ministry Ref. No.:** CR97007  
**Notice Type:** Instrument Decision  
**Company Name:** Imperial Oil Ltd.  
**Proponent Name:**  
**Proposal Address:** Toronto Division, 111 St. Clair Ave.W., Toronto Ontario, M5W 1K3  
**Instrument Type:** (EPA s. 46) - Approval for use of a former waste disposal site.  
**Location Other:**  
**URL:**

**Proposal Date:** October 09, 1997  
**Notice Pub Date:** November 30, 1998  
**Year:** 1997

**Location:**

Part of Lots 11 and 12, Range 1, Credit Indian Reserve CITY OF MISSISSAUGA

---

**Site:** **Lafarge Canada Inc.**  
**Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA ON**

**Database:**  
**EBR**

**EBR Registry No.:** 012-1229  
**Ministry Ref. No.:** 4414-9FVPMZ  
**Notice Type:** Instrument Decision  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Proposal Date:** March 10, 2014  
**Notice Pub Date:** March 22, 2017  
**Year:** 2014

**Location:**

Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA

---

**Site:** **Lafarge Canada Inc.**  
**Portable Facility Mississauga Regional Municipality of Peel CITY OF MISSISSAUGA ON**

**Database:**  
**EBR**

**EBR Registry No.:** 012-8311  
**Ministry Ref. No.:** 5294-ABRJXY  
**Proposal Date:** August 02, 2016  
**Notice Pub Date:** November 14, 2017

**Notice Type:** Instrument Decision **Year:** 2016  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Location:**

Portable Facility Mississauga Regional Municipality of Peel CITY OF MISSISSAUGA

---

**Site:** *Tri-Phase Environmental Inc.*  
*Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA ON*

**Database:**  
[EBR](#)

**EBR Registry No.:** 011-3636 **Proposal Date:** May 24, 2011  
**Ministry Ref. No.:** 1830-8GDRT9 **Notice Pub Date:** November 02, 2011  
**Notice Type:** Instrument Decision **Year:** 2011  
**Company Name:** Tri-Phase Environmental Inc.  
**Proponent Name:**  
**Proposal Address:** 446 Hazelhurst Road, Mississauga Ontario, Canada L5J 2Z7  
**Instrument Type:** (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  
**Location Other:**  
**URL:**

**Location:**

Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA

---

**Site:** *Lafarge Canada Inc.*  
*Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA ON*

**Database:**  
[EBR](#)

**EBR Registry No.:** 012-1278 **Proposal Date:** March 12, 2014  
**Ministry Ref. No.:** 2130-9GYSD6 **Notice Pub Date:** March 21, 2017  
**Notice Type:** Instrument Decision **Year:** 2014  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Location:**

Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA

---

**Site:** *Lafarge Canada Inc.*  
*Mobile Facility Mississauga, Regional Municipality of Peel CITY OF MISSISSAUGA ON*

**Database:**  
[EBR](#)

**EBR Registry No.:** 012-1272 **Proposal Date:** March 12, 2014  
**Ministry Ref. No.:** 3574-9GHPUV **Notice Pub Date:** March 06, 2017  
**Notice Type:** Instrument Decision **Year:** 2014  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Location:**



---

**Site:** Lafarge Canada Inc.  
Mobile Facility CITY OF MISSISSAUGA ON

**Database:**  
EBR

**EBR Registry No.:** 012-2498  
**Ministry Ref. No.:** 9796-9MKHED  
**Notice Type:** Instrument Decision  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Proposal Date:** September 05, 2014  
**Notice Pub Date:** September 18, 2017  
**Year:** 2014

**Location:**

Mobile Facility CITY OF MISSISSAUGA

---

**Site:** Lafarge Canada Inc.  
Mobile Mississauga, Regional Municipality Of Peel CITY OF MISSISSAUGA ON

**Database:**  
EBR

**EBR Registry No.:** 012-1090  
**Ministry Ref. No.:** 3068-9FFKME  
**Notice Type:** Instrument Decision  
**Company Name:** Lafarge Canada Inc.  
**Proponent Name:**  
**Proposal Address:** 6509 Airport Road, Mississauga Ontario, Canada L4V 1S7  
**Instrument Type:** (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)  
**Location Other:**  
**URL:**

**Proposal Date:** February 14, 2014  
**Notice Pub Date:** March 06, 2017  
**Year:** 2014

**Location:**

Mobile Mississauga, Regional Municipality Of Peel CITY OF MISSISSAUGA

---

**Site:** 1068342 Ontario Limited  
Lot 11, Concession 1 CITY OF MISSISSAUGA ON

**Database:**  
EBR

**EBR Registry No.:** IA7E1116  
**Ministry Ref. No.:** A680260  
**Notice Type:** Instrument Decision  
**Company Name:** 1068342 Ontario Limited  
**Proponent Name:**  
**Proposal Address:** 2524 Cawthra Road, Mississauga Ontario, L5A 2X3  
**Instrument Type:** (EPA s. 27) - Approval for a waste disposal site.  
**Location Other:**  
**URL:**

**Proposal Date:** July 30, 1997  
**Notice Pub Date:** February 03, 1997  
**Year:** 1997

**Location:**

Lot 11, Concession 1 CITY OF MISSISSAUGA

---

**Site:** The Regional Municipality of Peel  
Cawthra Rd (From Bloor Street to Dundas Street) Mississauga ON L6T 4B9

**Database:**  
ECA

**Approval No:** 9142-ASNH4X  
**Approval Date:** 2017-11-01  
**Status:** Approved  
**SWP Area Name:**  
**MOE District:**  
**City:** Mississauga

**Record Type:** ECA **Longitude:**  
**Link Source:** IDS **Latitude:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:** Cawthra Rd (From Bloor Street to Dundas Street)  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/4913-ASERFT-14.pdf>

---

**Site:** **Goldier Associates Innovative Applications (GAIA) Inc.** **Database:**  
**Mobile Facility Mississauga ON L5N 5Z7** **ECA**

**Approval No:** 4249-8FXJU8 **SWP Area Name:**  
**Approval Date:** 2011-05-10 **MOE District:**  
**Status:** Approved **City:** Mississauga  
**Record Type:** ECA **Longitude:**  
**Link Source:** IDS **Latitude:**  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/6893-8A7H3H-14.pdf>

---

**Site:** **Lafarge Canada Inc.** **Database:**  
**Portable Facility Mississauga ON L4V 1S7** **ECA**

**Approval No:** 1143-ASMHQV **SWP Area Name:**  
**Approval Date:** 2017-11-08 **MOE District:**  
**Status:** Approved **City:** Mississauga  
**Record Type:** ECA **Longitude:**  
**Link Source:** IDS **Latitude:**  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Portable Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/5294-ABRJXY-14.pdf>

---

**Site:** **Lafarge Canada Inc.** **Database:**  
**Mobile Facility Mississauga ON L4V 1S7** **ECA**

**Approval No:** undefined **SWP Area Name:** undefined  
**Approval Date:** 1970-01-01 **MOE District:** undefined  
**Status:** Approved **City:**  
**Record Type:** ECA **Longitude:** 0.0000000000000000  
**Link Source:** IDS **Latitude:** 0.0000000000000000  
**Approval Type:** ECA-Air  
**Project Type:** Air  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3574-9GHPUV-13.pdf>

---

**Site:** **Terano Properties Inc.** **Database:**  
**Lots 8 9 and Part of Lot 10 Reg. Plan 334 Mississauga ON L4L 8G7** **ECA**

**Approval No:** 7549-5SHNF6 **SWP Area Name:**  
**Approval Date:** 2003-10-21 **MOE District:**  
**Status:** Approved **City:** Mississauga  
**Record Type:** ECA **Longitude:**  
**Link Source:** IDS **Latitude:**  
**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS  
**Address:** Lots 8 9 and Part of Lot 10 Reg. Plan 334  
**Full Address:**

---

**Site:** *Tri-Phase Environmental Inc.*  
**Mobile Facility** *Mississauga ON L5J 2Z7*

**Database:**  
[ECA](#)

**Approval No:** 0901-8LQQ2K  
**Approval Date:** 2011-10-26  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/1830-8GDRT9-13.pdf>

**SWP Area Name:**  
**MOE District:**  
**City:** Mississauga  
**Longitude:**  
**Latitude:**

**Site:** *Lafarge Canada Inc.*  
**Mobile Facility** *Mississauga ON L4V 1S7*

**Database:**  
[ECA](#)

**Approval No:** 9617-AQSK56  
**Approval Date:** 2017-09-12  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/9796-9MKHED-14.pdf>

**SWP Area Name:**  
**MOE District:**  
**City:** Mississauga  
**Longitude:**  
**Latitude:**

**Site:** *Lafarge Canada Inc.*  
**Mobile Facility** *Mississauga ON L4V 1S7*

**Database:**  
[ECA](#)

**Approval No:** 8847-AKJQZE  
**Approval Date:** 2017-03-17  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/2257-AKHFKF-14.pdf>

**SWP Area Name:**  
**MOE District:**  
**City:** Mississauga  
**Longitude:**  
**Latitude:**

**Site:** *Lafarge Canada Inc.*  
**Mobile Facility** *Mississauga ON L4V 1S7*

**Database:**  
[ECA](#)

**Approval No:** 5284-AJEK9T  
**Approval Date:** 2017-02-28  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3068-9FFKME-14.pdf>

**SWP Area Name:**  
**MOE District:**  
**City:** Mississauga  
**Longitude:**  
**Latitude:**

**Site:** *Lafarge Canada Inc.*  
**Mobile Facility** *Mississauga ON L4V 1S7*

**Database:**  
[ECA](#)

**Approval No:** 1555-AJSQPB  
**Approval Date:** 2017-02-28  
**Status:** Approved  
**Record Type:** ECA  
**Link Source:** IDS  
**Approval Type:** ECA-AIR  
**Project Type:** AIR  
**Address:** Mobile Facility  
**Full Address:**  
**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/3574-9GHPUV-13.pdf>

**SWP Area Name:**  
**MOE District:**  
**City:** Mississauga  
**Longitude:**  
**Latitude:**

---

**Site:** **Eastgate Parkway (see below) Mississauga ON**

**Database:**  
**EHS**

**Order No:** 20090805001  
**Status:** C  
**Report Type:** Custom Report  
**Report Date:** 8/13/2009  
**Date Received:** 8/5/2009  
**Previous Site Name:**  
**Lot/Building Size:** 2 km in length  
**Additional Info Ordered:**

**Nearest Intersection:** Eastgate and Dixie  
**Municipality:**  
**Client Prov/State:** ON  
**Search Radius (km):** 0.25  
**X:** -79.621093  
**Y:** 1

---

**Site:** **Texaco Inc**  
**Lots 9-12, Concession Range 1 City of Mississauga ON**

**Database:**  
**LIMO**

**ECA/Instrument No:** A220108  
**Site Name:**  
**Oper Status 2016:** Closed  
**C of A Issue Date:** 6/16/1974  
**C of A Issued to:**  
**Lndfl Gas Mgmt (P):**  
**Lndfl Gas Mgmt (F):**  
**Lndfl Gas Mgmt (E):**  
**Lndfl Gas Mgmt Sys:**  
**Landfill Gas Mntr:**  
**Leachate Coll Sys:**  
**ERC Est Vol (m3):**  
**ERC Volume Unit:**  
**ERC Dt Last Det:**  
**Landfill Type:**  
**Source File Type:**  
**Fill Rate:**  
**Fill Rate Unit:**  
**Tot Fill Area (ha):**  
**Tot Site Area (ha):**  
**Footprint:**  
**Tot Apprv Cap (m3):**  
**Contam Atten Zone:**  
**Grndwtr Mntr:**  
**Surf Wtr Mntr:**  
**Approved Waste Type:**  
**Client Site Name:**  
**ERC Methodology:**  
**Site Location Details:**  
**Service Area:**

**Air Emis Monitor:**  
**Natural Attenuation:**  
**Liners:**  
**Cover Material:**  
**Leachate Off-Site:**  
**Leachate On Site:**  
**Req Coll Lndfl Gas:**  
**Lndfl Gas Coll:**  
**Total Waste Rec:**  
**TWR Methodology:**  
**TWR Unit:**  
**Tot Aprv Cap Unit:**  
**Financial Assurance:**  
**Last Report Year:**  
**MOE Region:** Central  
**MOE District:** Halton-Peel  
**Site County:** Peel  
**Lot:**  
**Concession:**  
**Latitude:**  
**Longitude:**  
**Easting:**  
**Northing:**  
**UTM Zone:**  
**Data Source:** small landfills

---

**Site:** **PEEL BOARD OF EDUCATION**  
**CAWTHRA ROAD SECONDARY SCHOOL MISSISSAUGA ON**

**Database:**  
**NPCB**

**Company Code:** O0208B  
**Industry:** SCHOOL/CARE/FACILITY  
**Site Status:** STORAGE ONLY (NON FEDERAL)  
**Transaction Date:** 8/31/1993

**Inspection Date:**

**--Details--**

**Label:** OR20362  
**Serial No.:** EG145  
**PCB Type/Code:** ASKAREL/ASKAREL  
**Location:**  
**Item/State:** TRANSFORMER/FULL  
**No. of Items:** 1  
**Manufacturer:**  
**Status:** STORED FOR DISPOSAL  
**Contents:** 1965 L

---

**Site:** **PEEL BOARD OF EDUCATION**  
**CAWTHRA ROAD SECONDARY SCHOOL Mississauga ON**

**Database:**  
**NPCB**

**Company Code:** O0208B  
**Industry:** School/Care/Facility  
**Site Status:** Stored for Disposal  
**Transaction Date:** 3/21/1990  
**Inspection Date:**

**--Details--**

**Label:**  
**Serial No.:**  
**PCB Type/Code:** Askarel/Askarel  
**Location:** IN STORAGE 3214 MAVIS ROAD  
**Item/State:**  
**No. of Items:**  
**Manufacturer:**  
**Status:** Stored for disposal  
**Contents:**

---

**Site:** **PEEL BOARD OF EDUCATION**  
**CAWTHRA ROAD SECONDARY SCHOOL CAWTHRA ROAD SECONDARY SCHOOL MISSISSAUGA ON**

**Database:**  
**NPCB**

**Company Code:** O0208B  
**Industry:**  
**Site Status:**  
**Transaction Date:**  
**Inspection Date:**

**--Details--**

**Label:**  
**Serial No.:**  
**PCB Type/Code:**  
**Location:**  
**Item/State:**  
**No. of Items:**  
**Manufacturer:**  
**Status:** In-Storage  
**Contents:**

---

**Site:** **Enbridge Pipelines Inc.**  
**Lot 1 to 11, Concession 2, North of Dundas Street Toronto, City of Mississauga, Regional Municipality of Peel**  
**REGIONAL MUNICIPALITY OF PEEL ON**

**Database:**  
**PTTW**

**EBR Registry No.:** 012-5350  
**Ministry Ref. No.:** 1414-A2VV4S  
**Notice Type:** Instrument Decision  
**Company Name:** Enbridge Pipelines Inc.  
**Proposal Date:** October 16, 2015  
**Notice Date:** February 24, 2017  
**Year:** 2015

**Proponent Name:**  
**Proposal Address:** 10130 103 Street, Edmonton Alberta, Canada T5J 3N7  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Location Other:**  
**URL:**

**Location:**

Lot 1 to 11, Concession 2, North of Dundas Street Toronto, City of Mississauga, Regional Municipality of Peel REGIONAL MUNICIPALITY OF PEEL

---

**Site:** *The Corporation of the City of Mississauga*  
*Lot 1, Concession 1 and Lots 11 and 12, Concession 2, City of Mississauga, Regional Municipality of CITY OF MISSISSAUGA ON*

**Database:**  
*PTTW*

**EBR Registry No.:** 012-2796  
**Ministry Ref. No.:** 6625-9PNFLV  
**Notice Type:** Instrument Decision  
**Company Name:** The Corporation of the City of Mississauga  
**Proponent Name:**  
**Proposal Address:** 201 City Centre Drive , Suite 800, Mississauga Ontario, Canada L5B2T4  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Location Other:**  
**URL:**

**Proposal Date:** October 10, 2014  
**Notice Date:** January 06, 2015  
**Year:** 2014

**Location:**

Lot 1, Concession 1 and Lots 11 and 12, Concession 2, City of Mississauga, Regional Municipality of CITY OF MISSISSAUGA

---

**Site:** *Derrydale Golf Course Ltd.*  
*Lot 11, Concession 1 Mississauga ON*

**Database:**  
*PTTW*

**EBR Registry No.:** IA01E0901  
**Ministry Ref. No.:** 01-P-3040  
**Notice Type:** Instrument Decision  
**Company Name:** Derrydale Golf Course Ltd.  
**Proponent Name:**  
**Proposal Address:** 185 Derry Road West, Mississauga Ontario, L5M 2B5  
**Instrument Type:** (OWRA s. 34) - Permit to Take Water  
**Location Other:**  
**URL:**

**Proposal Date:** July 12, 2001  
**Notice Date:** May 17, 2005  
**Year:** 2001

**Location:**

Lot 11, Concession 1 Mississauga

---

**Site:** *PPM INC. - PETRO CAN. INC.*  
*PETRO CANADA INC. TRAFALGAR REFINERY MISSISSAUGA ON*

**Database:**  
*REC*

**Rec Op Div:**  
**Co Admin:**  
**Phone No Admin:**  
**Rec Div:**  
**Rec Op Name:**  
**Choice of Contact:**  
**Site Bldg:**  
**Site PO Box:**  
**Receiver #:** A210416  
**Facility Type:**  
**Approval Yrs:** 06,07,08

**Site:** PETRO-CANADA SERVICE STATION \ MISSISSAUGA CITY ON **Database:**  
SPL

<b>Ref No:</b> 123672	<b>Discharger Report:</b>
<b>Site No:</b>	<b>Material Group:</b>
<b>Incident Dt:</b> 2/16/1996	<b>Client Type:</b>
<b>Year:</b>	<b>Sector Type:</b>
<b>Incident Cause:</b>	<b>Source Type:</b>
<b>Incident Event:</b>	<b>Nearest Watercourse:</b>
<b>Contaminant Code:</b>	<b>Site Name:</b>
<b>Contaminant Name:</b>	<b>Site Address:</b>
<b>Contaminant Limit 1:</b>	<b>Site District Office:</b>
<b>Contam Limit Freq 1:</b>	<b>Site County/District:</b>
<b>Contaminant UN No 1:</b>	<b>Site Postal Code:</b>
<b>Contaminant Qty:</b>	<b>Site Region:</b>
<b>Environment Impact:</b>	<b>Site Municipality:</b> 21102
<b>Nature of Impact:</b>	<b>Site Lot:</b>
<b>Receiving Medium:</b> LAND	<b>Site Conc:</b>
<b>Receiving Env:</b>	<b>Northing:</b>
<b>Health/Env Conseq:</b>	<b>Easting:</b>
<b>MOE Response:</b>	<b>Site Geo Ref Accu:</b>
<b>Dt MOE Arvl on Scn:</b>	<b>Site Geo Ref Meth:</b>
<b>MOE Reported Dt:</b> 2/16/1996	<b>Site Map Datum:</b>
<b>Dt Document Closed:</b>	
<b>Agency Involved:</b>	
<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	
<b>Incident Summary:</b>	

**Site:** Petro-Canada Lubricants Inc. **Database:**  
SPL  
Clarkson Refinery Mississauga ON L5J 2Y3

<b>Ref No:</b> 8266-8BEHLC	<b>Discharger Report:</b>
<b>Site No:</b>	<b>Material Group:</b>
<b>Incident Dt:</b>	<b>Client Type:</b>
<b>Year:</b>	<b>Sector Type:</b> Other
<b>Incident Cause:</b> Unknown	<b>Source Type:</b>
<b>Incident Event:</b>	<b>Nearest Watercourse:</b>
<b>Contaminant Code:</b>	<b>Site Name:</b> 385 Southdown Road
<b>Contaminant Name:</b>	<b>Site Address:</b>
<b>Contaminant Limit 1:</b>	<b>Site District Office:</b>
<b>Contam Limit Freq 1:</b>	<b>Site County/District:</b>
<b>Contaminant UN No 1:</b>	<b>Site Postal Code:</b>
<b>Contaminant Qty:</b>	<b>Site Region:</b>
<b>Environment Impact:</b> Not Anticipated	<b>Site Municipality:</b>
<b>Nature of Impact:</b> Other Impact(s)	<b>Site Lot:</b>
<b>Receiving Medium:</b>	<b>Site Conc:</b>
<b>Receiving Env:</b>	<b>Northing:</b> NA
<b>Health/Env Conseq:</b>	<b>Easting:</b> NA
<b>MOE Response:</b>	<b>Site Geo Ref Accu:</b>
<b>Dt MOE Arvl on Scn:</b>	<b>Site Geo Ref Meth:</b>
<b>MOE Reported Dt:</b> 11/21/2010	<b>Site Map Datum:</b>
<b>Dt Document Closed:</b>	
<b>Agency Involved:</b>	
<b>SAC Action Class:</b> Land Spills	
<b>Incident Reason:</b> Unknown - Reason not determined	
<b>Incident Summary:</b> Petro-Canada Lubricants: spill of dewaxed oil to property	

**Site:** SHELL CANADA PRODUCTS LTD. **Database:**  
SPL  
SERVICE STATION MISSISSAUGA CITY ON

<b>Ref No:</b> 171229	<b>Discharger Report:</b>
<b>Site No:</b>	<b>Material Group:</b>
<b>Incident Dt:</b> 8/7/1999	<b>Client Type:</b>
<b>Year:</b>	<b>Sector Type:</b>

**Incident Cause:** CONTAINER OVERFLOW  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 8/7/1999  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** SHELL STATION-15 L GASOL-INE TO PVMT, SML QTY TO C-BASIN. REGION.

**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** REGION OF PEEL  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **Petro-Canada Lubricants Inc.**  
**Clarkson Refinery Mississauga ON L5J 2Y3**

**Database:**  
**SPL**

**Ref No:** 2822-86QNM  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Valve / Fitting Leak Or Failure  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** Not Anticipated  
**Nature of Impact:** Surface Water Pollution  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/24/2010  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:** Watercourse Spills  
**Incident Reason:** Equipment Failure - Malfunction of system components  
**Incident Summary:** Petro Canada Lubricants; leak of chlorinated water from line

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Other  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** 385 Southdown Road  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:** NA  
**Easting:** NA  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **PETRO-CANADA**  
**TANK TRUCK (CARGO) MISSISSAUGA CITY ON**

**Database:**  
**SPL**

**Ref No:** 51137  
**Site No:**  
**Incident Dt:** 5/24/1991  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**



**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 5/24/1991  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** PETRO CANADA - 50 L. OF GAS TO GROUND AT 2125 DUNDAS STREET

**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **Petro-Canada**  
**Clarkson Refinery Mississauga ON**

**Database:**  
**SPL**

**Ref No:** 1288-8C2A4E  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Valve / Fitting Leak Or Failure  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** Possible  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 12/11/2010  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:** Land Spills  
**Incident Reason:** Unknown - Reason not determined  
**Incident Summary:** 4L DMDS injection to concrete, cleaning

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** 385 Southdown Road  
**Site Address:** Clarkson Refinery  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Mississauga  
**Site Lot:**  
**Site Conc:**  
**Northing:** NA  
**Easting:** NA  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** **IMPERIAL OIL LTD.**  
**BULK STATION/STORAGE DEPOT MISSISSAUGA CITY ON**

**Database:**  
**SPL**

**Ref No:** 110613  
**Site No:**  
**Incident Dt:** 3/6/1995  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 3/6/1995

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** MCCR  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Dt Document Closed:**

**Agency Involved:**

**SAC Action Class:**

**Incident Reason:**

**Incident Summary:**

GASKET/JOINT

IMPERIAL OIL: 30L DIESEL FUEL TO CONCRETE PAD & OIL/WATER SEPARATOR:MCCR

---

**Site:** EAGLEBROOK ENVIRONMENTAL  
TANK TRUCK (CARGO) MISSISSAUGA CITY ON

**Database:**  
SPL

**Ref No:** 31239  
**Site No:**  
**Incident Dt:** 2/22/1990  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 2/22/1990  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** EAGLEBROOK ENV.-25 L DIESEL FUEL TO WATER FILLED DITCH.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** M.O.E.  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** SHELL CANADA PRODUCTS LTD.  
CAR WASH AT THIS STATION SERVICE STATION MISSISSAUGA CITY ON

**Database:**  
SPL

**Ref No:** 192920  
**Site No:**  
**Incident Dt:** 1/4/2001  
**Year:**  
**Incident Cause:** PIPE/HOSE LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** Possible  
**Nature of Impact:** Other  
**Receiving Medium:** Water  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/5/2001  
**Dt Document Closed:**  
**Agency Involved:** TSSA, WORKS  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** SHELL: SPILL OF 20 L OF HYDRAULIC FLUID IN CAR WASH - TO INTERCEPTOR.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** IMPERIAL OIL  
ESSO SERVICE STATION MISSISSAUGA CITY ON

**Database:**  
SPL

<b>Ref No:</b>	118444	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	9/13/1995	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	CONTAINER OVERFLOW	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE	<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Multi Media Pollution	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	WORKS, MCCR
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	9/13/1995	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	ERROR		
<b>Incident Summary:</b>	IMPERIAL OIL: 75L DIESEL FUEL TO ASPHALT,SEPARATOR& CATCHBASIN: CLEANING UP		

**Site:** PETRO-CANADA  
SERVICE STATION MISSISSAUGA CITY ON

**Database:**  
SPL

<b>Ref No:</b>	8408	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	8/21/1988	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>		<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	8/21/1988	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	ERROR		
<b>Incident Summary:</b>	PETROCAN SERVICE CENTRE - UNKNOWN AMOUNT (SMALL) OF GASOLINE TO PAVEMENT.		

**Site:** Imperial Oil Limited  
Mississauga ON

**Database:**  
SPL

<b>Ref No:</b>	0332-8RFT59	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	13-FEB-12	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>		<b>Source Type:</b>	

<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13	<b>Site Name:</b>	ESSO Card Lock @ 7055 Torbram Road<UNOFFICIAL>
<b>Contaminant Name:</b>	PETROLEUM DISTILLATES (N.O.S.)	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Sewage - Municipal/Private and Commercial	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	13-FEB-12	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>			
<b>SAC Action Class:</b>	Land Spills		
<b>Incident Reason:</b>			
<b>Incident Summary:</b>	I.O.L.-Ukn Qty Petroleum to Ground at Card Lock		

**Site:** **IMPERIAL OIL** **Database:** **SPL**  
**ESSO SERVICE STATION MISSISSAUGA CITY ON**

<b>Ref No:</b>	110268	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	2/22/1995	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	PIPE/HOSE LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	CONFIRMED	<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>	Multi Media Pollution	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND / WATER	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	PEEL REG., CITY WORKS
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2/22/1995	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	EQUIPMENT FAILURE		
<b>Incident Summary:</b>	IMPERIAL OIL: 60L DIESEL FUEL TO CONCRETE PAD,ROAD& CATCHBASIN: WORKS		

**Site:** **SHELL CANADA PRODUCTS LTD.** **Database:** **SPL**  
**SERVICE STATION MISSISSAUGA CITY ON**

<b>Ref No:</b>	119536	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	10/11/1995	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	CONTAINER OVERFLOW	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	

**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 10/11/1995  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** ERROR  
**Incident Summary:** SHELL SERV STN-1L GAS TO PVMT, NO DRAINS OR ENV IMP. CLEANED.

**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** ONTARIO HYDRO  
"HAIG JUNCTION" (SOUTH SERVICE RD. QEW, BETWEEN DIXIE AND CAWTHRA RDS. TRANSFORMER  
MISSISSAUGA CITY ON

**Database:**  
SPL

**Ref No:** 43019  
**Site No:**  
**Incident Dt:** 11/4/1990  
**Year:**  
**Incident Cause:** VALVE/FITTING LEAK OR FAILURE  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/4/1990  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** ONTARIO HYDRO - 20 L. LINE INSULATING OIL TO GROUND, CONTAINED.

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** TRANSPORT TRUCK  
STORM SEWER ON SOUTH SERVICE ROAD, JUST EAST OF HWY 10. MOTOR VEHICLE (OPERATING FLUID)  
MISSISSAUGA CITY ON

**Database:**  
SPL

**Ref No:** 138234  
**Site No:**  
**Incident Dt:** 3/14/1997  
**Year:**  
**Incident Cause:** OTHER TRANSPORTATION ACCIDENT  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Multi Media Pollution  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** OPP, WORKS, MTO  
**Site Geo Ref Accu:**

**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 3/14/1997  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:**  
**Incident Summary:**

**Site Geo Ref Meth:**  
**Site Map Datum:**  
  
ADVERSE ROAD CONDITION  
GAY LEA FOODS: 225 L OF DIESEL TO ROAD AND STORM SEWER, OPP,WORKS

---

**Site:** **MISSISSAUGA TRANSIT**  
**RATHBURN ROAD, 200M SOUTH OF DUKE OF YORK MOTOR VEHICLE (OPERATING FLUID) MISSISSAUGA CITY ON**

**Database:**  
**SPL**

**Ref No:** 129336  
**Site No:**  
**Incident Dt:** 7/17/1996  
**Year:**  
**Incident Cause:** COOLING SYSTEM LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 7/17/1996  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** EQUIPMENT FAILURE  
**Incident Summary:** MISSISSAUGA TRANSIT - BUS LOST 10L COOLANT TO ROAD & C.BASIN. CLEANED

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** PEEL REGION  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **SHIPPIGAN FISHERIES**  
**QEW TRANSPORT TRUCK (CARGO) MISSISSAUGA CITY ON**

**Database:**  
**SPL**

**Ref No:** 31678  
**Site No:**  
**Incident Dt:** 3/6/1990  
**Year:**  
**Incident Cause:** OTHER TRANSPORTATION ACCIDENT  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 3/6/1990  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** ADVERSE ROAD CONDITION  
**Incident Summary:** SHIPPIGAN FISHERIES: 150LDIESEL FUEL TO ROADWAY

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:**  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** FIRE DEPT, MOT, OPP  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** QEW EB near Cawthra Ave Mississauga ON

**Database:**  
SPL

<b>Ref No:</b>	8313-A9FCFC	<b>Discharger Report:</b>	
<b>Site No:</b>	NA	<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/04/28	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Cause:</b>		<b>Source Type:</b>	
<b>Incident Event:</b>	Collision/Accident	<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13	<b>Site Name:</b>	TT Accident<UNOFFICIAL>
<b>Contaminant Name:</b>	DIESEL FUEL	<b>Site Address:</b>	QEW EB near Cawthra Ave
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0 other - see incident description	<b>Site Region:</b>	
<b>Environment Impact:</b>		<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land	<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>	Yes	<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>	2016/04/28	<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2016/04/28	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>			
<b>SAC Action Class:</b>	Highway Spills (usually highway accidents)		
<b>Incident Reason:</b>	Unknown / N/A		
<b>Incident Summary:</b>	Dynamex- QEW- Diesel to Catch basin		

**Site:** QEW-WESTBOUND, WEST OF CAWTHRA - QEW<UNOFFICIAL> Mississauga ON

**Database:**  
SPL

<b>Ref No:</b>	4448-6RVQ3Y	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	Wastes
<b>Incident Dt:</b>	7/20/2006	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Transport Truck
<b>Incident Cause:</b>	Other Transport Accident	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	41	<b>Site Name:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL AND WATER MIXTURE	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	500 L	<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible	<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Human Health/Safety; Surface Water Pollution	<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Water	<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>		<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	7/20/2006	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>			
<b>SAC Action Class:</b>			
<b>Incident Reason:</b>	Error- Operator error		
<b>Incident Summary:</b>	MVA: QEW/Cawthra, fully engulfed tractor-trailer CB impacted.		

**Site:** Transportation Network Carrier<UNOFFICIAL>  
QEW, Eastbound Lane - Just east of Hwy 10 Mississauga ON

**Database:**  
SPL

<b>Ref No:</b>	8830-877QB3	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	

**Incident Dt:**  
**Year:**  
**Incident Cause:** Other Transport Accident  
**Incident Event:**  
**Contaminant Code:** 13

**Contaminant Name:** DIESEL FUEL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 300 L  
**Environment Impact:** Confirmed  
**Nature of Impact:** Surface Water Pollution  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 7/9/2010  
**Dt Document Closed:**

**Agency Involved:**  
**SAC Action Class:** Watercourse Spills  
**Incident Reason:** Equipment Failure - Malfunction of system components  
**Incident Summary:** TT MVA on QEW - EB, 250-300L to grnd & CBs

**Client Type:**  
**Sector Type:** Transport Truck  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** QEW, Eastbound Lane - East of Hwy 10<UNOFFICIAL>

**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **The Regional Municipality of Peel**  
**NORTH SERVICE RD. BETWEEN COOKSVILLE CREEK & WEST CLIFF RD.<UNOFFICIAL> Mississauga ON**

**Database:**  
**SPL**

**Ref No:** 7166-5RW779  
**Site No:**  
**Incident Dt:** 9/30/2003  
**Year:**  
**Incident Cause:** Other Discharges  
**Incident Event:**  
**Contaminant Code:** 44

**Contaminant Name:** SEWAGE,RAW UNCHLORINATED  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:** Possible  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:** Land  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 9/30/2003  
**Dt Document Closed:**

**Agency Involved:**  
**SAC Action Class:** Spills  
**Incident Reason:**  
**Incident Summary:** Sewage surging from manhole.

**Discharger Report:**  
**Material Group:** Waste  
**Client Type:**  
**Sector Type:** Other Plant - Sewage Municipal  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** NORTH SERVICE RD. BETWEEN COOKSVILLE CREEK & WEST CLIFF RD.<UNOFFICIAL>

**Site Address:**  
**Site District Office:** Halton-Peel  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:** Central  
**Site Municipality:** Mississauga  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

---

**Site:** **Hillman Crs, Just West of Rymal Road Mississauga ON**

**Database:**  
**SPL**

**Ref No:** 3626-ACCKRG  
**Site No:** NA  
**Incident Dt:** 2016/07/30  
**Year:**  
**Incident Cause:**  
**Incident Event:** Leak/Break  
**Contaminant Code:** 43

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Miscellaneous Communal  
**Source Type:**  
**Nearest Watercourse:** Cooksville Creek  
**Site Name:** Sediment<UNOFFICIAL>



<b>Contaminant Name:</b>	SEDIMENT(SUSPENDED SOLIDS/ SAND/ SILT)	<b>Site Address:</b>	Hillman Crs, Just West of Rymal Road
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	0 other - see incident description	<b>Site Region:</b>	
<b>Environment Impact:</b>		<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>	Surface Water	<b>Northing:</b>	4827303
<b>Health/Env Conseq:</b>		<b>Easting:</b>	611357
<b>MOE Response:</b>	No	<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	2016/07/30	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>	Watercourse Spills		
<b>SAC Action Class:</b>	Unknown / N/A		
<b>Incident Reason:</b>			
<b>Incident Summary:</b>	Watermain Break- Sediment to Cooksville Creek		

**Site:** **East of Dundas Street Mississauga ON** **Database:**  
**SPL**

<b>Ref No:</b>	7253-8WZCEH	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	09-AUG-12	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	Transport Truck
<b>Incident Cause:</b>	Other Transport Accident	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>	13	<b>Site Name:</b>	Highway 403 Westbound (Right shoulder)<UNOFFICIAL> East of Dundas Street
<b>Contaminant Name:</b>	DIESEL FUEL	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>	367 L	<b>Site Region:</b>	
<b>Environment Impact:</b>	Not Anticipated	<b>Site Municipality:</b>	Mississauga
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>Health/Env Conseq:</b>		<b>Easting:</b>	
<b>MOE Response:</b>	No Field Response	<b>Site Geo Ref Accu:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Meth:</b>	
<b>MOE Reported Dt:</b>	09-AUG-12	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>			
<b>Agency Involved:</b>	Highway Spills (usually highway accidents)		
<b>SAC Action Class:</b>	Spill		
<b>Incident Reason:</b>			
<b>Incident Summary:</b>	Hwy 403, TT dsl tank ruptured, dsl to shoulder/ditch		

**Site:** **TRANSPORT TRUCK** **Database:**  
**SPL**  
**LOYALIST CREEK (SOUTH OF DUNDAS ST. AND WEST OF LIRUMA ST.) MOTOR VEHICLE (OPERATING FLUID)**  
**MISSISSAUGA CITY ON**

<b>Ref No:</b>	66843	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>	//	<b>Client Type:</b>	
<b>Year:</b>		<b>Sector Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK	<b>Source Type:</b>	
<b>Incident Event:</b>		<b>Nearest Watercourse:</b>	
<b>Contaminant Code:</b>		<b>Site Name:</b>	
<b>Contaminant Name:</b>		<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>		<b>Site County/District:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant Qty:</b>		<b>Site Region:</b>	

**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 12/27/1991  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:**  
**Incident Reason:** UNKNOWN  
**Incident Summary:** BACKENTRY-COMPLAINT INITIATED SPILL-DIESEL IN DRAIN & CREEK, REMOVED.

**Site Municipality:** 21102  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** F.D., REGION OF PEEL  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Cawthra Rd south of Burnhamthorpe Mississauga ON

**Database:**  
 SPL

**Ref No:** 2885-8GHP8Z  
**Site No:**  
**Incident Dt:** 5/3/2011  
**Year:**  
**Incident Cause:** Pipe Or Hose Leak  
**Incident Event:**  
**Contaminant Code:** 15  
**Contaminant Name:** HYDRAULIC OIL  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:** 40 L  
**Environment Impact:** Confirmed  
**Nature of Impact:** Soil Contamination  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 5/3/2011  
**Dt Document Closed:**  
**Agency Involved:**  
**SAC Action Class:** Land Spills  
**Incident Reason:**  
**Incident Summary:** Cawthra Rd: 40 L hydraulic fluid to curbside, cleaned

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:** Motor Vehicle  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** Cawthra Rd<UNOFFICIAL>  
**Site Address:** Cawthra Rd south of Burnhamthorpe  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** Mississauga  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**  
**Site Map Datum:**

**Site:** Cawthra Road on ramp for westbound QEW Mississauga ON

**Database:**  
 SPL

**Ref No:** 4252-7YMV29  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:**  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Contaminant Qty:**  
**Environment Impact:**  
**Nature of Impact:**  
**Receiving Medium:**  
**Receiving Env:**  
**Health/Env Conseq:**  
**MOE Response:** No Field Response  
**Dt MOE Arvl on Scn:**

**Discharger Report:**  
**Material Group:**  
**Client Type:**  
**Sector Type:**  
**Source Type:**  
**Nearest Watercourse:**  
**Site Name:** Cawthra Road on ramp for westbound QEW<UNOFFICIAL>  
**Site Address:**  
**Site District Office:**  
**Site County/District:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:**  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Geo Ref Meth:**

MOE Reported Dt: 12/11/2009

Site Map Datum:

Dt Document Closed:

Agency Involved:

SAC Action Class: Pollution Incident Reports (PIRs) and ¿Other¿ calls

Incident Reason:

Incident Summary: QEW: TT 120L of diesel to ground, cleaned.

Site: **PETRO-CANADA LUBRICANTS INC.**  
**MISSISSAUGA ON**

Database:  
**SRDS**

Company Code: 0000130104  
Works ID:  
Sector: PETROLEUM REFINERIES  
Report Year: 2016  
SIC:  
SIC Desc:  
SIC1:  
SIC1 Desc:  
SIC2:  
SIC2 Desc:  
SIC3:  
SIC3 Desc:

Body of Water:  
Terminal Stream:  
Minor Basin:  
Major Basin:  
Region:  
District:  
Mailing Address:  
Corp Address:  
UTM Zone:  
UTM Easting:  
UTM Northing:  
UTM Precision:

**--Details--**

Control Point ID: 0700  
Control Point Name: PLANT - PROCESS EFFLUENT  
Sample Date: 2016/01  
Parameter Name: PHOSPHORUS, UNFILTERED TOTAL  
Param Reported as: AS PHOSPHORUS  
Result Structure: MISA MONTHLY REPORTING

Component Type: MAXIMUM  
Frequency: MONTHLY  
Value: 1.6331  
Unit of Measure: KG/D  
Regulation: MISA COMPLIANCE

Control Point ID: 0700  
Control Point Name: PLANT - PROCESS EFFLUENT  
Sample Date: 2016/01  
Parameter Name: RESIDUE, PART LOSS ON IGNIT.  
Param Reported as: NOT APPLICABLE  
Result Structure: MISA MONTHLY REPORTING

Component Type: AVERAGE  
Frequency: MONTHLY  
Value: 8.7312  
Unit of Measure: KG/D  
Regulation: MISA COMPLIANCE

Control Point ID: 0700  
Control Point Name: PLANT - PROCESS EFFLUENT  
Sample Date: 2016/01  
Parameter Name: RESIDUE, PARTICULATE  
Param Reported as: NOT APPLICABLE  
Result Structure: MISA MONTHLY REPORTING

Component Type: AVERAGE  
Frequency: MONTHLY  
Value: 8.1673  
Unit of Measure: KG/D  
Regulation: MISA COMPLIANCE

Control Point ID: 0700  
Control Point Name: PLANT - PROCESS EFFLUENT  
Sample Date: 2016/01  
Parameter Name: RESIDUE, PARTICULATE  
Param Reported as: NOT APPLICABLE  
Result Structure: MISA MONTHLY REPORTING

Component Type: MAXIMUM  
Frequency: MONTHLY  
Value: 8.973  
Unit of Measure: KG/D  
Regulation: MISA COMPLIANCE

Control Point ID: 0700  
Control Point Name: PLANT - PROCESS EFFLUENT  
Sample Date: 2016/01  
Parameter Name: RESIDUE, PARTICULATE  
Param Reported as: NOT APPLICABLE  
Result Structure: MISA MONTHLY REPORTING

Component Type: MINIMUM  
Frequency: MONTHLY  
Value: 7.374  
Unit of Measure: KG/D  
Regulation: MISA COMPLIANCE

Control Point ID: 0700  
Control Point Name: PLANT - PROCESS EFFLUENT  
Sample Date: 2016/01  
Parameter Name: RESIDUE, PARTICULATE  
Param Reported as: NOT APPLICABLE  
Result Structure: MISA MONTHLY REPORTING

Component Type: NUM. IN AVERAGE  
Frequency: MONTHLY  
Value: 4  
Unit of Measure: KG/D  
Regulation: MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 25.152  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.689  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.0291  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 4.4615  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.4995  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.057171  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.062811  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL AS PHOSPHORUS  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.69316  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.051618
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	1.6988
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	3.6372
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	25.529
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	31.034
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	15.426
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	7784.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	11281
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4038
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	29
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.0071777
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.010052
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.003546
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	1.1833
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	1.4011
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.99528
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	7.6188
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	8.924
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	5.17
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	7.9911
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	14.486
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.465  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 3.7203  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 4.6446  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.2748  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.053331  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.062468  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.03619  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D



<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.014816
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.013191
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	70699.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	74081.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	65954.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.070766
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	WATER (OTCW) 2016/10	<b>Value:</b>	0.074082
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.066287
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.4949
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.51857
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.46168
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.014385
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.0077846
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.6324  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.012926  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 70753.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 73784.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 64628.5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.070754  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.073784  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.064629
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.51649
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.4524
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.078284
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.27101
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.012926
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	WATER (OTCW) 2016/08	<b>Value:</b>	0.014305
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0.014559
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0.014062
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	71522.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	72794.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	70311.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0.071523
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.072795  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.070311  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/07  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.49528  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011281  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004038  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.095277  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 29  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.8738  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	1.6041
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	16.214
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.015452
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.013191
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.014657
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.015373
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.014155
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE

**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 73282.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 76860.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 70777  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.073283  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.076861  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.070777  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.3352  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.69584  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.91  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9.62  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 8.461  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9.9906  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 35.56  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7.275  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.4127  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 22.126  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.4792  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.06237  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.06734  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.059227  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	FILTER.REAC AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	17.346
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	28.679
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	38.792
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	7.822
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	9.0173
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 22.671  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.537  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 29  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 3.3443  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 4.0674  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.7694  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.05464  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.067886  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.031759  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.7549  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 32.367  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 38.229  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 59.506  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 27.786  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8518.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.50066  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50957  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.49218  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014305  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014559  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014062  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014534  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014641  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014412  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 72668.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 73205.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 72057.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7.7385

<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5592.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	10768
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	2211
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	29
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.0055926
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 28.479  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 29.463  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 27.284  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7900.6  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9260  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5689  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0079006  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.00926
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.005689
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	1.0803
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.51624
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.54399
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.47993
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.01475  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015543  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013713  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014378  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 27.22

<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	32.057
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	23.749
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.072669
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.073206
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.072058
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.50868

<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.51244
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.50441
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.014534
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.014641
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0.014412
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.01414
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	9822
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	4552
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.0085188
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.009822
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.004552
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	1.2932
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	3.0379
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.35157
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 17.337  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 37.048  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 8.176  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 14.78  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 28.341  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 6.977  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.3173  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 5.6801  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.3116  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.059534  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.064834  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.051513  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.282  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.5453  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 20.802  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.979  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 2.8468  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 3.3124  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.67  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.041661  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.049861  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.029974  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	24.169
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.048863
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	4.4293
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	2.404
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.061803  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.040761  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 29.956  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 45.38  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** MINIMUM

**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Frequency:** MONTHLY  
**Value:** 16.082  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8038.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 10346  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5863  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7544.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 10584  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4387  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0075442  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.010584  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004387  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.6515  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.5738  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.23266  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.5338  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.436  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 6.843  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.9099  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 12.076  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.387  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.5041  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.51683  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.4872  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	3.3663
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4.3867
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	2.7242
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.052736
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.51298
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.53803
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.49544

<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.014657
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.015373
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.014155
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.014189
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.0145
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY



<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.10513
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.42052
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	31.897
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	8622
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	3979
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.0067929
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.016956
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.003979
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	1.2046
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	1.5723
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.70653
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	9.5914
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	17.133
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.0080387
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.010346

<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.005863
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	2.3245
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	5.4365
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.64132
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	8.373
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	9.572
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	6.701
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2016/07	<b>Value:</b>	8.0387
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	30.927
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	17.923
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	7146
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	9299
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	5381
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.007146
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.009299
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.005381
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	1.6194
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	3.394
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.83525
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	9.629
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	15.86
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	6.665
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.7732  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 37.968  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.381  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.4096  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 7.468  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.2659  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.053526  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.059661  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013777  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 70946.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 72497.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 68884.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.070947  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.072497  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.068885
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.49663
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.50748
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.48219
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.014189
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	0.0145
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY



<b>Sample Date:</b>	WATER (OTCW) 2016/12	<b>Value:</b>	0.013777
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/12	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.010768
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.002211
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	29
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.83256
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	1.1774
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	0.30291
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	4.8038
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 6.373  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.211  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.0565  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 20.181  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.211  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 29  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 2.3164  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 3.5061  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.86229  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.033627  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.044611  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015477  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.046655  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014509  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 10.346  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.863  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/07

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31

<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	3.4697
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4.3565
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	2.6134
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.058611
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.067004
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.046907
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	34.301
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	58.181
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	21.091
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	8625.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	12121
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	6340
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0.0086255
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0.012121
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	0.00634
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	2.1651
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	2.9157
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	1.3716
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	11.799

<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.074782
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.071403
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.52347
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.49982
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.014561
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/10	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.079954
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2016/11	<b>Value:</b>	0.39977
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	20.07
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	28.463
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	13.702
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/11	<b>Value:</b>	6277.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.014957
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.014281



<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	72806.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	74781.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	71403
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.072807
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	MISA MONTHLY REPORTING	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>			
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.015335
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.013889
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.059052
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.047901
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.083578
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.20963
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	25.055
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	34.433
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	19.438

<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	7026.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	10791
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5362
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.0070263
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.010791
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.005362
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2016/06	<b>Value:</b>	1.9384
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	2.3874
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.014957
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.014281
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.01475
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.015543
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.013713
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	73748.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	77712.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	68561.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.073748
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.077713
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/05	<b>Value:</b>	0.068561
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.50965
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 72543.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 76673.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 69444.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.072544  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.076674  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.069445  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

<b>Sample Date:</b>	2016/01	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.50781
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.53672
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.48611
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.014509
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.015335
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	0.013889
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/01	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.014403
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.014767
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.01392
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	72013.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	73832.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.92705
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL AS PHOSPHORUS	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL AS PHOSPHORUS	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	6.9804
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/06  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.829  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/06  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.823  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/06  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014403  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014767  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.01392  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014473  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015109  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014239  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 72366.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 75546  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 71197.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.072367  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.075546  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2016/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.071197  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.50657
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.52882
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.49838
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.014473
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.015109
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/03	<b>Value:</b>	0.014239
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	WATER (OTCW) 2016/03	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/04	<b>Value:</b>	0.014561
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	7.0263
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	10.791
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5.362
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	3.3927
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	69599.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	4

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.072013
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.073833
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/02	<b>Value:</b>	0.069599
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	22.602
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	6.824
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	8.6255
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	12.121
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/08	<b>Value:</b>	6.34
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.5125  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 6.6666  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.1637  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.061501  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.084847  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.047768  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	35.132
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	53.872
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	27.655
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	8762.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/09	<b>Value:</b>	10427
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7112  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0087629  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.010427  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.007112  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/09  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.5575  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2016/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.012894  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2016/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2016/06

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 71892.3



<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	77392.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	64468.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.071892
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.077392
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.064469
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.50324
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.54175
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.45128
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.014378
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.015479
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.012894
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/07	<b>Value:</b>	0.66864
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2016/06	<b>Value:</b>	0.015479
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 41.05  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 20.163  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7177.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 10052  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3546  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2016/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

---

**Site:** PETRO-CANADA LUBRICANTS INC.  
MISSISSAUGA ON

**Database:**  
SRDS

**Company Code:** 0000130104  
**Works ID:**  
**Sector:** PETROLEUM REFINERIES  
**Report Year:** 2015  
**SIC:**  
**SIC Desc:**  
**SIC1:**  
**SIC1 Desc:**  
**SIC2:**  
**SIC2 Desc:**  
**SIC3:**  
**SIC3 Desc:**

**Body of Water:**  
**Terminal Stream:**  
**Minor Basin:**  
**Major Basin:**  
**Region:**  
**District:**  
**Mailing Address:**  
**Corp Address:**  
**UTM Zone:**  
**UTM Easting:**  
**UTM Northing:**  
**UTM Precision:**

--Details--

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.5265  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 13.686  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.088  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.53366  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.072404  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.51701  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50683  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014771  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015248  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014481  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014704  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.073858  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.076236  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** CARBON, DISSOLVED ORGANIC

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	25.34
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	33.661
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	17.406
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	7550.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	12287
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	5400
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	0.0075507
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	0.012287
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	0.0054

<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	1.4509
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	2.6769
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	0.9304
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	7.2466
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	3.9064
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	39.33
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	4.177
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

**Sample Date:** 2015/08  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 7.5014  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.2896  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.04771  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.064827  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.035616  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.1382  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.25517  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 19.712  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 25.517  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 14.559  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/08  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9.013  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5766.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8089  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2867

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.0057661
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.008089
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.002867
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	12.287
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	6.002
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	7.5507
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

**Sample Date:** 2015/04  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 5.4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.1421  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 5.0081  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.0015  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.050726  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.058674  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.042014  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800

**Component Type:** NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.49239
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.52019
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.46331
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.036925
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.08465
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.2153
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	17.358
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	24.308
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	14.303
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	5714.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	9188
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4069
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	12.492
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.8572  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.8388  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.006  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.3287  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 12.492  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.402  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/05  
**Parameter Name:** SOLVENT EXTRACTABLES

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 3.7651  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4.8719
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	2.503
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.015425
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.013671
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	71393.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	77124.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	68356.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.071393
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.077125
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.068357
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.49975
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	5.8822
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	10.186
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	4.031
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D



<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	2.2408
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.074921
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.075244
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.075546
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	74921.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.0057148
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009188  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004069  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.5144  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.6044  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50794  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.037309  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.6712  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.9375  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.046235  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.03339
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.013878
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.054871
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.087444
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.035042
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.052288
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.20915
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	28.582
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	30.074
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	27.603
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	6668.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	9958
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4797
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	2.9369
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D

**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.342  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.5981  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009958  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004797  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.2069  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.2697  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.8243  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 7.212

<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	6.134
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	7.1855
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	23.28
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4.797
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.042035
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.046326
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.050015
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	34.516
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	59.875
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	8.5291
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	6318.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	8850
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4129
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	28
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	0.015006
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	0.014475
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	73521.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	75028.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 72371.5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.04777  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.050484  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.042938  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.13344  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.43146  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 33.245  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 58.727  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 23.753  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6724.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11985  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.29  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5.2038  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 6.987  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.2337  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9.212  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.526  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 2.6268  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 3.9826  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.7726  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.036426  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.048909
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.02303
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.3592
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	1.0065
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.13723
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	28
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.0063182
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.00885  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004129  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.9034  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.6177  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.14398  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5.7085  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 7.199  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.489  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.3182  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.85  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.129  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/02  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 28  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011985  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1929  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0067244  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.001929  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	2.2118
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	3.0232
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	1.4622
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	8.1994
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	11.985
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	6.934
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	2.8944

<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	5.2553
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	1.8533
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.04689
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.050393
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.044758
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 25.08  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 32.993  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 21.371  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013787  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.029908  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.091844  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.014279
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.47272
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	7.7708
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	26.008
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	1.929
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	4.2814
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	6.7116
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2015/07	<b>Value:</b>	3.1614
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.057396
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.083895
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.048538
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.11101
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.23153
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC		
<b>Result Structure:</b>			

<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	25.756
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	42.601
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	16.282
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	75284.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	77900.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	71622.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.075284
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0779  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.071623  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.52699  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.54531  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50136  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.062419  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.046746  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/04  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014744  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013323  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 69389  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2015/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 73718.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MINIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2015/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 66616.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.7017  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.069389  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.073719  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.066616  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.48572  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800

**Component Type:** MAXIMUM

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.51603
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.46631
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.013878
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.014744
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.013323
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.013544
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.013927
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013288  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.028912  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.046437  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013753  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.015551  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.017163
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.014225
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/04	<b>Value:</b>	8.382
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	75160.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	78297.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	71123.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.075161
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.078297
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.071123
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.52613
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.54809
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.49787
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	75692.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.015634
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.014422
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 78168.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 72107.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.075692  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.078169  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.072108  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** AVERAGE  
**Frequency:** MONTHLY

<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.52985
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.54718
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.50475
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.015139
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.015634
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.014422
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.014517
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.014225
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.015032
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	0.01566
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/07	<b>Value:</b>	0.015139
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	1.3866
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	2.1758
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.12133  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.3548  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 72585.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015099  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.47281  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.57433  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.67267  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.013544
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.013927
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.013288
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	0.014771
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	0.015248
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	0.014481
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	73857.8



<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	76236.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	72404.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	67721.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	69636.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	66439.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.067722
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.069637
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/02	<b>Value:</b>	0.066439
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.5081
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.52844
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.48826
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.015662
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.018922  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013951  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.01424  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014979  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013506  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 71200.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/09

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 74893.8

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	67530.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.071201
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.074894
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.06753
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.4984
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	0.52425
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.52882
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	22.004
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.52671
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.52445
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.016555
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.021133
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0.014985
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/11  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.015057  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.01558  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/12  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014325  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013951  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 75491.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 69751.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/08

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.072585
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.075492
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.069751
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.13429
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.53716
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	23.592
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2015/05	<b>Value:</b>	30.182
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	15.018
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	7328.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	12492
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4402
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.0073287
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.012492
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.004402
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE



<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	2.183
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.53987
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	2.6483
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.47849
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.014279
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.015425
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.013671
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5.7661
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	10.55
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5.753
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	8.089
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	2.867
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	2.9384
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/09	<b>Value:</b>	3.3575
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.4687  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.044046  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.051982  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/11  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.015049  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/11  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015109  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/11  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014985  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/11  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 75244  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	75546
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	18.127
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	22.15
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	13.66
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	6363.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	9296
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4343
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0.0063635
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009296  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004343  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 28.143  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 14.581  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5403.5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 7058  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4031  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** FLOW

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.005756
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.010946
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.004031
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	1.2093
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.6542  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.87768  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.2838  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9.54  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.968  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/12  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/06  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0066682  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.576  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5.3895  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 6.945  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5.7148  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9.188  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.069  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 2.2163  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/10  
**Parameter Name:** SOLVENT EXTRACTABLES

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.7086  
**Unit of Measure:** KG/D



<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	1.9235
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.037727
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.048615
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	0.032032
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/10	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	8.1693
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Filter Name:</b>	FILTER.REAC		
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	26.952
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Filter Name:</b>	FILTER.REAC		
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Filter Name:</b>	FILTER.REAC		
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	25.16
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	30.743
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	18.095
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/11	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	1.7867
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	2.6358
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	1.2718
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/01	<b>Value:</b>	6.618
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 7.145  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 6.005  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.572  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 34.9  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.343  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 2.6494  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2015/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.073521  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2015/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.075029  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MINIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2015/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.072372  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2015/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.51465  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.5252  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.5066  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.01672  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.024587  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014475  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/04  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014565  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015223  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013753  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6233.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9212  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2526  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0062337  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009212  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.002526  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.15549  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.22773  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/11  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.05593  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2015/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.070342  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	74313.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	66186.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.074313
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	0.066187
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/05	<b>Value:</b>	70342.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	3.0341
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	3.5339
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/06	<b>Value:</b>	2.3923
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.015057
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.01558
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	0.014325
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/12	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	7701.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	8917
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5406  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0077017  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.008917  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.005406  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.98126  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.6542  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.37346  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** RESIDUE, PARTICULATE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 12.257  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	17.834
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	6.678
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	6760.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	10098
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	3332
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.0067605
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.010098
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	0.003332

<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	2.0158
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	2.2341
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	1.8202
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/08	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	3.5401
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	8.917
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	5.406
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2015/03	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

**Sample Date:** 2015/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 4.5477  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.0869  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2015/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.056341  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

---

**Site:** **PETRO-CANADA LUBRICANTS INC.**  
**MISSISSAUGA ON**

**Database:**  
**SRDS**

**Company Code:** 0000130104  
**Works ID:**  
**Sector:** PETROLEUM REFINERIES  
**Report Year:** 2012  
**SIC:**  
**SIC Desc:**  
**SIC1:**  
**SIC1 Desc:**  
**SIC2:**  
**SIC2 Desc:**  
**SIC3:**  
**SIC3 Desc:**

**Body of Water:**  
**Terminal Stream:**  
**Minor Basin:**  
**Major Basin:**  
**Region:**  
**District:**  
**Mailing Address:**  
**Corp Address:**  
**UTM Zone:**  
**UTM Easting:**  
**UTM Northing:**  
**UTM Precision:**

**--Details--**

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.22322  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.4499  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.52532  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014007  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013031  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.012209  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 61046.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 70035.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 65157  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.061046  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800

**Component Type:** MAXIMUM

<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.070035
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.065157
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.049224
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.49025
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.42733
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.4561
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.079186
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012209
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.032595
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	19.65
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.694
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	8549
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5594
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.4688
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.594
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.549
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.5208
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.8562
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE



<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.2263
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.041496
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.047471
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.058268
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.7639
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.9435
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.054303
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.048377
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.064442
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.46767  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.48865  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.47678  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013961  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013362  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013622  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.034454  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.058359  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.046333  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011378  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.018423  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.01373  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 56890.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 61155.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 63008.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.42809  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.39823  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.44106  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.031309  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.088738  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011378  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.3237  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0

<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015009
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012854
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.004451
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4451
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0063575
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.010048
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.9642
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.1619
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.522
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12481
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6929.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5045
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0071278
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012481
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.005045
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 40.212  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.005856  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0063776  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.012854  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.80942  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.4349  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 12.848  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 11.279  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7.913  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 10.72  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.463  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013579  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013272  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014208  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**



**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 66362.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 71041.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.051093  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.071974  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.01292  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.01329  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013695  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 68474.4

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	64599.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	66449.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066449
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	67896.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.067897
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.46454
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.071042
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066362
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.4973
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47528
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014208
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013579
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013272
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31.064
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.3639
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	341
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7276.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10860
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.000341
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS N MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	23.769
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS N MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC		

<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	15.803
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.856
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.3591
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.383
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.0341
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.040992
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.055391
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0464
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013644
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013462
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015296
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.3227
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Frequency:** MONTHLY  
**Value:** 79438.6  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013214  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013442  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 68021.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 66068.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 67208  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 6.573  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.066069  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.6132  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.8248
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.043695
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.03892
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.048286
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	19.531
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7463
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5856
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10720
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.01605  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 14.074  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 29.793  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 41.238  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT

**Component Type:** MINIMUM  
**Frequency:** MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	667
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7426
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10282
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.010516
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.000667
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.10024
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.72479
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.97582
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.3161
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.948
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	16.278
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.147
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.282
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.4529
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.667
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	37.833
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	16.174
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	26.118
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13245
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	9476.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2492
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011448
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.032715
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.004984
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.7506
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.8825
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.1051
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.032
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.417
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	19.912
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.543
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	17.444
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.9591
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.7837
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9.4876  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 14.335  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.091224  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.06959  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11.632  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.4595  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.2556  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.03178
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.6066
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.9583
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.9544
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.8429
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.031094
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.060851  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.922  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.04843  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.025794  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.012669  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013643  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011276  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 68212.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 56377.2  
**Unit of Measure:** M3/D

<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	63344.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.063345
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.068213
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.056377
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.39464
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.44341
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47749

<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013643
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011276
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.005594
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0091726
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.020082
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.6136
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	1.6629
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.565
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.928
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.3683
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013854
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	69270
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	68217.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	67308.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.06927
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.068217
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.067308
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.2384
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	14.521
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.2533
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.4796
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.07819
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.057039
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.044506
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	50.022
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.3303
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.922
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.6876
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.337
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.94
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0082766  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.02172  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 28  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.0813  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.20506  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.1055  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.847  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 13.328  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.357  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 28  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.6218  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.341  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 39.04  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.592  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 32.536  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0077218  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**



<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.1259
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.48489
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47116
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47752
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013644
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013462
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013854

<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	21.815
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013362
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.3286
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.005454
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE

<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	29
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.009688
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.0185
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.96663
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.075002
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013695
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS N MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS N MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	22.44
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28.76
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	16.03
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5531
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6559.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8337
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.067208  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.068021  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.47615  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.47046  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013622  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.46248  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013442  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013604  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013214  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 16.589  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 14.456  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 18.641  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.884
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	17.252
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013961
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	29
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.911
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.454
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.688
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.6544
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.237
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.0621
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.146
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012669
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7784
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6048.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 20.998  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 11.813  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 35.849  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6314  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8337  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4922  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.018366  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004922  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0071493  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL AS P  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.5008  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL AS P  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.8837  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0063776  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.1502  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 91.707  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.91923  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9.4919  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.060403  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.043267  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.016499  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0076792  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0017335  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 38396  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.056891  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.080925  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.061156  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0.063009
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	18.554
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.634
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	25.804
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6468.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.008337
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.001168
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0064039
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.1528
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.99615
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.3324
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	15.978
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.125
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.53
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.337
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.5596
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.531
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.0706
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.113
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.9651
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.040075
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.049712
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.055923
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013604  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4.451  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.3652  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 17.394  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
AS H2S  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.49869  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
AS H2S  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.52501  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.51175  
**Unit of Measure:** KG/D



<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014621
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7654.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31.916
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28.55
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5454
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9688
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	29
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	66809.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	68111.9

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	69806
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.069806
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.068112
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.06681
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0076544
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.0394
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	1.3836
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.79225
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.371
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.045
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.187
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.045
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	25.592
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.2992
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.2221
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.1324
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.6185
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.057309
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.035315
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.044597
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014248
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014621
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015001  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 75002.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 71241.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.068474  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.071241  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.073107  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0646  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0036756  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.018378  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 18377.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 8667.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.038396  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0086674  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.12864  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.26877  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS H2S  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.060672  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0076792  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0017335  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0036756  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS N  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015009  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 26.718  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS C  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 20.465  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 64270.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 75045.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 31887.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11817  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7629.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5324  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0079535  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.020106  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.005324  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.064271  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.075045  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.031888  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.89547  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.68627  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.41963  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 6.731  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 25.432  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014248  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.752  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.6688
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	24.34
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	16.597
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.3282
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7606.6  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 4442  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9139  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0076066  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009139  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004442  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.2245  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS P

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.86246  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.21322
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS P	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.442
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.9185
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.693
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.139
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.442
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.045966
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D

**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015296  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015001  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 75434.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 86074  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:**  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.079439  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:**  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:**  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.086075  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE PHENOL  
**Param Reported as:**  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.075435  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4

<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.52805
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.55607
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.60252
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.57673
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.45219
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.46514
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0.47932
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS H2S	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01292
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01329
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	73106.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - O.T.C.W.	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	19.074
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.963
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.324
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE



<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS N	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	15.884
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	22.105
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS C	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Site:** PETRO-CANADA LUBRICANTS INC.  
MISSISSAUGA ON

**Database:**  
SRDS

<b>Company Code:</b>	0000130104	<b>Body of Water:</b>	
<b>Works ID:</b>		<b>Terminal Stream:</b>	
<b>Sector:</b>	PETROLEUM REFINERIES	<b>Minor Basin:</b>	
<b>Report Year:</b>	2014	<b>Major Basin:</b>	
<b>SIC:</b>		<b>Region:</b>	
<b>SIC Desc:</b>		<b>District:</b>	
<b>SIC1:</b>		<b>Mailing Address:</b>	
<b>SIC1 Desc:</b>		<b>Corp Address:</b>	
<b>SIC2:</b>		<b>UTM Zone:</b>	
<b>SIC2 Desc:</b>		<b>UTM Easting:</b>	
<b>SIC3:</b>		<b>UTM Northing:</b>	
<b>SIC3 Desc:</b>		<b>UTM Precision:</b>	

**--Details--**

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	1.6967
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	2.3833
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.0856  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.236  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.287  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 6.424  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6.9333  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.662  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 5.261  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** RESIDUE, PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** SOLVENT EXTRACTABLES

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.1502  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4.8893
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.058009
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	3.5974
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.050652
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.044968
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0.06062
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
	FILTER.REAC		
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.014273
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.014848
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.013949
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	71363.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	74240.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	69745.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.071364
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.074241  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.069746  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.49955  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.51969  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.48822  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014273  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.014848
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.013949
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	21.824
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	26.943
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	14.528
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	7.7238
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	8.744
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	6.918
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 7.4502  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.923  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.869  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 3.2276  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 3.4102  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.9387  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 10.42  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.054066  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.061208  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.048426  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/12  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/12  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.020596  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.074392  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004168  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY



<b>Sample Date:</b>	2014/02	<b>Value:</b>	28
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.85637
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	1.115
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.7169
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	11.168
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	23.391
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	5.308
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	6.4055
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	8.316
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	2.436
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	28
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	3.4882
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	7.1732
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.014559
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.013852
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	70564.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	72792.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2014/08	<b>Value:</b>	3.792
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	69257.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.070564
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.072792
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.16702
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	24.131
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	32.319
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	18.63
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	6933.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	8662
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	5261
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.0074805
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.016574
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.005261  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.067466  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.48922  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.51704  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.47227  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.02055  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.039785  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013766  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/02  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013672  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014128  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013395  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 68359.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/12  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.3031

<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	21.394
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	23.946
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	19.661
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	7606.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	9654
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	4709
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9306.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11476  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7616  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0093069  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011476  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.007616



<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.014012
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.014177
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.013896
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	70059.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	70880.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	69479.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

**Sample Date:** WATER (OTCW)  
2014/04  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.070059  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.070881  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.06948  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.49042  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.49617  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.48636  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.014398
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.016107
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.013896
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	1.6255
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.043589
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.054579
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.029176
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2014/03	<b>Value:</b>	1.5817
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4.9241
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	19.084
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	31.947
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	6.992
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.013956

<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.014688
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.013625
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	69780.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	73441
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	68125
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.069781
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.073441
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.068125
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.48847
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.51409
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.014688
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.47687
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/07  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/07  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013956  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/07  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013625  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/07  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/08  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014097  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/08  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014279  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 70638.5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 66972.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.068359  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.070638  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MINIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.066972  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.47851  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.49447  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MINIMUM  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.46881  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2014/03  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013672  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014128  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013395  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/03  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30.724  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 37.913  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 24.813  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8694  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11890  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 6688  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.008694  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.01189  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.006688  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 2.1112  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.7199  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1.7298  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9.725  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 14.596  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7.413  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8.9334  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 14.844

<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	55.604
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	172.14
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	24.23
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	0.014406
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	0.015722
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	0.013777
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	70405.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	72105.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	68881.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	0.055304
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	0.070405
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY

**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.072105  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.060543  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.051086  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 21.822  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** CARBON, DISSOLVED ORGANIC

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 30.481  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	17.68
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	6710.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	9729
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	5000
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.0067109
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.009729
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.005
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	30

<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	2.4289
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	2.7452
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	2.2607
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.013843
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	70484.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	71394.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	69218.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D



<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.070484
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.071394
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.049847
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	5.5036
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	2.7573
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.059269
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.044793
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.069508
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.34754
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	20.274
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	31.032
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5.4628
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

**Sample Date:** 2014/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 6668.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 9243  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 1951  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0066687  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009243  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.001951  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL AS PHOSPHORUS  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.8685  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/07  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL AS PHOSPHORUS  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.8125  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.59115
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	1.951
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5.8992
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	7.957
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	20.699
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	25.841
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	6.688
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.3404  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 4.6705  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.9409  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/05  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.069258  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/11  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.49395  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50955  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/11  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.4848  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/05	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.014113
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	7.121
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	8.467
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	6.399
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	6.7109
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	9.729
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0076068  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009654  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004709  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.6361  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 3.0306  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.93946  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/10  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/12  
**Parameter Name:** CARBON, DISSOLVED ORGANIC

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 14.309  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	6134.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	8466
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	3976
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.0061344
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.008466
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.003976
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.98996



<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	1.4714
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.64951
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5.7276
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	6.984
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	4.724
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	6.3152
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	11.21
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2014/12	<b>Value:</b>	3.976
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	3.0269
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	4.5057
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	2.0943
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.040093
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.048888
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	0.033068
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/12	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	6462.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	8844
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	2185
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.0064629
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.008844
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.002185
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.54844
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	1.2472
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 1.7637  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/03  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.52018  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.53811  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.49379  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014862  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015375  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014108  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.014279
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	7.3764
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	9.178
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	5.462
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	6.3088
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	8.407
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	2.185
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	6.9189
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	12.266
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	2.185
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	3.2484
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4.792
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.85215
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.044161
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.058849
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	0.015295

<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/03	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.069218
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.49339
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	WATER (OTCW) 2014/08	<b>Value:</b>	0.49977
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.48453
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.014097
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	7.1068
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	20.373
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	1.951
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	3.328
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	4.8538
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D



<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	1.0926
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.041294
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.055699
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.014862
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	0.013657
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/07	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.013843
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0	
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0	
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4	
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	22.858	
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	31.328	
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	14.855	
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4	
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	7367	
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	10276	
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE	
<b>Result Structure:</b>	MISA MONTHLY REPORTING			
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM	
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY	
<b>Sample Date:</b>	2014/08	<b>Value:</b>	5427	

<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.007367
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.010276
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.005427
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	1.6554
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	0.013616
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	2.4554
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	1.1562
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	0.014534
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	0.013298
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	68081.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	72667
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	66490.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.068081  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.072668  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.066491  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.47657  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50867  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.46544  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013616

<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	0.014534
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	11.457
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	127.31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	4.709
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	3.5482
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	3.763
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	3.1133
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0.051635
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0.064246
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0.038234
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/10	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.12924
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	1.8548
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	0.59066
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	24.132
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	50.13
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 8.438  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 10.55  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 40.236  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7.616  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4.6933  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.1005  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 3.2585  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.066973  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.080332  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.058485  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/01  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.064898  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.25959  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 22.147  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 35.885  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014081  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/08  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015375  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014108  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 74310.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 76873.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 70541.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.074311  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.076873  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.070541  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/09  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/01  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013298  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

<b>Sample Date:</b>	2014/01	<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.034384
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.095118
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.013766
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	69887.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	73862.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	67466
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.069888
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	0.073862
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	47.94
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	65.783
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	30.498
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	9414.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	12182
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5845
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.0094149
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.012182
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	0.005845
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	1.8759
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	2.2016
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	1.1883
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	9.8766
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	12.182
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	6.63

<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	9.4149
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	12.182
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5.845
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	4.6535
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	7.0656
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	2.5857
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.069136  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.085274  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014421  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013777  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014562  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015078  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013811  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800

**Component Type:** AVERAGE



<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	72809.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	75392.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	69056.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.072809
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.075393
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.069056
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/06	<b>Value:</b>	0.50966
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.52775  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.48339  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014562  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015078  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013811  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/06  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/06  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 3.9251  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/11  
**Parameter Name:** FLOW

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:** M3/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.3014
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	7450.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	8923
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	3869
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.0074502
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.008923
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.003869
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.5971
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.99682
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.014559
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/11	<b>Value:</b>	0.013852
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	8316
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/02	<b>Value:</b>	6405.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/01	<b>Value:</b>	1.4703
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2436  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/02  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 28  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.068882  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.49284  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.50474  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/05  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.48218  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.04641  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:** 2014/04  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0138  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015025  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011044  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 69001.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 75124.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 55219.5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.069002  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/04	<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	7.3688
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	8.467
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	5.942
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	7.5646
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	12.214
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	5.427
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.051581

<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4.9955
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	2.3174
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.059269
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	0.041594
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/08	<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	2014/09	<b>Value:</b>	0.041755
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0.075125
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>	2014/10	<b>Value:</b>	0.05522
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		



**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.48301  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.52587  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.38653  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0138  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015025  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011044  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:** 2014/10

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5

**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** AVERAGE  
**Frequency:** MONTHLY

**Sample Date:** 2014/11  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Value:** 0.014113  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

---

**Site:** PETRO-CANADA LUBRICANTS INC.  
MISSISSAUGA ON

**Database:**  
SRDS

**Company Code:** 0000130104  
**Works ID:**  
**Sector:** PETROLEUM REFINERIES  
**Report Year:** 2013  
**SIC:**  
**SIC Desc:**  
**SIC1:**  
**SIC1 Desc:**  
**SIC2:**  
**SIC2 Desc:**  
**SIC3:**  
**SIC3 Desc:**

**Body of Water:**  
**Terminal Stream:**  
**Minor Basin:**  
**Major Basin:**  
**Region:**  
**District:**  
**Mailing Address:**  
**Corp Address:**  
**UTM Zone:**  
**UTM Easting:**  
**UTM Northing:**  
**UTM Precision:**

**--Details--**

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 2.8384  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 73192  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9.8582  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.182
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	24.788
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.52134
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	76819.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015364
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	69276.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015791
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.4838
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5908
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.41049
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.063581
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.055361
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12338
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.7527
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7762.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11554
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47029
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	66194.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.023121
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.459
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.7284
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.078684
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.070189
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.2278
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.47
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	32.657
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	51535.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.053949
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.8915
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	23.568
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.45167
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012905
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.303
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13325
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.48655
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY



<b>Sample Date:</b>		<b>Value:</b>	0.011728
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.010307
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.010307
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	17.001
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	24.973
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0.013233
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011968
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.059995
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.026339
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.045773
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.3349
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.539
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.556
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 8800.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.049  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.27606  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.072211  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.010158  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 27.628  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.005711
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.33071
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	29.28
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.8779
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.6624
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.8008
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.908
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.7424
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	63581.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	

<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.069563
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.064644
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	64643.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.668
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.75743
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012338
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10157.5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.058909  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.059493  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 10574  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 22.361  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.072261  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11.591  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.011591  
**Unit of Measure:** KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.46459
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.45521
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013633
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013633
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.057442
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5813.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.001086
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 6982  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 18.604  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.069276  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013855  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.51279  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7.3482  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.073255  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014651
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014651
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01107
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.067933
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.6333
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.797
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013239
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.4971
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.065029
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013006
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28.025
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.086
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.3802
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.006982
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.0225
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.9774

<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.004036
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	37.529
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.075312
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.43066
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	65244.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.065738
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.068164
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	66370.3
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	66998
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1086
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
	WATER (OTCW)		
<b>Sample Date:</b>		<b>Value:</b>	63554.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.663
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30.482
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6733.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	67932.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.057061
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.0005
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.1515
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.6312
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	15.685
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.867
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.325
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.241
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.027
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.078855
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.9705
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011265
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11265
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6212
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.45672
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013049
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011072
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.074676
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.9285
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.711
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.415
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.085015
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.2486
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D



<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.6176
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11663.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.08729
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.3964
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.3273
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	WATER (OTCW)	<b>Value:</b>	0.36075
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>	WATER (OTCW)	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.051536
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013576
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013147
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.051485
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.3771
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.005908
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	WATER (OTCW)	<b>Value:</b>	0.079131
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014895
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013576
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.87439
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.07209
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7047
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	24.766
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.4389

<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.008038
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014244
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.084487
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.699
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.00963
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.717
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 28  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31.641  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.074144  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.015062  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.015062  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.01538  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9858.2  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 69506.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013901  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 8.748  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.7628
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.51235
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.707
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.05042
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.953
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066195
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.064525
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013437
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7097.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.8543
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0088349
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.016922
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8562
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.024
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.499
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	FILTER.REAC AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		



**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 9709.7  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 11591  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 38.195  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.004807  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013274  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS,UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.77947  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0.077266
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.039067
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.038
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	36.588
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.076819
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10636.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	25.117
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.519
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 74477.6  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.53774  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.074477  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014895  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.41889  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)

**Component Type:** MINIMUM  
**Frequency:** MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0.059842
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	15.154
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	41.31
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0088008
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47553
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012716
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013587
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.069015
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.46316
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.48493
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	66165.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	59841.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.07
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	25.431

<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	32.637
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.44507
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.6391
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4807
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	58641.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013913
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	

<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.49855
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.071221
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10172
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.298
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.8261
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.065244
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	61522.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011072
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0134  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 65028.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013437  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 29.323  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE



<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.5787
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.071148
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.77
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9630
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.091469
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.661
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9459
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	20.15
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31.902
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	17.182
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.574
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066771
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.6994
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8038
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0.47715
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013221
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.562
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.007047
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.7097
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.038
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 1.5691  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.0097097  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 30  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.06637  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 68164.4  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.1556  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 10.316  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.4022
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.334
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.058642
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.554
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.741
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011554
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.2521
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.46336  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.8414  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.047579  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 75728.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.014239  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.057274  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.98129  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014639
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.807
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12415
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015827
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.265
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	11.265
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8130.4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	22.22
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	32.669
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.061523
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5711
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013587
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.7486
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE



**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 71192.8  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE,PART LOSS ON IGNIT.  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 13.527  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.007717  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 7717  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.015146  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 5  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE AS PHENOL  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.012415  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC AS NITROGEN  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011728
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.043918
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.212
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.274
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.19125
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0081304
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.006212
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.38752
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013049
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	55360.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012305
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012305
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.073192
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.069069
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE AS SULPHIDE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.5976
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.158
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.338
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066142
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	

<b>Param Reported as:</b>	FILTER.REAC AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.46013
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.7259
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.067883
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.047
<b>Parameter Name:</b>	RESIDUE, PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.09639
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.062
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011699
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	29.476
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.355
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.2331
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.26295
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	FILTER.REAC AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.47518
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.44488
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.065734
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.63
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	15.043
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.164
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.48
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.6364
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.07459
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.637
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13.215
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.49835
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>	WATER (OTCW)	<b>Value:</b>	0.075728
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.5383
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0769
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.7052
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.6284
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.4066
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013006
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.05091
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.0948
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.853
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D



<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	13770
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11070
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	69563.2
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.06923
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	24.461
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012716
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.1304
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.48694
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.165
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	7.9237
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE

<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3303
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	31
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	23.79
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01377
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.48406
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	73255.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE

<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066998
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01675
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012929
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	67883.1
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012711
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	9.497
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011663
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013325
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE AS PHENOL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>		<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4036
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013239
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.040692
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.069506
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0011627
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.6317
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5.581
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	67183.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066213
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	22.788
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.303
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.009459
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.2316
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.060627
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.1415
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	2.3026
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.010637  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 13527  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.013147  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.012711  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.065114  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 10.741  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 28.786  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 4.971  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700

**Component Type:** AVERAGE

<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	28.218
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	6.966
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013274
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.044086
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.1107
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.53009
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.071193



<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014829
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014639
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.071253
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.7635
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.55392
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0077628
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	FILTER.REAC	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	AS NITROGEN		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.067184
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	64524.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.012905
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	3.5688
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	30
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.003303
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.59784
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0070977
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.22
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01383
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.46898
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** SULPHIDE, UNFILTERED REACTIVE  
**Param Reported as:** AS SULPHIDE  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.4525  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** TOLUENE C7H8  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 0.014355  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.063555  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.069151  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 71221.3  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** SOLVENT EXTRACTABLES  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL  
FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING  
**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.009497  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 9497  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 39.904  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 20.054  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 69150.9  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0058132  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.013901  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** BENZENE C6H6  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.0011627  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 4  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Result Structure:** MISA MONTHLY REPORTING

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** AMMONIUM+AMMONIA, TOTAL FILTER.REAC  
**Param Reported as:** AS NITROGEN  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.28836  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY  
**Value:** 31  
**Unit of Measure:**  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** RESIDUE, PARTICULATE  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 19.884  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 2.2444  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHOSPHORUS, UNFILTERED TOTAL  
**Param Reported as:** AS PHOSPHORUS  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 0.8414  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MINIMUM  
**Frequency:** MONTHLY  
**Value:** 19.548  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** PHENOLICS, UNFILTERED REACTIVE  
**Param Reported as:** AS PHENOL  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 0.010172  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:** CARBON, DISSOLVED ORGANIC  
**Param Reported as:** AS CARBON  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** AVERAGE  
**Frequency:** MONTHLY  
**Value:** 20.783  
**Unit of Measure:** KG/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING WATER (OTCW)  
**Sample Date:**  
**Parameter Name:** FLOW  
**Param Reported as:** NOT APPLICABLE  
**Result Structure:** MISA MONTHLY REPORTING

**Component Type:** MAXIMUM  
**Frequency:** MONTHLY  
**Value:** 76899.1  
**Unit of Measure:** M3/D  
**Regulation:** MISA COMPLIANCE

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING

**Component Type:** NUM. IN AVERAGE  
**Frequency:** MONTHLY

<b>Sample Date:</b>	WATER (OTCW)	<b>Value:</b>	5
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	74143.7
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015146
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.52718
<b>Parameter Name:</b>	SULPHIDE, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS SULPHIDE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.6645
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01383
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014244
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11698.8
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	33.52
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY

<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014829
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.014239
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.01538
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	11.173
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	10.179
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	12.145
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.4938
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.0098582



<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	79130.9
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015827
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.015364
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4
<b>Parameter Name:</b>	BENZENE C6H6	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	16.739
<b>Parameter Name:</b>	CARBON, DISSOLVED ORGANIC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS CARBON	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	75311.6
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	M3/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	8.661
<b>Parameter Name:</b>	SOLVENT EXTRACTABLES	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	20.47
<b>Parameter Name:</b>	RESIDUE, PARTICULATE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	1.6418
<b>Parameter Name:</b>	PHOSPHORUS, UNFILTERED TOTAL	<b>Unit of Measure:</b>	KG/D

<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0
<b>Parameter Name:</b>	AMMONIUM+AMMONIA, TOTAL FILTER.REAC	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS NITROGEN	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MAXIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.013527
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	4.036
<b>Parameter Name:</b>	RESIDUE,PART LOSS ON IGNIT.	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0700	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - PROCESS EFFLUENT	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	PHOSPHORUS,UNFILTERED TOTAL	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	AS PHOSPHORUS	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.066165
<b>Parameter Name:</b>	PHENOLICS, UNFILTERED REACTIVE	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	AS PHENOL	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	NUM. IN AVERAGE
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	5
<b>Parameter Name:</b>	FLOW	<b>Unit of Measure:</b>	
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		
<b>Control Point ID:</b>	0800	<b>Component Type:</b>	MINIMUM
<b>Control Point Name:</b>	PLANT - ONCE THROUGH COOLING WATER (OTCW)	<b>Frequency:</b>	MONTHLY
<b>Sample Date:</b>		<b>Value:</b>	0.011968
<b>Parameter Name:</b>	TOLUENE C7H8	<b>Unit of Measure:</b>	KG/D
<b>Param Reported as:</b>	NOT APPLICABLE	<b>Regulation:</b>	MISA COMPLIANCE
<b>Result Structure:</b>	MISA MONTHLY REPORTING		

**Site:** PETRO-CANADA PRODUCTS - MISSISSAUGA LUBRICANTS CENTER  
MISSISSAUGA ON

**Database:**  
SRDS

**Company Code:** 0000130104  
**Works ID:** 33  
**Sector:** PETROLEUM REFINERIES  
**Report Year:** 2010  
**SIC:** 3612  
**SIC Desc:** LUB. OIL & GREASE  
**SIC1:**

**Body of Water:**  
**Terminal Stream:**  
**Minor Basin:** LAKE ONTARIO  
**Major Basin:** GREAT LAKES  
**Region:** MOE CENTRAL REGION  
**District:** MOE HALTON-PEEL DISTRICT  
**Mailing Address:** 000385 SOUTHDOWN RD  
,000385SOUTHDOWN

RD,,MISSISSAUGA,ONTARIO,CANADA,L5J  
2Y3  
385 SOUTHDOWN RD ,385 SOUTHDOWN  
RD,,MISSISSAUGA,ONTARIO,CANADA,L5J  
2Y3

**SIC1 Desc:**

**Corp Address:**

**SIC2:**

**UTM Zone:**

**SIC2 Desc:**

**UTM Easting:**

**SIC3:**

**UTM Northing:**

**SIC3 Desc:**

**UTM Precision:**

**--Details--**

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Component Type:**  
**Frequency:**  
**Value:**  
**Unit of Measure:**  
**Regulation:**

**Control Point ID:** 0800  
**Control Point Name:** PLANT - ONCE THROUGH COOLING  
WATER (OTCW)

**Component Type:**  
**Frequency:**

**Sample Date:**  
**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Value:**  
**Unit of Measure:**  
**Regulation:**

---

**Site:** **PETRO-CANADA LUBRICANTS INC.**  
**MISSISSAUGA ON**

**Database:**  
**SRDS**

**Company Code:** 0000130104  
**Works ID:** 33  
**Sector:** PETROLEUM REFINERIES  
**Report Year:** 2009  
**SIC:** 3612 3611  
**SIC Desc:** LUB. OIL & GREASE, REFINED PETRO.  
PROD.

**Body of Water:** LAKE ONTARIO  
**Terminal Stream:**  
**Minor Basin:** LAKE ONTARIO  
**Major Basin:** GREAT LAKES  
**Region:** MOE CENTRAL REGION  
**District:** MOE HALTON-PEEL DISTRICT

**SIC1:**

**Mailing Address:** 000385 SOUTHDOWN RD  
,000385SOUTHDOWN  
RD,,MISSISSAUGA,ONTARIO,CANADA,L5J  
2Y3

**SIC1 Desc:**

**Corp Address:** 385 SOUTHDOWN RD ,385 SOUTHDOWN  
RD,,MISSISSAUGA,ONTARIO,CANADA,L5J  
2Y3

**SIC2:**

**UTM Zone:**

**SIC2 Desc:**

**UTM Easting:** 999999

**SIC3:**

**UTM Northing:** 999999

**SIC3 Desc:**

**UTM Precision:** 1

**--Details--**

**Control Point ID:** 0700  
**Control Point Name:** PLANT - PROCESS EFFLUENT  
**Sample Date:**  
**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Component Type:**  
**Frequency:**  
**Value:**  
**Unit of Measure:**  
**Regulation:**

**Control Point ID:** 0100  
**Control Point Name:** PROCESS EFFLUENT

**Component Type:**  
**Frequency:**

**Sample Date:**  
**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Value:**  
**Unit of Measure:**  
**Regulation:**

**Control Point ID:** 0300  
**Control Point Name:** ONCE-THROUGH COOLING WATER  
**Sample Date:**

**Component Type:**  
**Frequency:**  
**Value:**

**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Unit of Measure:**  
**Regulation:**

**Control Point ID:** 0500  
**Control Point Name:** ONCE-THROUGH COOLING WATER  
**Sample Date:**  
**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Component Type:**  
**Frequency:**  
**Value:**  
**Unit of Measure:**  
**Regulation:**

**Control Point ID:** 0800  
**Control Point Name:** PLANT - O.T.C.W.  
**Sample Date:**  
**Parameter Name:**  
**Param Reported as:**  
**Result Structure:**

**Component Type:**  
**Frequency:**  
**Value:**  
**Unit of Measure:**  
**Regulation:**

---

**Site:** NORTH OF DUNDAS ST. MISSISSAUGA ON **Database:** WDS

**Certificate No:** A220113  
**Mob Unit Cert No:**  
**EBR Registry No:**  
**Status:** Approved  
**Facility Type:** Landfill  
**Record Type:**  
**Link Source:**  
**Project Type:**  
**Application Status:**  
**Issue Date:** 12/15/1981  
**Input Date:** 4/25/97  
**Date Received:**  
**Est Closure Date:**  
**Mobile Capacity:** 0  
**Mobile Units:**  
**Mobile Description:**  
**Prop City:** MISSISSAUGA, ONTARIO  
**Prop Postal:** L5C-1T7  
**Prop Phone:**  
**Approval Type:**  
**Proponent:** DOMTAR INC.  
**Prop Address:** 3065 MAVIS ROAD  
**Proponent County/District:**  
**Full Address:**  
**Site Lot:** 18, 19 AND 20,PT  
**Waste Class Code:**  
**Waste Class:**  
**Waste Type:**  
**Waste Type Other:** No  
**Waste Description:**  
**Landfill Monitoring:**  
**Landfill Ctrl Type:**  
**Site Closing Description:**  
**Project Description:**  
**Municipalities Served:**  
**Approval Description:**  
**Other Approvals/Permits:**  
**PDF URL:**

**Total Area (ha):** 0  
**Landfill Cap (m³):** 0  
**Transfer Area (ha):** 0  
**Transfer Cap (m³):** 0  
**Transfer Cert No:**  
**Inciner. Area (ha):** 0  
**Inciner. Cap (t):** 0  
**Process Area (m³):** 0  
**Process Cap (m³/d):** 0  
**Process Vol (m³):** 0  
**Process Feed (m³):** 0  
**Serial Link:** 220113  
**Site Concession:** 1  
**Site Region/County:**  
**SWP Area Name:**  
**MOE District:**  
**District Office:** Halton-Peel  
**Latitude:**  
**Longitude:**

---

**Site:** Petro-Canada Lubricants Inc.  
Clarkson Refinery Mississauga ON L5J 2Y3 **Database:** WDS

**Certificate No:** A220111  
**Mob Unit Cert No:**  
**EBR Registry No:**

**Total Area (ha):**  
**Landfill Cap (m³):**  
**Transfer Area (ha):**

**Status:** Approved  
**Facility Type:**  
**Record Type:** ECA  
**Link Source:** IDS  
**Project Type:** WASTE DISPOSAL SITES  
**Application Status:**  
**Issue Date:** 2015-11-10  
**Input Date:**  
**Date Received:**  
**Est Closure Date:**  
**Mobile Capacity:**  
**Mobile Units:**  
**Mobile Description:**  
**Prop City:**  
**Prop Postal:**  
**Prop Phone:**  
**Approval Type:** ECA-WASTE DISPOSAL SITES  
**Proponent:**  
**Prop Address:**  
**Proponent County/District:**  
**Full Address:** Clarkson Refinery  
**Site Lot:**  
**Waste Class Code:**  
**Waste Class:**  
**Waste Type:**  
**Waste Type Other:**  
**Waste Description:**  
**Landfill Monitoring:**  
**Landfill Ctrl Type:**  
**Site Closing Description:**  
**Project Description:**  
**Municipalities Served:**  
**Approval Description:**  
**Other Approvals/Permits:**  
**PDF URL:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0338-8BHLH3-14.pdf>

**Transfer Cap (m³):**  
**Transfer Cert No:**  
**Inciner. Area (ha):**  
**Inciner. Cap (t):**  
**Process Area (m³):**  
**Process Cap (m³/d):**  
**Process Vol (m³):**  
**Process Feed (m³):**  
**Serial Link:**  
**Site Concession:**  
**Site Region/County:** Mississauga City  
**SWP Area Name:**  
**MOE District:**  
**District Office:**  
**Latitude:**  
**Longitude:**

**Site:** *Tri-Phase Environmental Inc.*  
*Mobile Facility Mississauga ON L5J 2Z7*

**Database:**  
*WDS*

**Certificate No:** 8719-5VNRQJ  
**Mob Unit Cert No:**  
**EBR Registry No:**  
**Status:** Approved  
**Facility Type:**  
**Record Type:** ECA  
**Link Source:** IDS  
**Project Type:** WASTE DISPOSAL SITES  
**Application Status:**  
**Issue Date:** 2010-02-05  
**Input Date:**  
**Date Received:**  
**Est Closure Date:**  
**Mobile Capacity:**  
**Mobile Units:**  
**Mobile Description:**  
**Prop City:**  
**Prop Postal:**  
**Prop Phone:**  
**Approval Type:** ECA-WASTE DISPOSAL SITES  
**Proponent:**  
**Prop Address:**  
**Proponent County/District:**  
**Full Address:** Mobile Facility  
**Site Lot:**  
**Waste Class Code:**  
**Waste Class:**  
**Waste Type:**

**Total Area (ha):**  
**Landfill Cap (m³):**  
**Transfer Area (ha):**  
**Transfer Cap (m³):**  
**Transfer Cert No:**  
**Inciner. Area (ha):**  
**Inciner. Cap (t):**  
**Process Area (m³):**  
**Process Cap (m³/d):**  
**Process Vol (m³):**  
**Process Feed (m³):**  
**Serial Link:**  
**Site Concession:**  
**Site Region/County:**  
**SWP Area Name:**  
**MOE District:**  
**District Office:**  
**Latitude:**  
**Longitude:**

Waste Type Other:  
Waste Description:  
Landfill Monitoring:  
Landfill Ctrl Type:  
Site Closing Description:  
Project Description:  
Municipalities Served:  
Approval Description:  
Other Approvals/Permits:  
PDF URL:

<https://www.accessenvironment.ene.gov.on.ca/instruments/3998-7ZVSJ8-14.pdf>

**Site:** JANNOCK LIMITED  
NORTH OF DUNDAS ST. MISSISSAUGA ON

**Database:**  
WDS

Certificate No:	A220113	Total Area (ha):	0
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	12/30/1985	Process Vol (m³):	0
Input Date:	4/25/97	Process Feed (m³):	0
Date Received:		Serial Link:	220113
Est Closure Date:		Site Concession:	1
Mobile Capacity:	0	Site Region/County:	PEEL
Mobile Units:		SWP Area Name:	
Mobile Description:		MOE District:	
Prop City:	MISSISSAUGA, ONTARIO	District Office:	Halton-Peel
Prop Postal:	L5C-1T7	Latitude:	
Prop Phone:		Longitude:	
Approval Type:			
Proponent:	CANADA BRICK COMPANY/JANNOCK		
Prop Address:	3065 MAVIS ROAD		
Proponent County/District:			
Full Address:			
Site Lot:	18, 19 AND 20,PT		
Waste Class Code:			
Waste Class:			
Waste Type:			
Waste Type Other:	No		
Waste Description:			
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:			
Project Description:			
Municipalities Served:			
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

**Site:** Petro-Canada Lubricants Inc.  
Clarkson Refinery Mississauga ON L5J 2Y3

**Database:**  
WDS

Certificate No:	A220111	Total Area (ha):	
Mob Unit Cert No:		Landfill Cap (m³):	
EBR Registry No:		Transfer Area (ha):	
Status:	Approved	Transfer Cap (m³):	
Facility Type:		Transfer Cert No:	
Record Type:	ECA	Inciner. Area (ha):	
Link Source:	IDS	Inciner. Cap (t):	
Project Type:	WASTE DISPOSAL SITES	Process Area (m³):	
Application Status:		Process Cap (m³/d):	
Issue Date:	2010-07-29	Process Vol (m³):	

**Input Date:**  
**Date Received:**  
**Est Closure Date:**  
**Mobile Capacity:**  
**Mobile Units:**  
**Mobile Description:**  
**Prop City:**  
**Prop Postal:**  
**Prop Phone:**  
**Approval Type:** ECA-WASTE DISPOSAL SITES  
**Proponent:**  
**Prop Address:**  
**Proponent County/District:**  
**Full Address:** Clarkson Refinery  
**Site Lot:**  
**Waste Class Code:**  
**Waste Class:**  
**Waste Type:**  
**Waste Type Other:**  
**Waste Description:**  
**Landfill Monitoring:**  
**Landfill Ctrl Type:**  
**Site Closing Description:**  
**Project Description:**  
**Municipalities Served:**  
**Approval Description:**  
**Other Approvals/Permits:**  
**PDF URL:** <https://www.accessenvironment.ene.gov.on.ca/instruments/5404-838SYP-14.pdf>

**Process Feed (m³):**  
**Serial Link:**  
**Site Concession:**  
**Site Region/County:**  
**SWP Area Name:**  
**MOE District:**  
**District Office:**  
**Latitude:**  
**Longitude:**

**Site:** NORTH OF DUNDAS ST. MISSISSAUGA ON **Database:**  
WDS

<b>Certificate No:</b>	A220113	<b>Total Area (ha):</b>	0
<b>Mob Unit Cert No:</b>		<b>Landfill Cap (m³):</b>	0
<b>EBR Registry No:</b>		<b>Transfer Area (ha):</b>	0
<b>Status:</b>	Approved	<b>Transfer Cap (m³):</b>	0
<b>Facility Type:</b>	Landfill	<b>Transfer Cert No:</b>	
<b>Record Type:</b>		<b>Inciner. Area (ha):</b>	0
<b>Link Source:</b>		<b>Inciner. Cap (t):</b>	0
<b>Project Type:</b>		<b>Process Area (m³):</b>	0
<b>Application Status:</b>		<b>Process Cap (m³/d):</b>	0
<b>Issue Date:</b>	12/16/1983	<b>Process Vol (m³):</b>	0
<b>Input Date:</b>	4/25/97	<b>Process Feed (m³):</b>	0
<b>Date Received:</b>		<b>Serial Link:</b>	220113
<b>Est Closure Date:</b>		<b>Site Concession:</b>	1
<b>Mobile Capacity:</b>	0	<b>Site Region/County:</b>	
<b>Mobile Units:</b>		<b>SWP Area Name:</b>	
<b>Mobile Description:</b>		<b>MOE District:</b>	
<b>Prop City:</b>	MISSISSAUGA, ONTARIO	<b>District Office:</b>	Halton-Peel
<b>Prop Postal:</b>	L5C-1T7	<b>Latitude:</b>	
<b>Prop Phone:</b>		<b>Longitude:</b>	
<b>Approval Type:</b>			
<b>Proponent:</b>	DOMTAR INC.		
<b>Prop Address:</b>	3065 MAVIS ROAD		
<b>Proponent County/District:</b>			
<b>Full Address:</b>			
<b>Site Lot:</b>	18, 19 AND 20,PT		
<b>Waste Class Code:</b>			
<b>Waste Class:</b>			
<b>Waste Type:</b>			
<b>Waste Type Other:</b>	No		
<b>Waste Description:</b>			
<b>Landfill Monitoring:</b>			
<b>Landfill Ctrl Type:</b>			
<b>Site Closing Description:</b>			
<b>Project Description:</b>			
<b>Municipalities Served:</b>			

Approval Description:  
Other Approvals/Permits:  
PDF URL:

**Site:**  
NORTH OF DUNDAS ST. MISSISSAUGA ON

**Database:**  
WDS

<b>Certificate No:</b>	A220113	<b>Total Area (ha):</b>	0
<b>Mob Unit Cert No:</b>		<b>Landfill Cap (m³):</b>	0
<b>EBR Registry No:</b>		<b>Transfer Area (ha):</b>	0
<b>Status:</b>	Approved	<b>Transfer Cap (m³):</b>	0
<b>Facility Type:</b>	Landfill	<b>Transfer Cert No:</b>	
<b>Record Type:</b>		<b>Inciner. Area (ha):</b>	0
<b>Link Source:</b>		<b>Inciner. Cap (t):</b>	0
<b>Project Type:</b>		<b>Process Area (m³):</b>	0
<b>Application Status:</b>		<b>Process Cap (m³/d):</b>	0
<b>Issue Date:</b>	07/14/1982	<b>Process Vol (m³):</b>	0
<b>Input Date:</b>	4/25/97	<b>Process Feed (m³):</b>	0
<b>Date Received:</b>		<b>Serial Link:</b>	220113
<b>Est Closure Date:</b>		<b>Site Concession:</b>	1
<b>Mobile Capacity:</b>	0	<b>Site Region/County:</b>	
<b>Mobile Units:</b>		<b>SWP Area Name:</b>	
<b>Mobile Description:</b>		<b>MOE District:</b>	
<b>Prop City:</b>	MISSISSAUGA, ONTARIO	<b>District Office:</b>	Halton-Peel
<b>Prop Postal:</b>	L5C-1T7	<b>Latitude:</b>	
<b>Prop Phone:</b>		<b>Longitude:</b>	
<b>Approval Type:</b>			
<b>Proponent:</b>	DOMTAR INC.		
<b>Prop Address:</b>	3065 MAVIS ROAD		
<b>Proponent County/District:</b>			
<b>Full Address:</b>			
<b>Site Lot:</b>	18, 19 AND 20,PT		
<b>Waste Class Code:</b>			
<b>Waste Class:</b>			
<b>Waste Type:</b>			
<b>Waste Type Other:</b>	No		
<b>Waste Description:</b>			
<b>Landfill Monitoring:</b>			
<b>Landfill Ctrl Type:</b>			
<b>Site Closing Description:</b>			
<b>Project Description:</b>			
<b>Municipalities Served:</b>			
<b>Approval Description:</b>			
<b>Other Approvals/Permits:</b>			
<b>PDF URL:</b>			

**Site:**  
NORTH OF DUNDAS ST. MISSISSAUGA ON

**Database:**  
WDS

<b>Certificate No:</b>	A220113	<b>Total Area (ha):</b>	0
<b>Mob Unit Cert No:</b>		<b>Landfill Cap (m³):</b>	0
<b>EBR Registry No:</b>		<b>Transfer Area (ha):</b>	0
<b>Status:</b>	Approved	<b>Transfer Cap (m³):</b>	0
<b>Facility Type:</b>	Landfill	<b>Transfer Cert No:</b>	
<b>Record Type:</b>		<b>Inciner. Area (ha):</b>	0
<b>Link Source:</b>		<b>Inciner. Cap (t):</b>	0
<b>Project Type:</b>		<b>Process Area (m³):</b>	0
<b>Application Status:</b>		<b>Process Cap (m³/d):</b>	0
<b>Issue Date:</b>	08/18/1981	<b>Process Vol (m³):</b>	0
<b>Input Date:</b>	4/25/97	<b>Process Feed (m³):</b>	0
<b>Date Received:</b>	7/18/80	<b>Serial Link:</b>	220113
<b>Est Closure Date:</b>		<b>Site Concession:</b>	1
<b>Mobile Capacity:</b>	0	<b>Site Region/County:</b>	
<b>Mobile Units:</b>		<b>SWP Area Name:</b>	
<b>Mobile Description:</b>		<b>MOE District:</b>	
<b>Prop City:</b>	MISSISSAUGA, ONTARIO	<b>District Office:</b>	Halton-Peel



**Prop Postal:** L5C-1T7  
**Prop Phone:**  
**Approval Type:**  
**Proponent:** DOMTAR INC.  
**Prop Address:** 3065 MAVIS ROAD  
**Proponent County/District:**  
**Full Address:**  
**Site Lot:** 18, 19 AND 20,PT  
**Waste Class Code:**  
**Waste Class:**  
**Waste Type:**  
**Waste Type Other:** No  
**Waste Description:**  
**Landfill Monitoring:**  
**Landfill Ctrl Type:**  
**Site Closing Description:**  
**Project Description:**  
**Municipalities Served:**  
**Approval Description:**  
**Other Approvals/Permits:**  
**PDF URL:**

**Latitude:**  
**Longitude:**

---

**Site:** JANNOCK LIMITED  
NORTH OF DUNDAS ST. MISSISSAUGA ON

**Database:**  
WDS

<b>Certificate No:</b>	A220113	<b>Total Area (ha):</b>	0
<b>Mob Unit Cert No:</b>		<b>Landfill Cap (m³):</b>	0
<b>EBR Registry No:</b>		<b>Transfer Area (ha):</b>	0
<b>Status:</b>	Approved	<b>Transfer Cap (m³):</b>	0
<b>Facility Type:</b>	Landfill	<b>Transfer Cert No:</b>	
<b>Record Type:</b>		<b>Inciner. Area (ha):</b>	0
<b>Link Source:</b>		<b>Inciner. Cap (t):</b>	0
<b>Project Type:</b>		<b>Process Area (m³):</b>	0
<b>Application Status:</b>		<b>Process Cap (m³/d):</b>	0
<b>Issue Date:</b>	09/18/1998	<b>Process Vol (m³):</b>	0
<b>Input Date:</b>	9/18/98	<b>Process Feed (m³):</b>	0
<b>Date Received:</b>	4/25/97	<b>Serial Link:</b>	220113
<b>Est Closure Date:</b>		<b>Site Concession:</b>	1
<b>Mobile Capacity:</b>	0	<b>Site Region/County:</b>	PEEL
<b>Mobile Units:</b>		<b>SWP Area Name:</b>	
<b>Mobile Description:</b>		<b>MOE District:</b>	
<b>Prop City:</b>	MISSISSAUGA, ONTARIO	<b>District Office:</b>	Halton-Peel
<b>Prop Postal:</b>	L5C-1T7	<b>Latitude:</b>	
<b>Prop Phone:</b>		<b>Longitude:</b>	
<b>Approval Type:</b>			
<b>Proponent:</b>	JANNOCK LIMITED		
<b>Prop Address:</b>	3065 MAVIS ROAD		
<b>Proponent County/District:</b>			
<b>Full Address:</b>			
<b>Site Lot:</b>	18, 19 AND 20,PT		
<b>Waste Class Code:</b>			
<b>Waste Class:</b>			
<b>Waste Type:</b>			
<b>Waste Type Other:</b>	No		
<b>Waste Description:</b>			
<b>Landfill Monitoring:</b>			
<b>Landfill Ctrl Type:</b>			
<b>Site Closing Description:</b>			
<b>Project Description:</b>			
<b>Municipalities Served:</b>			
<b>Approval Description:</b>			
<b>Other Approvals/Permits:</b>			
<b>PDF URL:</b>			

---

**Site:**

**Database:**  
WWIS

con 1 ON

**Well ID:** 4908323  
**Construction Date:**  
**Primary Water Use:**  
**Sec. Water Use:**  
**Final Well Status:**  
**Water Type:**  
**Casing Material:**  
**Audit No:** 75174  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 4/17/1998  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 3656  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** PEEL  
**Municipality:** MISSISSAUGA CITY  
**Site Info:**  
**Lot:**  
**Concession:** 01  
**Concession Name:** DS N  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10322859  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:** No formation data  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 27-MAR-98  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Elevation:**  
**Elevrc:**  
**Zone:** 17  
**East83:**  
**Org CS:**  
**North83:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Method of Construction & Well Use**

**Method Construction ID:** 964908323  
**Method Construction Code:** 0  
**Method Construction:** Not Known  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10871429  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Site:**  
con 1 ON

**Database:**  
WWIS

**Well ID:** 4909196  
**Construction Date:**  
**Primary Water Use:** Not Used  
**Sec. Water Use:**  
**Final Well Status:** Abandoned-Other  
**Water Type:**  
**Casing Material:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 7/4/2003  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 1663  
**Form Version:** 1

**Audit No:** 253141  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**  
**Static Water Level:**  
**Flowing (Y/N):**  
**Flow Rate:**  
**Clear/Cloudy:**

**Owner:**  
**Street Name:**  
**County:** PEEL  
**Municipality:** MISSISSAUGA CITY  
**Site Info:**  
**Lot:**  
**Concession:** 01  
**Concession Name:** DS S  
**Easting NAD83:**  
**Northing NAD83:**  
**Zone:**  
**UTM Reliability:**

**Bore Hole Information**

**Bore Hole ID:** 10546467  
**DP2BR:**  
**Spatial Status:**  
**Code OB:** -  
**Code OB Desc:** No formation data  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 29-MAY-03  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Elevation:**  
**Elevrc:**  
**Zone:** 17  
**East83:**  
**Org CS:**  
**North83:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Method of Construction & Well Use**

**Method Construction ID:** 964909196  
**Method Construction Code:** A  
**Method Construction:** Digging  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 11095037  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Site:**  
con 1 ON

**Database:**  
WWIS

**Well ID:** 4908322  
**Construction Date:**  
**Primary Water Use:**  
**Sec. Water Use:**  
**Final Well Status:**  
**Water Type:**  
**Casing Material:**  
**Audit No:** 75175  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 4/17/1998  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 3656  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** PEEL  
**Municipality:** MISSISSAUGA CITY  
**Site Info:**  
**Lot:**  
**Concession:** 01  
**Concession Name:** DS N  
**Easting NAD83:**

Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10322858  
DP2BR:  
Spatial Status:  
Code OB:  
Code OB Desc: No formation data  
Open Hole:  
Cluster Kind:  
Date Completed: 06-MAR-98  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Elevation:  
Elevrc:  
Zone: 17  
East83:  
Org CS:  
North83:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na

**Method of Construction & Well Use**

Method Construction ID: 964908322  
Method Construction Code: 0  
Method Construction: Not Known  
Other Method Construction:

**Pipe Information**

Pipe ID: 10871428  
Casing No: 1  
Comment:  
Alt Name:

**Site:**  
con 1 ON

**Database:**  
[WWIS](#)

Well ID: 4908210  
Construction Date:  
Primary Water Use: Not Used  
Sec. Water Use:  
Final Well Status: Abandoned-Other  
Water Type:  
Casing Material:  
Audit No: 75172  
Tag:  
Construction Method:  
Elevation (m):  
Elevation Reliability:  
Depth to Bedrock:  
Well Depth:  
Overburden/Bedrock:  
Pump Rate:  
Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Data Entry Status:  
Data Src: 1  
Date Received: 7/8/1997  
Selected Flag: Yes  
Abandonment Rec:  
Contractor: 3656  
Form Version: 1  
Owner:  
Street Name:  
County: PEEL  
Municipality: MISSISSAUGA CITY  
Site Info:  
Lot:  
Concession: 01  
Concession Name: DS N  
Easting NAD83:  
Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10322769

Elevation:

**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 30-JUN-97  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**  
**Improvement Location Method:**  
**Source Revision Comment:**  
**Supplier Comment:**

**Elevrc:**  
**Zone:** 17  
**East83:**  
**Org CS:**  
**North83:**  
**UTMRC:** 9  
**UTMRC Desc:** unknown UTM  
**Location Method:** na

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 932062382  
**Layer:** 1  
**Color:**  
**General Color:**  
**Mat1:** 00  
**Most Common Material:** UNKNOWN TYPE  
**Mat2:**  
**Other Materials:**  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:**  
**Formation End Depth:**  
**Formation End Depth UOM:** ft

**Method of Construction & Well**  
**Use**

**Method Construction ID:** 964908210  
**Method Construction Code:** B  
**Method Construction:** Other Method  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10871339  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

---

**Site:** lot 10 con 2 ON

**Database:**  
**WWIS**

**Well ID:** 4906787  
**Construction Date:**  
**Primary Water Use:** Livestock  
**Sec. Water Use:**  
**Final Well Status:** Water Supply  
**Water Type:**  
**Casing Material:**  
**Audit No:** 15493  
**Tag:**  
**Construction Method:**  
**Elevation (m):**  
**Elevation Reliability:**  
**Depth to Bedrock:**  
**Well Depth:**  
**Overburden/Bedrock:**  
**Pump Rate:**

**Data Entry Status:**  
**Data Src:** 1  
**Date Received:** 1/15/1988  
**Selected Flag:** Yes  
**Abandonment Rec:**  
**Contractor:** 4005  
**Form Version:** 1  
**Owner:**  
**Street Name:**  
**County:** PEEL  
**Municipality:** MISSISSAUGA CITY  
**Site Info:**  
**Lot:** 010  
**Concession:** 02  
**Concession Name:** CON  
**Easting NAD83:**

Static Water Level:  
Flowing (Y/N):  
Flow Rate:  
Clear/Cloudy:

Northing NAD83:  
Zone:  
UTM Reliability:

**Bore Hole Information**

Bore Hole ID: 10321348  
DP2BR:  
Spatial Status:  
Code OB: o  
Code OB Desc: Overburden  
Open Hole:  
Cluster Kind:  
Date Completed: 04-JAN-88  
Remarks:  
Elevrc Desc:  
Location Source Date:  
Improvement Location Source:  
Improvement Location Method:  
Source Revision Comment:  
Supplier Comment:

Elevation:  
Elevrc:  
Zone: 17  
East83:  
Org CS:  
North83:  
UTMRC: 9  
UTMRC Desc: unknown UTM  
Location Method: na

**Overburden and Bedrock  
Materials Interval**

Formation ID: 932055207  
Layer: 1  
Color: 6  
General Color: BROWN  
Mat1: 05  
Most Common Material: CLAY  
Mat2: 81  
Other Materials: SANDY  
Mat3: 77  
Other Materials: LOOSE  
Formation Top Depth: 0  
Formation End Depth: 14  
Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 932055208  
Layer: 2  
Color: 3  
General Color: BLUE  
Mat1: 05  
Most Common Material: CLAY  
Mat2: 77  
Other Materials: LOOSE  
Mat3:  
Other Materials:  
Formation Top Depth: 14  
Formation End Depth: 98  
Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 932055210  
Layer: 4  
Color: 2  
General Color: GREY  
Mat1: 29

**Most Common Material:** FINE GRAVEL  
**Mat2:** 79  
**Other Materials:** PACKED  
**Mat3:**  
**Other Materials:**  
**Formation Top Depth:** 108  
**Formation End Depth:** 114  
**Formation End Depth UOM:** ft

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 932055209  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 28  
**Most Common Material:** SAND  
**Mat2:** 11  
**Other Materials:** GRAVEL  
**Mat3:** 79  
**Other Materials:** PACKED  
**Formation Top Depth:** 98  
**Formation End Depth:** 108  
**Formation End Depth UOM:** ft

**Method of Construction & Well  
Use**

**Method Construction ID:** 964906787  
**Method Construction Code:** 1  
**Method Construction:** Cable Tool  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 10869918  
**Casing No:** 1  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

**Casing ID:** 930530232  
**Layer:** 1  
**Material:** 1  
**Open Hole or Material:** STEEL  
**Depth From:**  
**Depth To:** 114  
**Casing Diameter:** 6  
**Casing Diameter UOM:** inch  
**Casing Depth UOM:** ft

**Results of Well Yield Testing**

**Pump Test ID:** 994906787  
**Pump Set At:**  
**Static Level:** 6  
**Final Level After Pumping:** 18  
**Recommended Pump Depth:** 105  
**Pumping Rate:** 12  
**Flowing Rate:**  
**Recommended Pump Rate:** 10  
**Levels UOM:** ft  
**Rate UOM:** GPM

**Water State After Test Code:** 2  
**Water State After Test:** CLOUDY  
**Pumping Test Method:** 2  
**Pumping Duration HR:** 1  
**Pumping Duration MIN:** 0  
**Flowing:** N

**Draw Down & Recovery**

**Pump Test Detail ID:** 935049469  
**Test Type:** Recovery  
**Test Duration:** 60  
**Test Level:** 6  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934255329  
**Test Type:** Recovery  
**Test Duration:** 15  
**Test Level:** 6  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934529888  
**Test Type:** Recovery  
**Test Duration:** 30  
**Test Level:** 6  
**Test Level UOM:** ft

**Draw Down & Recovery**

**Pump Test Detail ID:** 934783973  
**Test Type:** Recovery  
**Test Duration:** 45  
**Test Level:** 6  
**Test Level UOM:** ft

**Water Details**

**Water ID:** 933794804  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 114  
**Water Found Depth UOM:** ft



# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Sep 2018**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Nov 2016**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Jul 31, 2018**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2014**

## **Certificates of Approval:**

Provincial [CA](#)

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Commercial Fuel Oil Tanks:**

Provincial **CFOT**

List of commercial underground fuel oil tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Note: the Fuels Safety Division does not register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of commercial fuel tanks in the province. The TSSA updates information in its system on an ongoing basis; this listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Chemical Register:**

Private **CHEM**

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jul 31, 2018**

**Compressed Natural Gas Stations:**

Private **CNG**

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 - Jul 2018**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial **COAL**

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial **CONV**

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Sep 2018**

**Certificates of Property Use:**

Provincial **CPU**

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994-Oct 31, 2018**

**Drill Hole Database:**

Provincial **DRL**

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886-Nov 30, 2017**

**Dry Cleaning Facilities:**

Federal **DRYCLEANERS**

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2016**

**Environmental Activity and Sector Registry:**

Provincial **EASR**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011-Oct 31, 2018**

**Environmental Registry:**

Provincial **EBR**

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994-Oct 31, 2018**

**Environmental Compliance Approval:**

Provincial **ECA**

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011-Oct 31, 2018**

**Environmental Effects Monitoring:**

Federal **EEM**

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private **EHS**

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Oct 31, 2018**

**Environmental Issues Inventory System:**

Federal **EIIS**

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**List of TSSA Expired Facilities:**

Provincial **EXP**

List of facilities and tanks - for which there was once a registration - no longer registered with the Fuels Safety Program of the Technical Standards and Safety Authority (TSSA). Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc. Tanks which have been removed from the ground are included in the expired facilities inventory held by the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government.

**Government Publication Date: Jun 2000-Aug 2018**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2017**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks made available by the Fuels Safety Program of the Technical Standards & Safety Authority (TSSA). Ontario Regulation 213/01 of the Technical Standards and Safety Act (2000) requires that all underground tanks be registered with the TSSA. Notes: the Fuels Safety Division did not register private fuel underground/aboveground storage tanks prior to January of 1990, or furnace oil tanks prior to May 1, 2002; nor does the Division register waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel storage tanks/tank facilities in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Fuel Storage Tank - Historic:**

Provincial **FSTH**

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial **GEN**

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-June 30, 2018**

**Greenhouse Gas Emissions from Large Facilities:**

Federal **GHG**

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

**Government Publication Date: 2013-Dec 2016**

**TSSA Historic Incidents:**

Provincial **HINC**

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal **IAFT**

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**TSSA Incidents:**

Provincial [INC](#)

List of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC) and made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Landfill Inventory Management Ontario:**

Provincial [LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Sep 30, 2017**

**Canadian Mine Locations:**

Private [MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Environmental Penalty Annual Report:**

Provincial [MISA PENALTY](#)

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2017**

**Mineral Occurrences:**

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Jan 2018**

**National Analysis of Trends in Emergencies System (NATES):**

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2016**

**National Defense & Canadian Forces Fuel Tanks:**

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Jun 30, 2018**

**National Energy Board Wells:**

Federal

NEBW

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGW

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-August 31, 2018**

**Ontario Oil and Gas Wells:**

Provincial

OGGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-May 2018**

**Inventory of PCB Storage Sites:**

Provincial [OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial [ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994-Oct 31, 2018**

**Canadian Pulp and Paper:**

Private [PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal [PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***

**Pesticide Register:**

Provincial [PES](#)

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: 1988-Mar 2018**

**TSSA Pipeline Incidents:**

Provincial [PINC](#)

List of pipeline incidents (strikes, leaks, spills) made available by the Technical Standards and Safety Authority (TSSA). Under the Technical Standards & Safety Act (2000), the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors, and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of pipeline incidents in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**

**Private and Retail Fuel Storage Tanks:**

Provincial [PRT](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial [PTTW](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994-Oct 31, 2018**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial [REC](#)

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-2016**

**Record of Site Condition:**

Provincial **RSC**

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Sep 2018**

**Retail Fuel Storage Tanks:**

Private **RST**

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Jul 31, 2018**

**Scott's Manufacturing Directory:**

Private **SCT**

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial **SPL**

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

**Government Publication Date: 1988-Jul 2018**

**Wastewater Discharger Registration Database:**

Provincial **SRDS**

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2016**

**Anderson's Storage Tanks:**

Private **TANK**

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal **TCFT**

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970-Aug 2017**

**TSSA Variances for Abandonment of Underground Storage Tanks:**

Provincial **VAR**

List of variances granted for abandoned tanks. Under the Technical Standards and Safety Authority (TSSA) Liquid Fuels Handling Code and Fuel Oil Code, all underground storage tanks must be removed within two years of disuse. If removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of tank variances in the province. The TSSA updates information in its system on an ongoing basis; this listing is hence limited by the record date provided here.

**Government Publication Date: Feb 28, 2017**



**Waste Disposal Sites - MOE CA Inventory:**

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011-Oct 31, 2018**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Dec 31, 2017**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.


**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.


The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

# APPENDIX B

**TERRAPROBE INC.**





# Terraprobe

Consulting Geotechnical & Environmental Engineering  
Construction Materials Inspection & Testing

September 16, 2019

File No. 1-18-0615-2  
Brampton Office

Region of Peel  
7120 Hurontario Street  
Mississauga, Ontario L5W 1N4

Attention: Ms. Elaine Gilliland, Acting Director – Wastewater

---

**RE: SPILLS INQUIRY**

---

Terraprobe Inc. has been retained by IBI Group, on behalf of the City of Mississauga, to complete a Contamination Overview Study (COS) of the Cawthra Road municipal roadway corridor extending from Queen Elizabeth Way (QEW) to Eastgate Parkway in the City of Mississauga, Ontario (the “Site”).

We are requesting any available information regarding spills on Cawthra Road, reported to the Region, between Eastgate Parkway and South Service Road.

Yours truly,

**Terraprobe Inc.**

Mariam Al Gailani, EIT  
Environmental Engineering

---

**Terraprobe Inc.****Greater Toronto**

11 Indell Lane  
Brampton, Ontario L6T 3Y3  
(905) 796-2650 Fax: 796-2250

**Hamilton – Niagara**

903 Barton Street, Unit 22  
Stoney Creek, Ontario L8E 5P5  
(905) 643-7560 Fax: 643-7559

**Central Ontario**

220 Bayview Drive, Unit 25  
Barrie, Ontario L4N 4Y8  
(705) 739-8355 Fax: 739-8369

**Northern Ontario**

1012 Kelly Lake Rd., Unit 1  
Sudbury, Ontario P3E 5P4  
(705) 670-0460 Fax: 670-0558

[www.terraprobe.ca](http://www.terraprobe.ca)



Mariam Al Gailani &lt;malgailani@terraprobe.ca&gt;

---

## Spill Inquiry for Cawthra Road

---

**Centeno, Analyne** <analyne.centeno@peelregion.ca>  
To: "malgailani@terraprobe.ca" <malgailani@terraprobe.ca>

Thu, Oct 17, 2019 at 1:55 PM

Good Afternoon Mariam,

Attached is a summary of the spills found for Cawthra Road between Eastgate Pkwy and South Service Road. If you have any questions or concerns please feel free to contact me at the number below.

Thank-you!

Analyne Centeno

Assistant, Environmental Control

Wastewater Division, Public Works

[Region of Peel](#)

[3515 Wolfedale Road](#)

[Mississauga, ON L5C 1V8](#)

**Phone:** 905-791-7800 x 3129

**Fax:** 905-566-4628

**Email:** [centenoa@peelregion.ca](mailto:centenoa@peelregion.ca)



This e-mail, including any attachments, is intended for the recipient specified in the message and may contain information which is confidential or privileged. Any Unauthorized use or disclosure of this email is prohibited. If you are not the intended recipient or have received this e-mail in error, please notify the sender immediately and permanently delete all copies of the email. Thankyou.




**Cawthra Road between Eastgate Pkwy and South Service Road.xlsx**

16K




**Location: Cawthra Road between Eastgate Parkway and South Service Road**

Incident Number	Date	Location	Description	Comments
19-230	5/2/2019	Corner of Queensway Avenue & Cawthra Road	High gas readings in a storm sewer/odours	No material found in sewer
19-280	5/29/2019	Cawthra Road 2480, Unit 19	100-200 Litres of pickel juice	Cleaned up by Metro Jet Wash
19-431	8/6/2019	Dundas Street East & Cawthra Road	12" Water main break	Reportable silt to Cooksville Creek
18-683	11/30/2018	Cawthra Road and Atwater Avenue	1" water main break with silt	Silt to Lake Ontario
16-184	4/28/2016	QEW/Cawthra Road	Diesel spill from accident	CB vactored; storm sewer flushed
16-360	7/8/2016	Cawthra Road 2480 (in front of)	Sewer back up	Lightly beige water to storm; no impact to Cawthra Creek; rained
16-337	6/29/2016	Cawthra Road 2480	Sanitary sewer back up	ROP released blockage
16-278	6/7/2016	Cawthra Road 2480	Small sewer back up	Hired plumber to clear blockage and clean street
16-684	11/15/2016	Cawthra Rd 2480	Sanitary sewer back	minimal volume; ROP released blockage
15-390	7/26/2015	South Service Road/Cawthra Road	Sediment from water main break	Water main repaired.
15-672	12/3/2015	Cawthra Road 2480, Unit 9	Potato peels/juice	Confirmed behind unit; swept up into solid waste by company
15-642	11/16/2015	Cawthra & Burnhamthorpe Road	Rain water pumped to storm	No silt
13-112	5/2/2013	Cawthra/Orwell	Sanitary sewer back up	Pooled material vactored; no sewers
13-045	2/20/2013	Burnhamthorpe Road @ Cawthra	Murky brown potable water	No impact on fish, wild life, plant life downstream
12-096	4/4/2012	Cawthra Road 3266	Diesel/Hydraulic fluid 300l.	all soaked into the ground
11-165	6/10/2011	Rathburn & Cawthra	Diesel fuel - 250 litres	Centennial Sweeping and Environmental Solutions cleaned
11-239	7/26/2011	Cawthra @ North Service Road	5 L of auto fluids	Sand applied and swept
09-372	12/11/2009	QEW & Cawthra Rd (Westbound)	120 litres of diesel	Contained to shoulder and ditch and pads and sorbent
07-183	6/25/2007	Queensway/Cawthra Road	200 Litres of diesel on road and catchbasin	TEAM-1 swept and vactored material
06-389	9/29/2006	Cawthra Road 2500	2 litres of gasoline;1 litre of motor oil	Placed pads in cb;none present;pads under car
06-175	5/11/2006	Cawthra Road 2480	Starch from potato dealer caused blockage of sanitary lateral	Got vactor truck & flushed line
05-220	5/25/2005	Cawthra Road at Orwell	50 Litres of oil/gas	No catchbasins affected
05-054	2/9/2005	Cawthra Road 2399, Unit 34&35	Water/chicken - 100 litres	Contained in snow
05-053	2/8/2005	Cawthra Road 2359	Oil in storm ditch	
05-110	3/23/2005	Cawthra Road (southbound) @ Eastgate Pkwy.	Transmission fluid (<1 litre)	Vehicle dripping transmission fluid at intersection;sand applied
04-515	10/7/2004	Cawthra/South Service Road	Diesel on road	Diesel on road, not in catchbasins;unknown source
04-616	11/25/2004	Cawthra Road 2399	1000 Litres of potassium permanganate	Some to storm; outfall o.k.
04-148	3/24/2004	Cawthra Road 2070	20 Litres of oil;no sewers	1,200 ppm PCB; Hydro cleaned up
00-226	6/16/2000	Cawthra Rd. 2370	Transformer oil	Sorbent. Shipped to Miss. Hydro's facility
99-207	7/5/1999	Cawthra Rd. Southbound lanes (S.of QEW)	150-200 L. Diesel fuel.	Granular absorbant and absorbant pads., pumped catchbasins w/vactor truck
98-235	7/15/1998	Cawthra 2446	Floor washing	common practice
	11/4/1994	Cawthra Road between 2446 and 2480	840 litres of transformer mineral oil	
	8/29/1994	Cawthra between QEW and Rathburn	40 gallons diesel fuel	
	7/2/1994	Cawthra Road and Eastgate	Antifreeze and gasoline	
	5/11/1994	Cawthra Rd south of Burnhamthormpe	5-10 gallonds of liquid weed and feed	
	9/24/1993	Cawthra Road and Queensway	5 litres of brake fluid	
	8/6/1993	Cawthra Road at Silver Creek	30 gallons diesel fuel	
	2/10/1993	Cawthra Road 2524	5000 gallons oily water run off	
	10/6/1992	Cawthra Road and Queensway	20 litres of gasoline	
	1/3/1990	Cawthra Road 3100 (Esso)	1000 gallons home heating oil	
	9/15/1988	Cawthra Road and Rathburn Road (Petro Canada)	Contaminated soil	
	12/21/1987	Cawthra Road 2446 Unit 10	waste oil	
	8/3/1987	Cawthra Roa 4106	50 gallons gasoline	
	5/12/1981	Cawthra Road 3469	1 quart waste oil	
	10/14/1979	Cawthra Road 2446 Unit 10	15 gallons hydraulic oil	
	8/30/1979	Cawthra Road north of Burnhamthorpe	hydraulic oil unknown quantity	
	12/20/1978	Cawthra Road and Dundas St	diesel fuel unknown amount	
	2/14/1978	Cawthra Road 2395 Unit 3	20 gallons spent photographic developer	


# Regulation Screening- Credit Valley Conservation





3/19/2020, 5:06:37 PM

-  Credit River Watershed Boundary
-  Parcels around Regulated Area
-  Generic Regulation Mapping


1:18,056



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community



Produced by Corporate Services Department, Geospatial Solutions



Greenlands Overlay  
 Zoning Notation Example:  
 R4-12 = R4-Exception 12


# Zoning Map 13

Schedule "B" To  
 By-law No. 0225-2007  
 Revised: 2018 December 31

Technical Revisions: 2018 October 31








21

19




Greenlands Overlay

Zoning Notation Example:  
R4-12 = R4-Exception 12


# Zoning Map 20

Schedule "B" To  
By-law No. 0225-2007  
Revised: 2018 April 30



22

20




Greenlands Overlay

Zoning Notation Example:  
R4-12 = R4-Exception 12

# Zoning Map 21


Schedule "B" To  
By-law No. 0225-2007

Revised: 2010 January 01



28

26




Greenlands Overlay

Zoning Notation Example:  
R4-12 = R4-Exception 12

# Zoning Map 27

Schedule "B" To  
By-law No. 0225-2007



Revised: 2018 July 31



HIGHWAY 403

29

27



Greenlands Overlay

Zoning Notation Example:  
R4-12 = R4-Exception 12


**Zoning Map 28**

Schedule "B" To  
By-law No. 0225-2007


Revised: 2009 September 30

# APPENDIX C

**TERRAPROBE INC.**



Z:\project files\2015\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AurCAD01-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**AERIAL PHOTOGRAPH**


File No.

1-18-0615-41

YEAR:

**1954**

Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AurCAD01-18-0615-41 Air Photos.dwg, IB



Approximate Site Location



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**AERIAL PHOTOGRAPH**

File No.


1-18-0615-41

YEAR :

**1966**



Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AircCAD01-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**AERIAL PHOTOGRAPH**



File No.

1-18-0615-41

YEAR :

**1975**

Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AurCAD01-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**AERIAL PHOTOGRAPH**


File No.

1-18-0615-41

YEAR:

**1985**

Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AurCAD01\1-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**AERIAL PHOTOGRAPH**



File No.

1-18-0615-41

YEAR :

**1992**

Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AutocAD\1-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**SATELLITE IMAGE**



File No.

1-18-0615-41

YEAR :

**2002**

Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AutocAD\1-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**SATELLITE IMAGE**



File No.

1-18-0615-41

YEAR :

**2012**

Z:\project files\2018\1-18-0615 - Cawthra Road, Mississauga\1-Geotechnical - Cawthra Road Improvements\A. Dwg5, logs\AutocAD\1-18-0615-41 Air Photos.dwg, IB



**Terraprobe**

11 Indell Lane, Brampton, Ontario, L6T 3Y3  
Tel: (905) 796-2650 Fax: (905) 796-2250

Title:

**SATELLITE IMAGE**

File No.


1-18-0615-41

YEAR :

**2018**

# APPENDIX D

**TERRAPROBE INC.**



79°37'W


79°36'30"W

79°36'W

79°35'30"W

79°35'W

79°34'30"W



Source: Ontario Base Mapping (OBM), 2010. Ontario Ministry of Natural Resources

43°37'N

43°36'30"N

43°36'30"N

43°36'N

43°36'N

43°35'30"N

43°35'30"N

43°35'N

43°34'30"N

MISSISSAUGA

1:22000




# Ontario Base Mapping (OBM) Data

Order No. 20181212067

+ Spot Height (metre)	— Transportation Structure	— Contour Line	Wooded Area
■ Building Point	— Utility Line	▭ Pit or Quarry	▭ Conservation Authority
⚡ Towers	— Water Structure	▭ Waterbody	▭ Conservation Area
● Utility Site Point	— Drainage Line Feature	▭ Wetlands	▭ Municipal Park
— Misc. Line	— River or Stream	▭ Concession	▭ Provincial Park
— Railroads	▭ Airports	▭ Lots	▭ National Park
— Roads	■ Tanks	▭ Municipality	▭ Nature Reserve
- - - Trail	▭ Building to Scale	▭ Land Ownership	





## Legend

- Assessment Parcel
- Woodland
- Conservation Reserve
- Provincial Park
- Natural Heritage System
- Ecoregion
- Wetland**
  - Provincially Significant Wetland Evaluated
  - Non - Provincially Significant Wetland Evaluated
  - Unevaluated Wetland
- Area of Natural Heritage & Scientific Interest (ANSI)**
  - Provincially Significant Life Science ANSI
  - Provincially Significant Earth Science ANSI
- Greenbelt Plan**
  - Boundary
  - River Valley Connections
- Land Use Designations**
  - Protected Countryside
  - Towns and Villages
  - Hamlets
  - Urban River Valley
  - Specialty Crop Area
- Niagara Escarpment Plan (NEP)**
  - Boundary
  - Parks and Open Space System
- Land Use Designations**
  - Escarpment Natural Area
  - Escarpment Protection Area
  - Escarpment Rural Area
  - Mineral Resource Extraction Area
  - Escarpment Recreation Area
  - Urban Area
  - Minor Urban Centre
- Oak Ridges Moraine Conservation Plan (ORM)**
  - Boundary
  - Natural Core Area
  - Natural Linkage Area
  - Countryside Area
  - Rural Settlement
  - Paigrave Estates Residential Community
  - Settlement Area



2.7 0 1.33 2.7 Kilometers



This map should not be relied on as a precise indicator of routes or locations, nor as a guide to navigation. The Ontario Ministry of Natural Resources and Forestry (OMNRF) shall not be liable in any way for the use of, or reliance upon, this map or any information on this map.

Imagery Copyright Notices: DRAPE © Aéro-Photo (1961) Inc., 2008 - 2009  
 GTA 2005 / SWOOP 2006 / Simcoe-Muskoka-Dufferin © FirstBase Solutions, 2005 / 2006 / 2008  
 © Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors [2013] and may not be reproduced without permission. THIS IS NOT A PLAN OF SURVEY.





0 3.2 km

Projection: Web Mercator




The Ontario Ministry of Natural Resources and Forestry shall not be liable in any way for the use of, or reliance upon, this map or any information on this map. This map should not be used for: navigation, a plan of survey, routes, nor locations.

Imagery Copyright Notices: Ontario Ministry of Natural Resources and Forestry; NASA Landsat Program; First Base Solutions Inc.; Aéro-Photo (1961) Inc.; DigitalGlobe Inc.; U.S. Geological Survey.

© Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors and may not be reproduced without permission.





**Legend**

- Building as Symbol
- Building to Scale
- Airport
- Heliport \ Hospital Heliport
- Seaplane Base
- Ferry Route
- Trail Head \ Trail
- Railway \ Train Station
- Railway with Bridge
- Railway with Tunnel
- Road (Major -> Minor)
- Winter Road
- Road with Bridge
- Road with Tunnel
- Primary, Kings or 400 Series Highway
- Secondary Highway
- Tertiary Highway
- District, County, Regional or Municipal Road
- Toll Highway
- One Way Road
- Road with Permanent Blocked Passage
- Road with Address Ranges
- Hydro Line, Communication Line or Unknown Transmission Line
- Natural Gas Pipeline, Water Pipeline or Unknown Pipeline
- Spot Height
- Index Contour
- Contour
- Wooded Area
- Wetland
- Waterbody
- Waterbody Elevation
- Watercourse
- Falls
- Rapids
- Rapids \ Falls
- Rocks
- Lock Gate
- Dam \ Hydro Wall
- Provincial \ State Boundary
- International Boundary
- Upper Tier \ District Municipal Boundary
- Lower Tier \ Single Tier Municipal Boundary
- Lot Line
- Indian Reserve
- Provincial Park
- National Park
- Conservation Reserve
- Military Lands





Projection: Web Mercator

The Ontario Ministry of Natural Resources and Forestry shall not be liable in any way for the use of, or reliance upon, this map or any information on this map. This map should not be used for: navigation, a plan of survey, routes, nor locations.

Imagery Copyright Notices: Ontario Ministry of Natural Resources and Forestry; NASA Landsat Program; First Base Solutions Inc.; Aéro-Photo (1961) Inc.; DigitalGlobe Inc.; U.S. Geological Survey.

© Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors and may not be reproduced without permission.





0 0.5 km

Projection: Web Mercator



The Ontario Ministry of Natural Resources and Forestry shall not be liable in any way for the use of, or reliance upon, this map or any information on this map. This map should not be used for: navigation, a plan of survey, routes, nor locations.

Imagery Copyright Notices: Ontario Ministry of Natural Resources and Forestry; NASA Landsat Program; First Base Solutions Inc.; Aéro-Photo (1961) Inc.; DigitalGlobe Inc.; U.S. Geological Survey.

© Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors and may not be reproduced without permission.





**Georgian Bay** ✕

*Unit Name:* Georgian Bay  
*Group:*  
*Formation:* Georgian Bay  
*Lithology:* shale, limestone  
*Description:* shale and limestone





**55b**

*Shale, limestone, dolostone, siltstone  
Georgian Bay Formation; Blue Mountain Formation; Billings Formation; Collingwood Member; Eastview Member*

25 Crouse Rd, Toronto



Ontario Geological Survey

Drift Thickness (m)



High : 262


Low : 0

© 2018 Google

Google Earth

2004

17 T 609550.64 m E 4829641.01 m N elev 0 ft eye alt 13723 ft



25 Crouse Rd, Toronto

**41 Iroquois Plain**  
*Iroquois Plain*

Cawthra / QEW

Image Landsat / Copernicus

Image NOAA

Google Earth

17 T 621903.40 m E 4821141.11 m N elev 0 ft eye alt 28.36 mi





32 South Slope  
South Slope

25 Crouse Rd, Toronto


Cawthra / QEW

Image Landsat / Copernicus

Image NOAA

Google Earth

17 T 612816.12 m E 4827966.54 m N elev 0 ft eye alt 28.36 mi



Ontario

Ontario Geological Survey

9c Coarse-textured glaciolacustrine deposits  
sand, gravel, minor silt and clay  
Foreshore and basinal deposits

Cawthra

Google Earth

2004

17 T 613454.93 m E 4827355.12 m N elev 0 ft eye alt 13051 ft



Ontario

Ontario Geological Survey

3 Paleozoic bedrock

Cawthra

Google Earth

2004

17 T 613524.09 m E 4827338.01 m N elev 0 ft eye alt 13051 ft



Ontario

Ontario Geological Survey


**5d Till**  
*Clay to silt-textured till  
(derived from  
glaciolacustrine deposits or  
shale)*

Cawthra

Google Earth

2004

17 T 612692.47 m E 4828079.38 m N elev 0 ft eye alt 13051 ft



Ontario

Ontario Geological Survey

**8b Fine-textured  
glaciolacustrine deposits**

*silt and clay, minor sand and gravel  
Interbedded silt and clay and gritty,  
pebbly flow till and rainout deposits*


Cawthra

Google Earth

2004

17 T 612455.51 m E 4828295.79 m N elev 0 ft eye alt 13051 ft

# Cross Section



● Halton Till (or equiv. upper till)

● Newmarket Till

● Sunnybrook Drift

● Top of Bedrock

— Water Table

● Oak Ridges Moraine (or equiv. upper aquifer)


● Thorncliffe Fm.

● Scarborough Fm.

— Ground Surface

● Wells


# Cross Section



- Halton Till (or equiv. upper till)
- Newmarket Till
- Sunnybrook Drift
- Top of Bedrock
- Water Table

- Oak Ridges Moraine (or equiv. upper aquifer)
- Thorncliffe Fm.
- Scarborough Fm.
- Ground Surface
- Wells

# Cross Section




- Halton Till (or equiv. upper till)
- Newmarket Till
- Sunnybrook Drift
- Top of Bedrock
- Water Table
- Oak Ridges Moraine (or equiv. upper aquifer)
- Thorncliffe Fm.
- Scarborough Fm.
- Ground Surface
- Wells



# APPENDIX E

**TERRAPROBE INC.**





Photograph 1

Location: Contamination Overview Study (COS) Site

Viewing: South

Description: View of the southern stretch of Cawthra Road, from the north of the intersection with Tedwyn Drive towards the QEW. Visible in the background is the fence separating Cawthra Road from the residential homes on either side of the road between North Service Road and The Queensway East.



Photograph 2

Location: COS Site

Viewing: North

Description: View of Cawthra Road, from the north of the intersection with Tedwyn Drive towards The Queensway. Visible in the background is the fence separating Cawthra from the residential homes on either side of the road between North Service Road and The Queensway East.



Photograph 3

Location: Adjacent to COS Site, Southwest Corner of the Cawthra Road, Queensway Intersection

Viewing: West

Description: View of the Enbridge Cawthra & Queensway District Station from the west side of Cawthra Road.





Photograph 4

Location: COS Site

Viewing: Southeast

Description: View of the Cawthra Road, just south of the intersection of Cawthra Road and The Queensway, taken from the west side of Cawthra Road. Visible in the background are the only unfenced residences on this stretch of road.



Photograph 5

Location: 655 The Queensway East

Viewing: North

Description: View of the south elevation of the Petro Canada Gas Station northwest of the intersection of Cawthra Road and The Queensway East, from the north side of The Queensway.



Photograph 6

Location: 655 The Queensway East

Viewing: Northwest

Description: View of the east elevations of the buildings on the property, including Alpha Auto Tech Complete Auto Service, from the west side of Cawthra Road.





Photograph 7

Location: 2421 Cawthra Road

Viewing: East

Description: View of the southwest elevation of The Musket Transport Ltd., from the west side of Cawthra Road. The entrance to the trucking depot is visible in the centre of the photo as well as the southwest elevation of the building associated with Musket Transport Ltd and the Truck Driving Academy.



Photograph 8

Location: COS Site

Viewing: Southeast

Description: View of Cawthra Road, facing The Queensway East, from the west of Cawthra Road, adjacent to 2480 Cawthra Road. Commercial buildings to the east and west of Cawthra road are visible in the background.



Photograph 9

Location: COS Site

Viewing: Northeast

Description: View of Cawthra Road, south of Dundas Street East, from the west of Cawthra Road. Visible in the background is 2531 Cawthra Road, occupied by Franceschini Bros. Aggregates, retailers of bulk salt and aggregates.





Photograph 10

Location: COS Site

Viewing: Northwest

Description: View of Cawthra Road north of Silver Creek Boulevard, from the east side of Cawthra Road. Fencing once again separates residential neighborhoods from Cawthra Road.



Photograph 11

Location: COS Site

Viewing: North

Description: View of Cawthra Road north of Bloor Street, from the northeast corner of the intersection of Cawthra Road and Bloor Street.



Photograph 12

Location: 4106 Cawthra Road

Viewing: Northwest

Description: View of the southeast elevation of the Petro Canada from the southwest corner of the intersection of Cawthra Road and Rathburn Road East.



Photograph 13

Location: COS Site

Viewing: Northwest

Description: View of Cawthra Road north of Rathburn Road East, from the east side of Cawthra Road, just south of Rathburn Road East.



Photograph 14

Location: COS Site

Viewing: Southwest

Description: View of Cawthra Road south of Rathburn Road East, from the northeast corner of Cawthra Road and Rathburn Street East.



Photograph 15

Location: COS Site

Viewing: Southwest

Description: View of Cawthra Road south of Eastgate Parkway, from the east side of Cawthra Road, just south of Eastgate Parkway.