

NOTICE OF PUBLIC INFORMATION CENTRE #2 SUPPLY CAPACITY INCREASE FOR PALGRAVE WELL # 4

Background


The Region of Peel initiated a Class Environmental Assessment (Class EA) Study to plan for the necessary upgrades/modifications required at the Palgrave Well #4 Water Treatment Plant, located at 9 Buckstown Trail. Infrastructure upgrades at the existing plant are needed to accommodate a proposed increase in water taking capacity of the existing municipal production well, Palgrave Well #4. This will provide additional supply capacity to the existing Caledon East/Palgrave Drinking Water System to meet the long-term water needs of the serviced area.

Class EA Study Process

The Class EA study is being conducted as a Schedule 'C' project as per the Municipal Class Environmental Assessment document (October 2000, as amended in 2007, 2011 & 2015). The study includes evaluation of alternative solutions and alternative design concepts, an assessment of potential impacts associated with the required works/infrastructure, and identification of measures to mitigate potential impacts, as well as public and review agency consultation.

Public Information Centre (PIC)

A first PIC session was held virtually on the Region's webpage (<https://www.peelregion.ca/public-works/environmental-assessments/caledon/palgrave-ea-well4.asp>) from February 14, 2022, to Friday, March 4, 2022. The purpose of the first PIC was to introduce the project, present the decision-making process, the preliminary alternatives under consideration, and the preferred alternative recommended for further examination.



A second PIC session is scheduled for:

Date: Thursday, October 27th, 2022
Time: 4:00 pm to 7:00 pm
Location: Palgrave Equestrian Facility in the Palgrave Community Room
200 Pine Ave, Palgrave, ON, L7E 0M1

The purpose of the second PIC is to present the results of the evaluation of the upgrade and modification options, introduce the recommended upgrade design concept to increase the capacity of Palgrave Well #4, and the next steps in the study. The second PIC will also provide an additional opportunity to gather feedback on the project and the recommendations of the Class EA study.

Staff members from the Region of Peel and the consulting team, CIMA+, will be available to provide details on the project and discuss your comments. You are encouraged to attend the PIC and provide your comments. Comments received through the course of the study will be considered before a final decision is made.

Anyone who wishes to comment on or to be involved in this Municipal Class Environmental Assessment study should indicate their interest, preferably in writing to either of the project team members listed below:

Erin Ihnat
Region of Peel
erin.ihn timer@peelregion.ca



Sandra Rodriguez
CIMA+
sandra.rodri guez@cima.ca

The Notice of PIC was first issued on October 20th, 2022.