











# Peel Health Surveillance

June 22, 2025 to July 5, 2025 (Weeks 26-27)

- **Respiratory virus activity in Peel is low.**
- **Next report:** July 23, 2025.

Table 1: Indicators of respiratory virus activity in Peel

Indicator	Week 27 Activity in Peel	Activity Level	Weekly Change
<b>Lab-Confirmed Cases<sup>1</sup></b>			
Influenza	5 new cases reported	 Low	≈ Similar
<b>Percent Positivity of Lab Tests</b>			
Influenza <sup>2</sup>	0.9% percent positivity (week 26)	 Low	≈ Similar
SARS-CoV-2 (COVID-19) <sup>3</sup>	2.6% percent positivity (week 27)	 Low	≈ Similar
Other respiratory viruses <sup>2</sup>	Adenovirus: 1.5% (week 26) Enterovirus/Rhinovirus: 9.5% (week 26) Human metapneumovirus: 3.8% (week 26) Parainfluenza virus: 7.2% (week 26) Seasonal human coronavirus: 0.4% (week 26) Respiratory syncytial virus (RSV): 0.0% (week 26)	--	--
<b>Emergency Department Visits<sup>4</sup></b>			
Influenza-like illness (ILI)	2.6% of total ED visits	 Low	≈ Similar
Respiratory symptoms	3.7% of total ED visits	 Low	≈ Similar
<b>Respiratory Outbreaks in Hospitals, Long-Term Care Homes, and Retirement Homes<sup>1</sup></b>	2 new respiratory outbreaks declared Total outbreaks this season: <b>Influenza:</b> 43 <b>COVID-19:</b> 113 <b>Other or multiple respiratory viruses:</b> 100	 Low	≈ Similar
<b>Wastewater Surveillance<sup>5</sup> [no updates since last report]</b>			
Influenza A	Not detected (week 24)	 Not detected	≈ Similar
Influenza B	Not detected (week 24)	 Not detected	▼ Lower
SARS-CoV-2 (COVID-19)	Low activity (week 24)	 Low	≈ Similar
Respiratory syncytial virus (RSV)	Low activity (week 24)	 Low	≈ Similar


Notes: Current activity level (low/moderate/high) is assigned based on comparisons to historical data, and weekly change (lower/similar/higher) is based on comparisons to the previous week. **Bold** indicates a change in activity level compared to the previous week.

Sources: 1) Ontario Ministry of Health, integrated Public Health Information System (iPHIS) database, extracted by Peel Public Health [8/Jul/2025]; 2) Public Health Ontario (PHO), Ontario Respiratory Virus Tool, extracted by Peel Public Health [8/Jul/2025]; 3) Ontario Ministry of Health, Ontario Laboratory Information System; 4) South East Health Unit, Acute Care Enhanced Surveillance; 5) Government of Canada, Wastewater Monitoring Dashboard, available at: <https://health-infobase.canada.ca/wastewater/> as of [8/Jul/2025]. Please interpret activity level information with caution because of a lack of baseline data. Activity level includes not detected. Wastewater trend is calculated based on the past 35 days. Refer to the Wastewater Monitoring Dashboard – Technical notes for more information. In this report, current wastewater activity level and trend are reported separately; this may differ from the Wastewater Monitoring Dashboard which reports activity level and trend in a combined index.

# Peel Health Surveillance

## Respiratory Infection Activity


**Figure 1.** Weekly percent of emergency department visits due to influenza-like illness or respiratory syndromes, Peel residents: August 25, 2024 to July 5, 2025



Note: The grey shaded area represents the range between the minimum and maximum weekly percentage of ED visits due to ILI or respiratory syndromes, between 2019/20 and 2023/24.

Source: South East Health Unit, Acute Care Enhanced Surveillance, extracted by Peel Public Health [8/Jul/2025]

**Figure 2.** Laboratory-confirmed influenza cases in Peel by type and episode week: August 25, 2024 to July 5, 2025



Note: Episode date of cases reflect the earliest of symptom onset, test date, or date reported to public health. Illnesses occurring during the most recent weeks may not yet be reported to public health.

Source: Ontario Ministry of Health, integrated Public Health Information System (iPHIS) database, extracted by Peel Public Health [8/Jul/2025]

# Peel Health Surveillance

**Table 2.** Laboratory-confirmed influenza cases and rates by age group, Peel: September 1, 2024 to July 5, 2025

Age group (years)	Influenza A				Influenza B Total	Total Influenza cases (%)	Influenza rate per 100,000†
	A(H1N1) pdm09	A(H3N2)	A(UnS)*	A Total			
0-4	371	171	316	861	217	1,078 (23.9%)	1,279.4
5-17	209	129	179	519	295	814 (18.0%)	344.7
18-44	205	157	230	592	210	802 (17.8%)	100.3
45-64	224	85	260	569	63	632 (14.0%)	159.5
65+	424	178	552	1155	37	1,192 (26.4%)	478.9
<b>Total</b>	<b>1,433</b>	<b>720</b>	<b>1,537</b>	<b>3,696</b>	<b>822</b>	<b>4,518 (100%)</b>	<b>255.9</b>


\*UnS: unsubtype; the specimen was typed as influenza A, but no result for subtyping was available.

†Cumulative incidence rate per 100,000 population.

Sources: Ontario Ministry of Health, integrated Public Health Information System (iPHIS) database, extracted by Peel Public Health [8/Jul/2025]; Ontario Ministry of Finance, Population projections by county and PHU, 2024 [Oct/2022]

## Outbreaks in Priority Settings

**Figure 3.** Confirmed institutional respiratory outbreaks by week declared and virus, Peel: August 25, 2024 to July 5, 2025



Notes: Institutional settings include hospitals, long-term care homes, retirement homes, and congregate living settings (i.e., shelters, correctional facilities, supported living facilities, group homes and hospices). Other virus outbreaks include: respiratory syncytial virus (n=18), human metapneumovirus (n=15), seasonal human coronavirus (n=15), parainfluenza virus (n=13), enterovirus (n=12), respiratory infection unspecified (n=8), rhinovirus (n=4), enterovirus (n=1); multiple virus outbreaks include: COVID-19 and respiratory syncytial virus (n=3), enterovirus and rhinovirus (n=3), COVID-19 and seasonal human coronavirus (n=2), COVID-19, influenza A, enterovirus, and rhinovirus (n=1), enterovirus, seasonal human coronavirus, and respiratory syncytial virus (n=1), COVID-19, influenza A, seasonal human coronavirus, and respiratory syncytial virus (n=1), COVID-19 and rhinovirus (n=1), parainfluenza virus and rhinovirus (n=1), seasonal human coronavirus, human metapneumovirus, and parainfluenza virus (n=1), COVID-19, enterovirus, and rhinovirus (n=1). The outbreak declared date represents the date the outbreak first met the definition for a confirmed outbreak.

Sources: Ontario Ministry of Health, integrated Public Health Information System (iPHIS) database, extracted by Peel Public Health [8/Jul/2025].

# Peel Health Surveillance


**Table 3.** Institutional respiratory outbreak summary, Peel: September 1, 2024 to July 5, 2025

Measure	Influenza A	Influenza B	COVID-19	Other virus
<b>Total institutional outbreaks</b>	<b>46</b>	<b>0</b>	<b>123</b>	<b>112</b>
Acute Care	13	0	31	6
Long-Term Care Home	25	0	46	80
Retirement Home	7	0	42	25
Congregate Living Settings	1	0	4	1
<b>Number of deaths among outbreak-associated cases</b>	<b>11</b>	<b>0</b>	<b>23</b>	<b>8</b>

Notes: Congregate living settings include: shelters, correctional facilities, supported living facilities, group homes, and hospices. Outbreaks with multiple co-circulating viruses are counted per virus. Other virus outbreaks include: respiratory syncytial virus (n=23), seasonal human coronavirus (n=20), human metapneumovirus (n=16), entero/rhinovirus (n=15), parainfluenza virus (n=15), rhinovirus (n=11), respiratory infection unspecified (n=8), enterovirus (n=4).  
Sources: Ontario Ministry of Health, integrated Public Health Information System (iPHIS) database, extracted by Peel Public Health [8/Jul/2025]

## Disease Severity


**Figure 4.** Weekly percent of hospital admissions among Peel residents due to influenza-like illness, respiratory, or pneumonia syndromes: August 25, 2024 to July 5, 2025



Note: The shaded area represents the range between the minimum and maximum weekly percentage of admissions due to ILI, respiratory, or pneumonia syndromes, between 2019/20 and 2023/24.  
Source: South East Health Unit, Acute Care Enhanced Surveillance, extracted by Peel Public Health [8/Jul/2025]

# Peel Health Surveillance


**Figure 5.** Weekly hospital admission rates among Peel residents due to influenza-like illness, respiratory, or pneumonia syndromes, combined, by age group: August 25, 2024 to July 5, 2025



Note: The shaded areas represent the ranges between the minimum and maximum age-specific admission rates due to ILI, respiratory, or pneumonia syndromes, combined, between 2019/20 and 2023/24.

Sources: South East Health Unit, Acute Care Enhanced Surveillance, extracted by Peel Public Health [8/Jul/2025]; Ontario Ministry of Finance, Population projections by county and PHU, 2024 [Oct/2022]

**Figure 6.** Weekly acute care and intensive care admissions among COVID-19, influenza, and RSV cases, Peel hospitals, August 25, 2024 to July 5, 2025



Sources: Ontario Ministry of Health, Daily Bed Census, extracted [8/Jul/2025]; Ontario Ministry of Health, Critical Care Information System, extracted [8/Jul/2025]

# Peel Health Surveillance

## Data notes

- Unless otherwise specified, this report includes the most current data available as of 8:30 am on [8/Jul/2025] from the provincial Integrated Public Health Information System (iPHIS).
- iPHIS is a dynamic reporting source for infectious disease surveillance data. Data extracted represent a snapshot of data entered up to and at the time of extraction and may differ in previous or subsequent reports.
- Laboratory-confirmed cases included in this report represent those individuals who resided in Peel region at the time of their diagnosis.
- Emergency department visit and admission data from the [Acute Care Enhanced Surveillance Application](#) are categorized by syndromes and do not necessarily represent health care utilization/outcomes due to respiratory virus infections. Syndromes are not clinical diagnoses.

## Respiratory virus testing indications

Currently, PCR testing eligibility differs for SARS-CoV-2 compared to influenza and other respiratory viruses. Therefore, metrics such as test positivity cannot be compared between SARS-CoV-2 and other viruses, due to differing denominators. In general, non-SARS-CoV-2 tests can be requested for symptomatic patients who are hospitalized, visit the emergency department, live in institutional settings, or are involved in an institutional outbreak. SARS-CoV-2 testing eligibility is set by the [Ontario Ministry of Health](#).

**Table 5.** Respiratory virus testing indications

Patient symptom status	Patient setting	Testing Available by Request	
		SARS-CoV-2	Influenza A, Influenza B, and other viruses*
Symptomatic	Hospitalized (all inpatients)	✓	✓
	Remote communities	✓	✓
	Public health unit declared respiratory infection outbreak	✓	✓
	Institutions (non-outbreak)	✓	✓
	Emergency department adult patients who are at risk of severe disease or outcomes and whose treatment decisions may be impacted by test results, as outlined in <a href="#">provincial eligibility criteria for respiratory virus testing</a>	✓	✓
	Emergency Department: pediatric patients (<18 years old)	✓	✓
	Ambulatory settings or not specified	✓	

\*The multiplex respiratory virus PCR (MRVP) tests for: influenza A, influenza B, respiratory syncytial virus (RSV A/B), parainfluenza (1 – 4), adenovirus, enterovirus, seasonal human coronavirus (OC43, 229E, NL63, HKU1), rhinovirus and human metapneumovirus.

Note: As of October 1, 2024, asymptomatic patients are no longer eligible for COVID-19 PCR testing ([Public Health Ontario: Coronavirus Disease 2019 \(COVID-19\) – PCR](#)).

Adapted from: [Public Health Ontario: Coronavirus Disease 2019 \(COVID-19\) – PCR](#); [Public Health Ontario: Respiratory Viruses \(including influenza\)](#); [Public Health Ontario: Eligibility Criteria for Respiratory Virus Testing: At Risk Ambulatory/Emergency Department Patients](#); [Ontario Ministry of Health: COVID-19 Provincial Testing Guidance Update \(January 25, 2023\)](#).

## Resources

### Influenza surveillance

- Provincial: [Public Health Ontario: Ontario Respiratory Virus Tool](#)
- Federal: [Public Health Agency of Canada: FluWatch surveillance](#)
- Global: [World Health Organization: Global Influenza Programme](#)

### COVID-19 surveillance

- Provincial: [Public Health Ontario: Ontario Respiratory Virus Tool](#)
- Provincial genomic surveillance: [Public Health Ontario: SARS-CoV-2 Genomic Surveillance in Ontario](#)
- Federal: [Public Health Agency of Canada: COVID-19 epidemiology update](#)